

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/10/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: BURLEY 4 STATE: ID LOC ID: BYI FAA SITE NR: 04158.*A
> 2 AIRPORT NAME: BURLEY MUNI 5 COUNTY: CASSIA ID
> 3 CBD TO AIRPORT (NM): 01 NE 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT: SALT LAKE CITY

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF BURLEY
> 12 ADDRESS: P.O. BOX 1090
BURLEY, ID 83318
> 13 PHONE NR: 208-878-2224
> 14 MANAGER: KEVIN GEBHART
> 15 ADDRESS: P.O. BOX 157
BURLEY, ID 83318
> 16 PHONE NR: 208-678-0372
> 17 ATTENDANCE SCHEDULE:

MAY-OCT ALL 0800-1700
NOV-APR MON-FRI 0800-1700
NOV-APR WKENDS ON CALL ONLY 208-678-7118

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 42-32-33.4000N ESTIMATED
20 ARPT LONG: 113-46-17.5000W
21 ARPT ELEV: 4153.5 SURVEYED
22 ACREAGE: 220
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: LOW
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES: AGRI, INSTR, SALES, SURV

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED: SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: BOISE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

	02/20	06/24	H1
31 LENGTH:	4,092	4,072	50
32 WIDTH:	80	75	50
33 SURF TYPE-COND:	ASPH-F	ASPH-F	ASPH-G
34 SURF TREATMENT:	NONE	NONE	NONE
35 GROSS WT: S	43.0	23.0	
36 (IN THSDS) D	60.0		
40 EDGE INTENSITY:	MED	MED	
42 RWY MARK TYPE-COND:	BSC - G / NPI - G	BSC - F / BSC - F	- / -
43 VGSI:	V4L /	/ V2R	/
44 THR COSSING HGT.:	46 /	/ 52	/
45 VISUAL GLIDE ANGLE:	3.50 /	/ 3.00	/
46 CNTRLN-TDZ:	- / -	- / -	- / -
47 RVR-RVV:	- / -	- / -	- / -
48 REIL:	/ Y	/	/
49 APCH LIGHTS:	/	/	/
50 FAR 77 CATEGORY	B(V) / C	B(V) / B(V)	/
51 DISPLACED THR:	626 / 305	796 / 115	/
52 CTLG OBSTN:	ROAD / STACK	RR / TREE	/
53 OBSTN MARKED/LGTD:	/	/ L	/
54 HGT ABOVE RWY END:	20 / 100	27 / 32	/
55 DIST FROM RWY END:	200 / 2,100	200 / 735	/
56 CNTRLN OFFSET:	0B / 40R	35L / 80L	/
57 OBSTN CLNC SLOPE:	0:1 / 19:1	0:1 / 16:1	/
58 CLOSE-IN OBSTN:	Y / N	Y / N	N / N
60 TAKE OFF RUN AVBL (TORA):	/	/	/
61 TAKE OFF DIST AVBL (TODA):	/	/	/
62 ACLT STOP DIST AVBL (ASDA):	/	/	/
63 LNDG DIST AVBL (LDA):	/	/	/

A 057 RWY 02 27 FT' RLRD 680 FT FM DSPLCD THR 17:1.
A 057 RWY 06 23 FT RLRD 935 FT ON CNTRLN FM DSPLCD THR 31:1.
A 057 RWY 20 120 FT STEAM STACKS 2800 FT NORTH RWY 20, SLP 31:1 TO DSPLCD THLD.
A 058 RWY 02 7 FT FENCE 630 FT FM THLD ON CNTRLN; 27 FT RLRD 680 FT FM THLD ON CNTRLN; 15 FT RLRD SGL 660 FT FM THLD AND 140 FT R.
A 058 RWY 06 23 FT RAIL ROAD 175 FT ON CNTRLN; +8 FT FENCE 0 FT FM THR 80 FT R.
A 076 AERIAL PHOTOGRAPHY
A 081 ACTVT REIL RWY 20; MIRL RWY 02/20 & 06/24 - CTAF (3 CLICKS TO TURN ON). VASI RWY 02 & 24 OPR CONSLY.
A 110-001 BIRDS INVOF ALL RWYS; ESPECIALLY AER 20 & AER 24.
A 110-002 RWY 02 & 06; NMRS CLOSE IN OBSTNS. 23 FT HIGH RAIL ROAD BOX CARS MAY BE PRKD ON TRKS OFF END OF RWY 02 & 06.
A 110-003 MKD HELIPAD ON RAMP IN FRONT OF LIFE FLT BLDG.
A 110-006 AGRICULTURAL ACTIVITY ON AND INVOF ALL RYS APR-OCT.
A 110-007 FOR CD CTC TWIN FALLS APCH AT 208-734-7160, WHEN APCH CLSD CTC SALT LAKE ARTCC AT 801-320-2568.
A 110-008 FOR FUEL SALES CTC FBO. NR ON THE FBO DOOR.
A 110-009 RWY 2-20: RWY END 20: NMRS 80-120 FT STEAM STACKS LCTD 2800 FT NORTH OF ARPRT/SNAKE RIVER AT GEM PROCESSING PLANT; EXER EXTREME CTN ON ARR, SPCLY IN POOR VIS CONDS - SLP 18:1.

111 INSPECTOR: (S) 112 LAST INSP: 03/05/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/10/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/10/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: ID LOC ID: BYI FAA SITE NR: 04158.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 03/05/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/10/2026
AFD EFF 04/16/2026