

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: BOZEMAN 4 STATE: MT LOC ID: BZN FAA SITE NR: 12278.*A
> 2 AIRPORT NAME: BOZEMAN YELLOWSTONE INTL 5 COUNTY: GALLATIN MT
> 3 CBD TO AIRPORT (NM): 07 NW 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT: GREAT FALLS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: GALLATIN AIRPORT AUTHORITY
> 12 ADDRESS: 850 GALLATIN FIELD RD, SUITE 6
BELGRADE, MT 59714
> 13 PHONE NR: 406-388-6632
> 14 MANAGER: BRIAN SPRENGER
> 15 ADDRESS: 850 GALLATIN FIELD RD, SUITE 6
BELGRADE, MT 59714
> 16 PHONE NR: 406-388-6632
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0430-0100

SERVICES

70 FUEL: 100 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AGRI, CHTR, GLD, INSTR, PAJA,
RNTL, SALES, SURV, TOW

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: GREAT FALLS
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 45-46-38.0488N ESTIMATED
20 ARPT LONG: 111-09-00.9370W
21 ARPT ELEV: 4473.4 SURVEYED
22 ACREAGE: 2,481
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I C S 05/1973

RUNWAY DATA

	03/21	11/29	11G/29G	12/30
> 30 RUNWAY INDENT:	2,650	5,050	2,802	8,994
> 31 LENGTH:	75	75	80	150
> 32 WIDTH:	ASPH-G	ASPH-G	TURF-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE	GRVD
> 34 SURF TREATMENT:	12.5	12.5		120.0
35 GROSS WT: S				250.0
36 (IN THSDS) D				550.0
37 2D				1120.0
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

	BSC - G / BSC - G	MED BSC - G / BSC - G	NSTD - / NSTD -	HIGH PIR - G / PIR - G
> 40 EDGE INTENSITY:	/	P4L / P4L	/	P4L / P4L
> 42 RWY MARK TYPE-COND:	/	42 / 47	/	53 / 50
> 43 VGS:	/	3.00 / 3.00	/	3.00 / 3.20
44 THR COSSING HGT.:	/	- / -	- / -	- / -
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	TMR - / TMR -
> 46 CNTRLN-TDZ:	/	/	/	/ N
> 47 RVR-RVV:	/	/	/	MALSR / MALSR
> 48 REIL:	/	/	/	
> 49 APCH LIGHTS:	/	/	/	

OBSTRUCTION DATA

	A(V) / A(V)	A(V) / A(V)	A(V) / A(V)	PIR / C
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	20:1 / 20:1	20:1 / 20:1	/	50:1 / 34:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

	2,650 / 2,650	5,050 / 5,050	/	8,994 / 8,994
> 60 TAKE OFF RUN AVBL (TORA):	2,650 / 2,650	5,050 / 5,050	/	8,994 / 8,994
> 61 TAKE OFF DIST AVBL (TODA):	2,650 / 2,650	5,050 / 5,050	/	8,994 / 8,994
> 62 ACLT STOP DIST AVBL (ASDA):	2,650 / 2,650	5,050 / 5,050	/	8,994 / 8,994
> 63 LNDG DIST AVBL (LDA):	2,650 / 2,650	5,050 / 5,050	/	8,994 / 8,994

> 110 REMARKS

A 030 RWY 11G/29G 240 FT S OF RWY 11/29; AVBL WHEN DRY WITH ATC APVL.
A 039 RWY 03/21 PCR VALUE: 465/F/A/X/U
A 039 RWY 11/29 PCR VALUE: 260/F/A/X/U
A 039 RWY 12/30 PCR VALUE: 1410/F/A/X/U
A 042 RWY 11G CONES.
A 042 RWY 29G CONES.
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 12 & 30; HIRL RWY 12/30; MIRL RWY 11/29 - CTAF. PAPI RWY 12 & 30 OPR CONSLY.
A 110-005 SNOW REMOVAL EQUIP - CTAF.
A 110-009 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -21C.
A 110-012 BIRDS INVOF ARPT.
A 110-013 STUDENT TRNG ACT WI 15 MI.
A 110-015 180 DEG TURN NA ON TRML RAMP.
A 110-016 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 12.
A 110-017 FOR CD WHEN ATCT CLSD CTC BIG SKY APCH AT 208-364-5860, WHEN ATCT AND APCH CLSD CTC SALT LAKE ARTCC AT 801-320-2568.
A 110-018 NOISE: TRAINING TRAFFIC - CHECK VOLUNTARY NOISE ABATEMENT PRO

111 INSPECTOR: (F) 112 LAST INSP: 05/09/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MT LOC ID: BZN FAA SITE NR: 12278.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 30A RWY 03 TKOF NA UNTIL CFMG NO TFC USING RWY 12.
A 30A RWY 12 ARR & DEP OPS WHEN WIND LESS THAN 10 KT; OTR RWY MAY BE USED; EXPC DLA.
A 30A RWY 21 LCTD BTN RWY 12/30 & TWY A; AVBL GTR THAN 12500 LB DAY/VFR ONLY.

111 INSPECTOR: (F)

112 LAST INSP: 05/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026