AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/15/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: UPLAND
> 2 AIRPORT NAME: CABLE
3 CBD TO AIRPORT (NM): 02 NW
4 STATE: CA
6 REGION/ADO: AWP/LAX
LOC ID: CCB
5 COUNTY: SAN BERNARDINO CA
7 SECT AERO CHT: LOS ANGELES
FAA SITE NR: 02385.*A

GENERAL

10 OWNERSHIP: PRIVATE
> 11 OWNER: CABLE LAND CO - A PARTNERSHIP
> 12 ADDRESS: 1749 WEST 13TH STREET
UPLAND, CA 91786-2199
> 13 PHONE NR: 909-982-6021
> 14 MANAGER: BOB CABLE
> 15 ADDRESS: 1749 WEST 13TH STREET
UPLAND, CA 91786-2199
> 16 PHONE NR: 909-573-5558
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	DALGT

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 34-06-41.7940N ESTIMATED
20 ARPT LONG: 117-41-14.5980W
21 ARPT ELEV: 1443.5 SURVEYED
22 ACREAGE: 95
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NMY
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AVNCS, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: RIVERSIDE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	06/24	H1	H2	
> 30 RUNWAY INDENT:				
> 31 LENGTH:	3,863	65	65	
> 32 WIDTH:	75	65	65	
> 33 SURF TYPE-COND:	ASPH-G	ASPH-G	ASPH-CONC-G	
> 34 SURF TREATMENT:	NONE	NONE	NONE	
35 GROSS WT: S	20.0			
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

	MED	PERI		
> 40 EDGE INTENSITY:	NPI - G / BSC - G	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	V2L / V2R	/	/	/
> 43 VGSI:	34 / 24	/	/	/
44 THR COSSING HGT.:	4.00 / 4.00	/	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- / -	- / -	- / -
> 47 RVR-RVV:	N / N	/	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY	C / B(V)	/	/	/
> 51 DISPLACED THR:	106 / 157	/	/	/
> 52 CTLG OBSTN:	/ ROAD	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 9	/	/	/
> 55 DIST FROM RWY END:	/ 200	/	/	/
> 56 CNTRLN OFFSET:	/ 0B	/	/	/
57 OBSTN CLNC SLOPE:	34:1 / 0:1	/	/	/
58 CLOSE-IN OBSTN:	N / Y	N / N	N / N	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 014 BCABLE@CABLEAIRPORT.COM
A 035 RWY 06/24 GROSS PAVEMENT STRENGTH PRVDD BY ARPT OPERATOR 12500 LBS.
A 043 RWY 24 UNUSBL BYD 5 DEG LEFT AND 2 DEG RIGHT OF RWY CNTRLN.
A 057 APCH RATIO TO DSPLCD THR OVER +9 FT ROAD 220 FT FROM DSPLCD THR; 24:1.
A 058 RWY 24 +6 FT FENCE WITH RED LGTS 50 FT FROM THLD.
A 070 SELF SERVICE 24 HOUR
A 081 ACTVT HELIPAD H1 PERIMETER LGTS - CTAF. MIRL RWY 06/24 PRESET ON LOW INTST SS-SR ACTVT HIGH INTST - CTAF.
A 110-001 FOR CD CTC SOCAL APCH AT 800-448-3724.

111 INSPECTOR: (S)
112 LAST INSP: 11/13/2025
113 LAST INFO REQ: 03/27/1984