AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/22/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: CONCORD
> 2 AIRPORT NAME: BUCHANAN FLD
3 CBD TO AIRPORT (NM): 01 W
4 STATE: CA
6 REGION/ADO: AWP/SFO
LOC ID: CCR
5 COUNTY: CONTRA COSTA CA
7 SECT AERO CHT: SAN FRANCISCO
FAA SITE NR: 01437.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CONTRA COSTA COUNTY
> 12 ADDRESS: 181 JOHN GLENN DR, SUITE 100
CONCORD, CA 94520
> 13 PHONE NR: 925-608-8000
> 14 MANAGER: GREG BAER
> 15 ADDRESS: 181 JOHN GLENN DR, SUITE 100
CONCORD, CA 94520
> 16 PHONE NR: 925-608-8000
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	0700-1700

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 37-59-22.7640N ESTIMATED
20 ARPT LONG: 122-03-24.8480W
21 ARPT ELEV: 25.6 SURVEYED
22 ACREAGE: 495
> 23 RIGHT TRAFFIC: 19R, 01R, 32R, 14R
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGRY
> 26 FAR 139 INDEX: IV A U 05/1986

SERVICES

70 FUEL: 100LL A1+ UL94

71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AMB, AVNCS, CHTR, INSTR, RNTL, SALES

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: OAKLAND
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	01L/19R	01R/19L	14L/32R	14R/32L
> 30 RUNWAY INDENT:	5,001	2,770	4,602	2,798
> 31 LENGTH:	150	75	150	75
> 32 WIDTH:	ASPH-CONC-G	ASPH-P	ASPH-CONC-E	ASPH-F
> 33 SURF TYPE-COND:	GRVD	NONE	GRVD	NONE
> 34 SURF TREATMENT:	83.0	17.0	83.0	12.5
35 GROSS WT: S	121.0		189.0	
36 (IN THSDS) D	189.0		120.0	
37 2D				
38 2D/2D2				
> 39 PCN:	PCR/330 /F/	PCN/12 /F/	PCR/330 /F/	PCN/14 /F/

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH		MED	
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	BSC - G / BSC - G	NPI - G / NPI - G	BSC - G / BSC - G
> 43 VGSI:	P4L / P4L	/	/ P4R	/
44 THR COSSING HGT.:	40 / 22	/	/ 40	/
45 VISUAL GLIDE ANGLE:	4.00 / 3.00	/	/ 4.00	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	N - N / N - N	N - N / N - N
> 47 RVR-RVV:	- N / - N	- N / - N	- N / - N	- N / - N
> 48 REIL:	Y / N	N / N	N / Y	N / N
> 49 APCH LIGHTS:	/ MALS	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	B(V) / D	A(V) / A(V)	B(V) / B(V)	A(V) / A(V)
> 51 DISPLACED THR:	/ 601	/	301 / 350	/
> 52 CTLG OBSTN:	TREE / POLE	TREE / TREE	ROAD / TREE	ROAD / OTHER
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	58 / 44	50 / 69	15 / 32	15 / 46
> 55 DIST FROM RWY END:	1,480 / 900	1,675 / 2,000	850 / 1,335	580 / 1,260
> 56 CNTRLN OFFSET:	550R / 590L	150R / 257L	/ 225R	/ 175L
57 OBSTN CLNC SLOPE:	22:1 / 15:1	30:1 / 26:1	43:1 / 35:1	25:1 / 23:1
58 CLOSE-IN OBSTN:	Y / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	4,701 / 5,001	2,770 / 2,770	4,601 / 4,601	2,799 / 2,799
> 61 TAKE OFF DIST AVBL (TODA):	5,001 / 5,001	2,770 / 2,770	4,601 / 5,081	2,799 / 2,799
> 62 ACLT STOP DIST AVBL (ASDA):	4,401 / 5,001	2,770 / 2,770	4,001 / 4,481	2,799 / 2,799
> 63 LNDG DIST AVBL (LDA):	4,401 / 4,401	2,770 / 2,770	3,701 / 4,131	2,799 / 2,799

> 110 REMARKS

A 023 RWY 19R STD LEFT TFC WHEN ATCT CLSD.
A 026 CLSD TO ACR OPNS WITH MORE THAN 30 PSGR SEATS EXC PPR; CALL AMGR (925) 681-4200. ARFF SVCS AVBL 24 HRS WITH PRIOR APVL FROM ARPT ADMIN.
A 030 RWY 01R/19L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 030 RWY 14R/32L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 033 RWY 01R/19L PAVEMENT HAS HIGH SEVERITY BLOCK CRACKING, LONGL AND TRANSVERSE CRACKING, PATCHING, AND WEATHERING.
A 043 RWY 01L PAPI DOES NOT PROVIDE OBSTRUCTION CLEARANCE BYD 4.0 NM FROM THR.
A 043 RWY 32R PAPI DOES NOT PROVIDE OBSTRUCTION CLEARANCE BYD 4.0 NM FROM THR.
A 052 RWY 14R LIGHT
A 057 RWY 14L APCH RATIO 50:1 TO DSPLCD THR.
A 057 RWY 32R APCH RATIO 50:1 TO DSPLCD THR.
A 058 RWY 01L CLOSE IN OBSTN +8 FT FENCE 110 FT FROM RWY END, 100 FT RT
A 081 ACTVT MALS RWY 19R 2200-0600; PAPI RWY 01L, 19R, & 32R - 119.7. REIL RWY 01L OFF WHEN ATCT CLSD.

111 INSPECTOR: (F)
112 LAST INSP: 06/15/2023
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/22/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: CA | LOC ID: CCR | FAA SITE NR: 01437.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AWP/SFO | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-002 NOISE SENSITIVE AREA PRACTICE NOISE ABATEMENT (FLY QUIET) PROCS.
A 110-006 LNDG FEE FOR COML OPNS & TIE DOWN FEE FOR OVERNIGHT PARKING.
A 110-009 +8 FT FENCE 110 FT BYD RY 01L TODA DSTC OF 5010 AND +7 FT FENCE 210 FT BYD RY 14L TODA DSTC OF 4601 FT ALONG THE EXTDD RY CNTRL.
A 110-012 ARPT HAS NOISE ABATEMENT PROCS; CTC AMGR PRIOR TO ARR 925-608-8000.
A 110-015 BIRDS ON & INVOF ARPT HEAVIEST CONCENTRATION NOV-MAR AND AFTER RAINSTORMS.
A 110-016 WHEN ATCT CLSD RYS 14L/32R; 14R/32L & 01R/19L CLSD.
A 110-017 NO TRAINING OPERATIONS MON-FRI 2200-0700; SAT SUN & HOL 2200-0800.
A 110-018 ARFF SVC AVBL UPON REQ WITH 24 HR NTC.
A 110-019 WHEN ATCT CLSD CALL TRAVIS APCH CTL (SUU) CLNC DEL 707-424-5111.
A 110-020 ARPT SFC CONDS NOT MNT 2200-0700.
A 110-021 CONTRA COSTA CO SUPVRS OF ARPT OPS, BUCHANAN FLD AND BYRON ARPTS, OFC CTC NR 925-608-8000.

111 INSPECTOR: (F) | 112 LAST INSP: 06/15/2023 | 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/22/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: CCR FAA SITE NR: 01437.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 06/15/2023 113 LAST INFO REQ: