

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: CONCORD 4 STATE: CA LOC ID: CCR FAA SITE NR: 01437.\*A  
> 2 AIRPORT NAME: BUCHANAN FLD 5 COUNTY: CONTRA COSTA CA  
> 3 CBD TO AIRPORT (NM): 01 W 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: SAN FRANCISCO

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CONTRA COSTA COUNTY  
> 12 ADDRESS: 181 JOHN GLENN DR, SUITE 100  
CONCORD, CA 94520  
> 13 PHONE NR: 925-608-8000  
> 14 MANAGER: GREG BAER  
> 15 ADDRESS: 181 JOHN GLENN DR, SUITE 100  
CONCORD, CA 94520  
> 16 PHONE NR: 925-608-8000  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-1700

### SERVICES

70 FUEL: 100LL A1+ UL94  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES: AMB, AVNCS, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: OAKLAND  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 37-59-22.7640N ESTIMATED  
20 ARPT LONG: 122-03-24.8480W  
21 ARPT ELEV: 25.6 SURVEYED  
22 ACREAGE: 495  
> 23 RIGHT TRAFFIC: 19R, 01R, 32R, 14R  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGRY  
> 26 FAR 139 INDEX: IV A U 05/1986

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	01L/19R	01R/19L	14L/32R	14R/32L
	5,001	2,770	4,602	2,798
	150	75	150	75
	ASPH-CONC-G	ASPH-P	ASPH-CONC-E	ASPH-F
	GRVD	NONE	GRVD	NONE
	83.0	17.0	83.0	12.5
	121.0		189.0	
	189.0		120.0	
		12 /F/B/W/U		14 /F/B/W/T

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH		MED	
	PIR - G / PIR - G	BSC - G / BSC - G	NPI - G / NPI - G	BSC - G / BSC - G
	P4L / P4L	/	/ P4R	/
	40 / 22	/	/ 40	/
	4.00 / 3.00	/	/ 4.00	/
	N - N / N - N	N - N / N - N	N - N / N - N	N - N / N - N
	- N / - N	- N / - N	- N / - N	- N / - N
	Y / N	N / N	N / Y	N / N
	/ MALS	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	B(V) / D	A(V) / A(V)	B(V) / B(V)	A(V) / A(V)
	/ 601	/	301 / 350	/
	TREE / POLE	TREE / TREE	ROAD / TREE	ROAD / OTHER
	/	/	/	/
	58 / 44	50 / 69	15 / 32	15 / 46
	1,480 / 900	1,675 / 2,000	850 / 1,335	580 / 1,260
	550R / 590L	150R / 257L	/ 225R	/ 175L
	22:1 / 15:1	30:1 / 26:1	43:1 / 35:1	25:1 / 23:1
	Y / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	4,701 / 5,001	2,770 / 2,770	4,601 / 4,601	2,799 / 2,799
	5,001 / 5,001	2,770 / 2,770	4,601 / 5,081	2,799 / 2,799
	4,401 / 5,001	2,770 / 2,770	4,001 / 4,481	2,799 / 2,799
	4,401 / 4,401	2,770 / 2,770	3,701 / 4,131	2,799 / 2,799

### > 110 REMARKS

A 023 RWY 19R STD LEFT TFC WHEN ATCT CLSD.  
A 026 CLSD TO ACR OPNS WITH MORE THAN 30 PSGR SEATS EXC PPR; CALL AMGR (925) 681-4200. ARFF SVCS AVBL 24 HRS WITH PRIOR APVL FROM ARPT ADMIN.  
A 030 RWY 01R/19L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 030 RWY 14R/32L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 033 RWY 01R/19L PAVEMENT HAS HIGH SEVERITY BLOCK CRACKING, LONGL AND TRANSVERSE CRACKING, PATCHING, AND WEATHERING.  
A 039 RWY 01L/19R PCR VALUE: 330/F/C/X/T  
A 039 RWY 14L/32R PCR VALUE: 330/F/C/X/T  
A 043 RWY 01L PAPI DOES NOT PROVIDE OBSTRUCTION CLEARANCE BYD 4.0 NM FROM THR.  
A 043 RWY 32R PAPI DOES NOT PROVIDE OBSTRUCTION CLEARANCE BYD 4.0 NM FROM THR.  
A 052 RWY 14R LIGHT  
A 057 RWY 14L APCH RATIO 50:1 TO DSPLCD THR.  
A 057 RWY 32R APCH RATIO 50:1 TO DSPLCD THR.

111 INSPECTOR: ( F ) 112 LAST INSP: 06/15/2023 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: CCR FAA SITE NR: 01437.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
 71 AIRFRAME RPRS:  
 72 PWR PLANT RPRS:  
 73 BOTTLE OXYGEN:  
 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

80 ARPT BCN:  
 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 82 UNICOM:  
 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

### > 110 REMARKS

A 058 RWY 01L CLOSE IN OBSTN +8 FT FENCE 110 FT FROM RWY END, 100 FT RT  
 A 081 ACTVT MALS RWY 19R 2200-0600; PAPI RWY 01L, 19R, & 32R - 119.7. REIL RWY 01L OFF WHEN ATCT CLSD.  
 A 110-002 NOISE SENSITIVE AREA PRACTICE NOISE ABATEMENT (FLY QUIET) PROCS.  
 A 110-006 LNDG FEE FOR COML OPNS & TIE DOWN FEE FOR OVERNIGHT PARKING.  
 A 110-009 +8 FT FENCE 110 FT BYD RY 01L TODA DSTC OF 5010 AND +7 FT FENCE 210 FT BYD RY 14L TODA DSTC OF 4601 FT ALONG THE EXTDD RY CNTRL.  
 A 110-012 ARPT HAS NOISE ABATEMENT PROCS; CTC AMGR PRIOR TO ARR 925-608-8000.  
 A 110-015 BIRDS ON & INVOF ARPT HEAVIEST CONCENTRATION NOV-MAR AND AFTER RAINSTORMS.  
 A 110-016 WHEN ATCT CLSD RYS 14L/32R; 14R/32L & 01R/19L CLSD.  
 A 110-017 NO TRAINING OPERATIONS MON-FRI 2200-0700; SAT SUN & HOL 2200-0800.  
 A 110-018 ARFF SVC AVBL UPON REQ WITH 24 HR NTC.  
 A 110-019 WHEN ATCT CLSD CALL TRAVIS APCH CTL (SUU) CLNC DEL 707-424-5111.  
 A 110-020 ARPT SFC CONDS NOT MNT 2200-0700.

111 INSPECTOR: ( F )

112 LAST INSP: 06/15/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: CCR FAA SITE NR: 01437.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-021 CONTRA COSTA CO SUPVRS OF ARPT OPS, BUCHANAN FLD AND BYRON ARPTS, OFC CTC NR 925-608-8000.

111 INSPECTOR: (F)

112 LAST INSP: 06/15/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026