

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/2/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: COLD BAY 4 STATE: AK LOC ID: CDB FAA SITE NR: 50114.\*A  
> 2 AIRPORT NAME: COLD BAY 5 COUNTY: ALEUTIANS EAST AK  
> 3 CBD TO AIRPORT (NM): 00 N 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: COLD BAY

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: ALASKA DOT&PF SOUTHCOAST REGION  
> 12 ADDRESS: P.O BOX 112506  
JUNEAU, AK 99811-2506  
> 13 PHONE NR: 907-465-1763  
> 14 MANAGER: HAROLD KREMER  
> 15 ADDRESS: BOX 97  
COLD BAY, AK 99571  
> 16 PHONE NR: 907-532-5000  
> 17 ATTENDANCE SCHEDULE:

ALL MON - SAT 0700 - 1800

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES:  
CARGO

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SEE RMK  
82 UNICOM:  
83 WIND INDICATOR: YES  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: COLD BAY  
87 FSS ON ARPT: YES  
88 FSS PHONE NR: 907-532-2466  
89 TOLL FREE NR: 1-800-478-7250

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 55-12-21.3000N ESTIMATED  
20 ARPT LONG: 162-43-34.5000W  
21 ARPT ELEV: 99.5 SURVEYED  
22 ACREAGE: 2,213  
> 23 RIGHT TRAFFIC: 26, 33  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY  
> 26 FAR 139 INDEX: I B S 04/2005

### RUNWAY DATA

|                      | 08/26  | 15/33  |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT:  | 4,900  | 10,179 |
| > 31 LENGTH:         | 150    | 150    |
| > 32 WIDTH:          | ASPH-G | ASPH-G |
| > 33 SURF TYPE-COND: | GRVD   | GRVD   |
| > 34 SURF TREATMENT: | 120.0  | 120.0  |
| 35 GROSS WT: S       | 250.0  | 246.0  |
| 36 (IN THSDS) D      | 431.0  | 433.0  |
| 37 2D                | 966.0  | 970.0  |
| 38 2D/2D2            |        |        |

### LIGHTING/APCH AIDS

|                          | HIGH              | HIGH              |       |       |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY:     | NPI - G / NPI - G | PIR - G / NPI - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | P4L / P4L         | / P4L             | /     | /     |
| > 43 VGSI:               | 38 / 36           | / 36              | /     | /     |
| 44 THR COSSING HGT.:     | 3.50 / 3.00       | / 3.00            | /     | /     |
| 45 VISUAL GLIDE ANGLE:   | - / -             | - / -             | - / - | - / - |
| > 46 CNTRLN-TDZ:         | - / -             | T - Y / R -       | - / - | - / - |
| > 47 RVR-RVV:            | /                 | /                 | /     | /     |
| > 48 REIL:               | /                 | /                 | /     | /     |
| > 49 APCH LIGHTS:        | /                 | MALSR /           | /     | /     |

### OBSTRUCTION DATA

|                         | B(V) / C    | PIR / D     |   |   |
|-------------------------|-------------|-------------|---|---|
| 50 FAR 77 CATEGORY      | /           | /           | / | / |
| > 51 DISPLACED THR:     | /           | /           | / | / |
| > 52 CTLG OBSTN:        | /           | /           | / | / |
| > 53 OBSTN MARKED/LGTD: | /           | /           | / | / |
| > 54 HGT ABOVE RWY END: | /           | /           | / | / |
| > 55 DIST FROM RWY END: | /           | /           | / | / |
| > 56 CNTRLN OFFSET:     | /           | /           | / | / |
| 57 OBSTN CLNC SLOPE:    | 20:1 / 34:1 | 50:1 / 34:1 | / | / |
| 58 CLOSE-IN OBSTN:      | N / N       | N / N       | / | / |

### DECLARED DISTANCES

|                                  | 4,900 / 4,900 | 10,179 / 10,179 |   |   |
|----------------------------------|---------------|-----------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA):   | 4,900 / 4,900 | 10,179 / 10,179 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA):  | 4,900 / 4,900 | 10,179 / 10,179 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 4,900 / 4,900 | 10,179 / 10,179 | / | / |
| > 63 LNDG DIST AVBL (LDA):       | 4,900 / 4,900 | 10,179 / 10,179 | / | / |

### > 110 REMARKS

A 026 CLSD TO ACR OPS MORE THAN 30 PAX SEATS EXC WRITTEN PPR - AMGR BOX 97 COLD BAY AK 99571. ARFF AVBL FOR PART 121 ETOPS ACR WITH 30 MIN NOTICE.  
A 039 RWY 08/26 PCR VALUE: 620/F/B/X/T  
A 039 RWY 15/33 PCR VALUE: 620/F/B/X/T  
A 043 RWY 08 UNUSBL BYD 5 DEGS RIGHT OF CNTRLN.  
A 081 ATCVT MALSR RWY 15; PAPI RWY 08, 26 & 33; HIRL RWY 08/26 & 15/33 - CTAF.  
A 081 PHOTOCCELL OPS.  
A 110-001 SNOW, ICE REMOVAL & ARPT HAZ RPRTG DURG DUTY HR UNLESS PRIOR ARNGMT IN WRITING - AMGR.  
A 110-002 BIRDS INVOF ARPT.  
A 110-003 LOCKED WHEEL NA.  
A 110-007 CUST UNAVBL. FOREIGN RFLG ARR 24-48 HR WRITTEN PPR - FAX 907-271-2684 OR 907-271-2686.  
A 110-009 UNLGTD TWR 0.4 NM N, 0.9 NM S & 4.8 NM NW.  
A 110-010 PAEW ON RWYS.  
A 110-014 ARPT SAND LRGR GRADE THAN FAA RCMD/SEE AC150/5200-30.  
A 110-015 WX CAMERA AVBL - [HTTPS://WEATHERCAMS.FAA.GOV](https://weathercams.faa.gov)

111 INSPECTOR: (F) 112 LAST INSP: 06/04/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/2/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/2/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AK LOC ID: CDB FAA SITE NR: 50114.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|       |       |       |       |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-018 DEICING & FUEL M-F 0800-1700 - 907-532-2467; AFT HR PPR & FEE - 907-532-7055.

111 INSPECTOR: (F)

112 LAST INSP: 06/04/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/2/2026  
AFD EFF 03/19/2026