

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: COLD BAY 4 STATE: AK LOC ID: CDB FAA SITE NR: 50114.*A
> 2 AIRPORT NAME: COLD BAY 5 COUNTY: ALEUTIANS EAST AK
> 3 CBD TO AIRPORT (NM): 00 N 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: COLD BAY

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: ALASKA DOT&PF SOUTHCOAST REGION
> 12 ADDRESS: P.O BOX 112506
JUNEAU, AK 99811-2506
> 13 PHONE NR: 907-465-1763
> 14 MANAGER: HAROLD KREMER
> 15 ADDRESS: BOX 97
COLD BAY, AK 99571
> 16 PHONE NR: 907-532-5000
> 17 ATTENDANCE SCHEDULE:

ALL MON - SAT 0700 - 1800

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
CARGO

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 55-12-21.3000N ESTIMATED
20 ARPT LONG: 162-43-34.5000W
21 ARPT ELEV: 99.5 SURVEYED
22 ACREAGE: 2,213
> 23 RIGHT TRAFFIC: 26, 33
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I B S 04/2005

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SEE RMK
82 UNICOM:
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: COLD BAY
87 FSS ON ARPT: YES
88 FSS PHONE NR: 907-532-2466
89 TOLL FREE NR: 1-800-478-7250

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| | 08/26 | 15/33 |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT: | 4,900 | 10,179 |
| > 31 LENGTH: | 150 | 150 |
| > 32 WIDTH: | ASPH-G | ASPH-G |
| > 33 SURF TYPE-COND: | GRVD | GRVD |
| > 34 SURF TREATMENT: | 120.0 | 120.0 |
| 35 GROSS WT: S | 250.0 | 246.0 |
| 36 (IN THSDS) D | 431.0 | 433.0 |
| 37 2D | 966.0 | 970.0 |
| 38 2D/2D2 | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | HIGH | HIGH | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - G / NPI - G | PIR - G / NPI - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | P4L / P4L | / P4L | / | / |
| > 43 VGSI: | 38 / 36 | / 36 | / | / |
| 44 THR COSSING HGT.: | 3.50 / 3.00 | / 3.00 | / | / |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - / - | T - Y / R - | - / - | - / - |
| > 47 RVR-RVV: | / | / | / | / |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | MALSR / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | B(V) / C | PIR / D | | |
|-------------------------|-------------|-------------|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | 20:1 / 34:1 | 50:1 / 34:1 | / | / |
| 58 CLOSE-IN OBSTN: | N / N | N / N | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | 4,900 / 4,900 | 10,179 / 10,179 | | |
|----------------------------------|---------------|-----------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 4,900 / 4,900 | 10,179 / 10,179 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 4,900 / 4,900 | 10,179 / 10,179 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 4,900 / 4,900 | 10,179 / 10,179 | / | / |
| > 63 LNDG DIST AVBL (LDA): | 4,900 / 4,900 | 10,179 / 10,179 | / | / |

> 110 REMARKS

A 026 CLSD TO ACR OPS MORE THAN 30 PAX SEATS EXC WRITTEN PPR - AMGR BOX 97 COLD BAY AK 99571. ARFF AVBL FOR PART 121 ETOPS ACR WITH 30 MIN NOTICE.
A 039 RWY 08/26 PCR VALUE: 620/F/B/X/T
A 039 RWY 15/33 PCR VALUE: 620/F/B/X/T
A 043 RWY 08 UNUSBL BYD 5 DEGS RIGHT OF CNTRLN.
A 081 ATCVT MALSR RWY 15; PAPI RWY 08, 26 & 33; HIRL RWY 08/26 & 15/33 - CTAF.
A 081 PHOTOCCELL OPS.
A 110-001 SNOW, ICE REMOVAL & ARPT HAZ RPRTG DURG DUTY HR UNLESS PRIOR ARNGMT IN WRITING - AMGR.
A 110-002 BIRDS INVOF ARPT.
A 110-003 LOCKED WHEEL NA.
A 110-007 CUST UNAVBL. FOREIGN RFLG ARR 24-48 HR WRITTEN PPR - FAX 907-271-2684 OR 907-271-2686.
A 110-009 UNLGTD TWR 0.4 NM N, 0.9 NM S & 4.8 NM NW.
A 110-010 PAEW ON RWYS.
A 110-014 ARPT SAND LRGR GRADE THAN FAA RCMD/SEE AC150/5200-30.
A 110-015 WX CAMERA AVBL - [HTTPS://WEATHERCAMS.FAA.GOV](https://weathercams.faa.gov)

111 INSPECTOR: (F) 112 LAST INSP: 06/04/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: CDB FAA SITE NR: 50114.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

A 110-018 DEICING & FUEL M-F 0800-1700 - 907-532-2467; AFT HR PPR & FEE - 907-532-7055.

111 INSPECTOR: (F)

112 LAST INSP: 06/04/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026