AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/7/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY:	CHARLESTON	4 STATE: SC	LOC ID: CHS		FAA SITE NR: 22174.*A
> 2 AIRPORT NAME:	CHARLESTON AFB/INTL		5 COUNTY:	CHARLESTON SC	
3 CBD TO AIRPORT (NM):	09 NW	6 REGION/ADO: ASO/ATL	7 SECT AERO CHT:	CHARLOTTE	

GENERAL

10 OWNERSHIP:	AIR FORCE
> 11 OWNER:	USAF
> 12 ADDRESS:	JOINT BASE CHARLESTON CHARLESTON AFB, SC 29404
> 13 PHONE NR:	(843) 963-3028
> 14 MANAGER:	ELLIOTT SUMMEY
> 15 ADDRESS:	5500 INTL BLVD CHARLESTON, SC 29418
> 16 PHONE NR:	843-761-7000

> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE:	PUBLIC
19 ARPT LAT:	32-53-55.1000N ESTIMATED
20 ARPT LONG:	080-02-25.9000W
21 ARPT ELEV:	46.0 ESTIMATED
22 ACREAGE:	2,060
> 23 RIGHT TRAFFIC:	NO
> 24 NON-COMM LANDING:	NO
25 NPIAS/FED AGREEMENTS:	NGPY3
> 26 FAR 139 INDEX:	I C S 01/2006

SERVICES

70 FUEL:	100 A1+
71 AIRFRAME RPRS:	MAJOR
72 PWR PLANT RPRS:	MAJOR
73 BOTTLE OXYGEN:	NONE
74 BULK OXYGEN:	HIGH
75 TSNT STORAGE:	HGR, TIE
76 OTHER SERVICES:	AVNCS, CHTR, SALES

FACILITIES

80 ARPT BCN:	WG
81 ARPT LGT SKED :	
BCN LGT SKED:	SS-SR
82 UNICOM:	122.950
83 WIND INDICATOR:	YES
84 SEGMENTED CIRCLE:	NONE
85 CONTROL TWR:	YES
86 FSS:	ANDERSON
87 FSS ON ARPT:	NO
88 FSS PHONE NR:	
89 TOLL FREE NR:	1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	03/21	15/33		
> 30 RUNWAY INDENT:				
> 31 LENGTH:	7,000	9,001		
> 32 WIDTH:	150	150		
> 33 SURF TYPE-COND:	CONC-G	CONC-G		
> 34 SURF TREATMENT:	GRVD	GRVD		
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:	PCN/61 /R/	PCN/93 /R/		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH	HIGH		
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	PIR - G / PIR - G	- / -	- / -
> 43 VGSI:	P4L / P4L	P4L / P4L	/	/
44 THR COSSING HGT.:	50 / 50	54 / 52	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	/	/
> 46 CNTRLN-TDZ:	N - N / N - N	Y - Y / Y - N	- / -	- / -
> 47 RVR-RVV:	- N / - N	TMR - N / TMR - N	- / -	- / -
> 48 REIL:	Y / Y	N / N	/	/
> 49 APCH LIGHTS:	/	ALSF2 / MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	D / C	PIR / PIR	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 011	THIS IS A SHARED-USE AIRPORT. THE USAF OWNS AND OPERATES ALL RUNWAYS AND THE MAJORITY OF THE TAXIWAYS. THE CHARLESTON COUNTY AVIATION AUTHORITY OPERATES THE CIVILIAN TERMINAL AND ASSOCIATED TAXIWAYS.
A 014	ELLIOTT SUMMEY IS THE DIR OF ARPTS FOR THE CHARLESTON REGIONAL AVN AUTH. THE AIR FORCE AIRFIELD MGR CAN BE CTCD AT 843-963-3024.
A 040	RWY 03/21 LGTS FOR BOTH RWYS ARE AF SPEC TYPE.
A 110	THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
A 110-002	LIQUID OXYGEN SERVING AVBL TO MILITARY.
A 110-003	NO STUDENT SOLO TOUCH AND GO LANDING ALLOWED.
A 110-007	PPR FOR PARKING OF GENERAL AVIATION ACFT ON TERMINAL RAMP CTC 843-767-1100.
A 110-009	INTENSIVE HEAVY MIL JETS & OTHER MISC ACFT EXECUTING NUMEROUS CARGO & PERSONNEL DROPS, HIGH SPEED LOW-LEVEL FORMATION FLTS & MISC AIR-TO-GROUND OPNS.
A 110-019	PARKING ON TERMINAL APRON RESTRICTED TO COMMERCIAL AIR CARRIER AND ACFT FOR CUSTOMS CLEARANCE BY PRIOR ARRANGEMENT ONLY.
A 110-022	JASU: 8(MD-3M) 2(MA-1A) (M32A-60) (M32A-60A)
A 110-024	FLUID: SOAP - ROUTINE SOAP SAMPLES NOT AVBL; SP PRESAIR LHOX LOX
A 110-025	OIL: NON-DETERGENT OIL NOT AVBL FOR PISTON ACFT. O-128-133-148(MIL)

111 INSPECTOR: (F) 112 LAST INSP: 04/28/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/7/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: SC LOC ID: CHS FAA SITE NR: 22174.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-026 SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
A 110-028 RSTD: ALL INBD VIP CODE 7 OR HI, PAX, CARGO ACFT MUST CTC PALMETTO OPS NO LATER THAN 30 MIN PRIOR TO LDG.
A 110-029 RSTD: AMC ACFT OPR RSTD DUR BIRD WATCH COND MODERATE (TKOF OR LDG PERMS ONLY WHEN DEP/ARR RTE AVOID IDENT BIRD ACT, NO LCL IFR/VFR TFC PAT ACFT) AND SEVERE (TKOF AND LDG PROH WO OG/CC APVL), CTC PALMETTO OPS FOR CURRENT BIRD WATCH COND.
A 110-030 RSTD: ALL ACFT MUST CTC PALMETTO OPS PRIOR TO ENTERING MIL RAMP FOR PRK ASGN.
A 110-031 RSTD: NON-AMC AIRCREWS REQ RON SVC CTC COMD POST (PALMETTO OPS) DSN 673-8400, C843-963-8400 PRIOR ARR. TRML APN RSTD TO COML AIR CARRIER AND ACFT FOR CSTMS CLNC BY PPR.
A 110-032 CAUTION: MIGRATORY BIRD SEASON PHASE II 1-15 APR AND 1 AUG-30 NOV. RWY 15-33 RAISED APCH LGT IN OVRN, RY 03-21 OVRN 800FT.
A 110-034 TFC PAT: RECTANGULAR 1200 FT, OVERHEAD 1700 FT, LGT ACFT 700 FT, C5A 2000 FT.

111 INSPECTOR: (F) 112 LAST INSP: 04/28/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/7/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: SC LOC ID: CHS FAA SITE NR: 22174.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-035 MISC: AFLD MGMT DSN 673-3024/6, C843-963-3024/6. AFLD MGMT OUT OF OFFICE CTC NR C854-274-8453. IF CIV SIDE OF ARPT IS FINAL DESTN, ACFT COMDR WILL SO INDICATE ON DD 175. DANGEROUS CARGO ACFT CTC PTD PRIM, PALMETTO OPS SECD. ALL AMC MSN ACFT CTC PALMETTO OPS WHEN WITHIN RDO RNG.
A 110-036 MISC: PMSV RDO UNAVBL. PMSV/PHONE PATCH AVBL THRU 628 CP DSN 673-8400 C843-963-8400. WX FLT CLOSED WKENDS, HOL AND DOWN DAYS. MIL WX FLD AFLD SUPPORT AVBL 24/7 FOR SVR WX, C843-754-1956. MSN WX SUPPORT HRS 1100-2300Z++ MON-THU AND 1100-2100Z++ FRI, DSN 673-3016/3644, C843-963-3016, CLSD WKEND, HOL, AND DOWN DAYS. MSN WX SUPPORT BRFGS FOR AIRCREW AVBL VIA THE 260WS/BARKSDALE AFB DSN 331-2651/C318-529-2651 DUR MIL WX FLT CLOSURE HRS.
A 110-040 SERVICE-LGT: AIRFIELD BEACON NOT VISIBLE FROM NW.
A 110-041 MISC: TMPRY STOR OF CLASSIFIED MATERIALS: LTD CLASSIFIED STOR AVBL. 24 HR PN RQR WITH AFLD MGMT. PRIOR COORD RQR. CTC BASE OPS 24 PRIOR TO ARR. NO CLASSIFIED STOR AT COMD POST. FOR TOP SECRET STOR CTC 437 SOS 24 HR PRIOR TO ARR DSN 673-0955, C843-963-0955.
A 110-044 SERVICE: KCHS MIL PROVIDES NO SECURITY AND NO ACFT SERVICES AT FBO'S AND COMMERCIAL TERMINAL.
A 110-046 RSTD: RWY 03-21 CLSD 2ND TUE EA MONTH 1330-2200Z++. RWY 15-33 CLSD LAST TUE OF EA MONTH 1330-2200Z++.
A 110-048 CAUTION: RY 15-33 1000 FT OVERRUNS HAS FRANGIBLE RAISED APCH LIGHTS.
A 110-051 CAUTION: MIL RAMP ACFT CONTACT CHS GND CONTROL FOR ENG START & TAXI.
A 110-052 RSTD: RVR AVAIL VIA FAA ATCT.
A 110-053 MISC: AFLD SFC WX OBS TAKEN IAW FAA CRITERIA, NOT AF CRITERIA.

111 INSPECTOR: (F) 112 LAST INSP: 04/28/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/7/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: SC LOC ID: CHS FAA SITE NR: 22174.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-054 SERVICE FUEL: ALL ACFT RQR FUEL, PLEASE HAVE IN YOUR POSSESSION THE WHITE DD FORM 1896 FUEL CARD, US GOVT AIR CARD OR YOUR BASE BILLING INFO.
A 110-055 TRANS ACFT FOR MIL RAMP FOLLOW-ME RQR. MIL ACFT FOR FBO PRK/SVC RQR PPR (843-746-7600).
A 110-056 CAUTION: RY 21 - FREQ PRK TRAIN CARS (25 FT AGL), CONSTRUCTION/UTILITY STORAGE YARD (20 FT AGL) 1000 FT FR THLD AND GRAVEL PILES (50 FT AGL) 1500 FT FR THLD.
A 110-057 RSTD: PPR, EXC AIREVAC, SAM AND AMC GDSSII MSN, FOR NUMBER AND LCL TRNG FLT TRAN ALERT SUPPORT CTC AFLD MGMT DSN 673-3024/6, C843-963-3024/6.
A 110-058 CAUTION: REDUCED FIRE SUPPORT FOR C-5 AND AN-124 ACFT, DEGRADATION OF FIRE FIGHTING CAPABILITY. C-5/AN-124 WITH EMERGENCY MUST CLOSELY COORDINATE RQR WITH PALMETTO OPS.
A 110-059 CAUTION: MIL SIDE WG TIP CLNC LINES: TWY D 161 FT FR TWY CNTRLN AND RAMP INTER-TXY 115 FT FR CNTRLN.
A 110-061 RSTD: C5, B747, AND AN-124 ACFT TAXI WITH OUTBOARD ENG AT IDLE.
A 110-062 FUEL: A++(MIL), A+(ATLANTIC AVN, C843-746-7600) (NC-100, A1+).
A 110-063 CAUTION: FUEL PIT/SWITCH OBST 36 IN HIGH LCTD 75 FT LEFT OF TWY D CNTLN N OF TWY E.

111 INSPECTOR: (F) 112 LAST INSP: 04/28/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/7/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: SC LOC ID: CHS FAA SITE NR: 22174.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-065 MISC: PAX TRML OPR 0930-0330Z++ DLY. AFTER HRS CTC DSN 673-7005/7006 OR C843-963-7005/7006. C-17 ENG RUNNING ONLOADS/OFFLOADS AVBL 24 HR PN. CTC 437 APS DSN 673-3193/4 C843-963-3193/4 FOR COORD/APVL. PASS PAX/CARGO INFO TO PALMETTO OPS 3 HRS PRIOR TO ARR.
A 110-066 SERVICE-LGT: RWY 15 ALSF-2 ALSO OPR AS SSALR DUR VMC.
A 110-067 ALL AIRCRAFT USE UPPER ANTENNA UNTIL AIRBORNE.
A 110-068 RWY COND CODE (RWYCC) NOT RPTD.
A 110-069 AFLD GRASS CUTTING OPS CONDUCTED IN CTL MOVEMENT AREA YR ROUND; CTC AFLD MGMT FOR DLY LCTN.
A 110-071 MISC: COMBAT OFF-LOAD OPS ON N END OF TWY D MUST ENSURE THAT PALLETS LAND PRIOR TO LEAD-IN LINE TO RWY 15 APCH END; CTC GND IF PALLET LANDS BYD LEAD-IN LINE.
A 110-073 RSTD: EXP RWY 15/33 OPS SUSPD 1230-1300Z++DLY FOR A-G INSPECTION.
A 110-074 MISC: RWY 15/33 AND 03/21 GROOVED.

111 INSPECTOR: (F) 112 LAST INSP: 04/28/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/7/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: SC LOC ID: CHS FAA SITE NR: 22174.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 04/28/2026 113 LAST INFO REQ: