

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aer\\_o\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: CLEVELAND 4 STATE: OH LOC ID: CLE FAA SITE NR: 17746.\*A  
> 2 AIRPORT NAME: CLEVELAND-HOPKINS INTL 5 COUNTY: CUYAHOGA OH  
> 3 CBD TO AIRPORT (NM): 09 SW 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: DETROIT

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF CLEVELAND  
> 12 ADDRESS: CLEVELAND HOPKINS INTL, PO BOX 81009  
CLEVELAND, OH 44181-0009  
> 13 PHONE NR: 216-265-6000  
> 14 MANAGER: FRANK WILLIAMS  
> 15 ADDRESS: PO BOX 81009, 5300 RIVERSIDE DR  
CLEVELAND, OH 44181-3130  
> 16 PHONE NR: 216-265-6127  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A1+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AFRT, AVNCS, CHTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 41-24-33.8650N ESTIMATED  
20 ARPT LONG: 081-51-16.8880W  
21 ARPT ELEV: 799.5 SURVEYED  
22 ACREAGE: 1,717  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGPSY3  
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: CLEVELAND  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

06L/24R	06R/24L	10/28
9,000	9,953	6,018
150	150	150
CONC-G	CONC-F	ASPH-CONC-F
GRVD	GRVD	GRVD
75.0	100.0	155.0
200.0	185.0	200.0
400.0	340.0	400.0

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

HIGH	HIGH	HIGH	
PIR - G / PIR - G	PIR - G / PIR - G	NPI - G / PIR - G	- / -
P4L / P4R	P4L / P4R	P4L / P4R	/
69 / 65	73 / 48	45 / 45	/
3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	/
Y - Y / Y - Y	Y - Y / Y - Y	- / -	- / -
TMR - / TMR -	TMR - N / TMR - N	R - / T - N	- / -
N / N	N / N	Y / N	/
ALSF2 / ALSF2	MALSR / MALSR	/ MALSF	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

PIR / PIR	PIR / PIR	C / PIR	
/	1,923 /	/	/
TREES /	TREES /	TREE / POLE	/
/	/	/	/
97 /	80 /	51 / 25	/
3,689 /	3,010 /	262 / 1,252	/
847R /	370R /	490L / 392L	/
35:1 / 50:1	35:1 / 50:1	1:1 / 42:1	/
N / N	N / N	N / N	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

9,000 / 9,000	9,956 / 9,956	6,018 / 6,018	/
9,000 / 9,000	9,956 / 9,956	6,018 / 6,018	/
9,000 / 9,000	9,956 / 9,956	6,018 / 6,018	/
9,000 / 9,000	8,029 / 9,956	6,018 / 6,018	/

> 110 REMARKS

A 039 RWY 06L/24R PCR VALUE: 1080/R/B/W/T  
A 039 RWY 06R/24L PCR VALUE: 840/R/B/W/T  
A 039 RWY 10/28 PCR VALUE: 680/R/B/W/T  
A 043 RWY 10 UNUSBL BYD 8 DEGS L & R OF CNTRLN.  
A 050 RWY 06L RWY 6L ALSO HAS LGTD PLINE 99 FT ABV RWY END, 4266 FT FM RWY END, 966 FT L OF CNTRLN, 41:1 OBSTN CLNC SLOPE.  
A 110-001 DEER, COYOTES, & BIRDS INCLG WATERFOWL ON & INVOF ARPT.  
A 110-003 ADCUS AVBL MON-SUN DURING HOURS 0800-2000LCL; LTD AVBLTY DURING OFF HOURS; ALL REQ FOR SVC MUST BE MADE WITH THE U.S. CUST SVC OFC LCTD AT GATE A-14 CALL (216) 267-3600 DURG LISTED HRS.  
A 110-026 NASA GLENN RESEARCH CENTER; NASA RAMP PPR CALL 216-433-2031; 0800-1730 MON-FRI. CONTACT NASA OPNS ON FREQ 122.925 WITHIN 50 NM.  
A 110-032 PAD 2 AND TAXILANE Y1 RSTRD TO GROUP II ACFT LESS THAN 79 FT WINGSPAN.  
A 110-033 ALL APCHS ARE OVR NOISE SENSITIVE AREAS. ARPT LATE NGT NOISE ABATEMENT PROCEDURES ARE IN EFFECT 2300-0600. ADDITIONAL NOISE ABATEMENT PROCEDURES ARE IN EFFECT CALL AMGR NORMAL BUSINESS HRS AT 216-265-6090.  
A 110-036 TWYS CLSD OCT-APR TO SUPPORT DEICING OPS: TWY M; TWY J2; TWY M1 BTN TWY L & TWY J1; TWY M2 BTN TWY L & TWY J1.  
A 110-037 RAMP AREA CONCOURSE D BTN GATES D1, D28 CLSD EXC ACFT WINGSPAN LESS THAN 86 FT.

111 INSPECTOR: (F) 112 LAST INSP: 08/18/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: OH LOC ID: CLE FAA SITE NR: 17746.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-040 PAD 3 BAYS 1-5 CLOSED TO ACFT WITH WINGSPAN OVER 134 FT.  
A 110-041 PAD 3 BAY 6 CLOSED TO ACFT WITH WINGSPAN OVER 94 FT.  
A 110-043 TXL H CLSD TO ACFT WITH WINGSPAN OVR 171 FT.  
A 110-044 TWY F CLSD TO ACFT WITH WINGSPAN OVR 118 FT.

111 INSPECTOR: ( F )

112 LAST INSP: 08/18/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026