

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/3/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: CHAMPAIGN/URBANA 4 STATE: IL LOC ID: CMI FAA SITE NR: 04494.*A
> 2 AIRPORT NAME: UNIVERSITY OF ILLINOIS/WILLARD 5 COUNTY: CHAMPAIGN IL
> 3 CBD TO AIRPORT (NM): 05 SW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: UNIV OF ILLINOIS
> 12 ADDRESS: 11 AIRPORT ROAD
SAVOY, IL 61874
> 13 PHONE NR: 217-244-8604
> 14 MANAGER: TIMOTHY BANNON
> 15 ADDRESS: 11 AIRPORT RD
SAVOY, IL 61874
> 16 PHONE NR: 217-244-8604
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A1+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: TIE
76 OTHER SERVICES: AVNCS, CHTR, INSTR, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 40-02-18.8190N ESTIMATED
20 ARPT LONG: 088-16-35.5410W
21 ARPT ELEV: 754.9 SURVEYED
22 ACREAGE: 1,799
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: SAINT LOUIS
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	14L/32R	14R/32L
> 30 RUNWAY INDENT:	6,502	8,101	3,816
> 31 LENGTH:	150	150	75
> 32 WIDTH:	ASPH-E	ASPH-CONC-F	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
> 34 SURF TREATMENT:	120.0	120.0	37.0
35 GROSS WT: S	259.0	403.0	
36 (IN THSDS) D	193.0	250.0	53.0
37 2D	714.0	900.0	
38 2D/2D2			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	HIGH	MED	
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - F / PIR - F	BSC - F / BSC - F	- / -
> 42 RWY MARK TYPE-COND:	/	P4L / P4L	P4L / P4L	/
> 43 VGS:	/	48 / 54	36 / 35	/
44 THR COSSING HGT.:	/	3.00 / 3.00	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	TR - N / TR - Y	- / -	- / -
> 47 RVR-RVV:	/	/ N	/	/
> 48 REIL:	/	/ MALSR	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / C	D / PIR	B(V) / B(V)	
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/ TREE	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 53	/	/	/
> 55 DIST FROM RWY END:	/ 1,687	/	/	/
> 56 CNTRLN OFFSET:	/ 279L	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 28:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	6,502 / 6,502	8,101 / 8,101	3,816 / 3,816	/
> 61 TAKE OFF DIST AVBL (TODA):	6,502 / 6,502	8,101 / 8,101	3,816 / 3,816	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,502 / 6,502	8,101 / 8,101	3,816 / 3,816	/
> 63 LNDG DIST AVBL (LDA):	6,502 / 6,502	8,101 / 8,101	3,816 / 3,816	/

> 110 REMARKS

A 030 RWY 14R/32L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. CLSD 2300-0600 & TO ACFT ABV 12500 LB.
A 039 RWY 04/22 PCR VALUE: 600/F/D/X/T
A 039 RWY 14L/32R PCR VALUE: 900/R/D/W/T
A 039 RWY 14R/32L PCR VALUE: 140/F/D/X/T
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 32R; PAPI RWY 14L/32R; MIRL RWY 04/22; HIRL RWY 14L/32R - CTAF. HIRL RWY 14L/32R PRESET TO LOW INTST; INCR INTST - CTAF.
A 110-001 TSNT PRKG ON SE GA APN.
A 110-005 BIRDS ON & INVOF ARPT.
A 110-006 TWY E & D SW OF RWY 14L/32R CLSD TO ACFT ABV 11800 LB.
A 110-007 TWY A2 & A3 ADJ TO ACR APN NOT VSB FM ATCT.
A 110-008 RWY 22 & 32R ENDS NOT VSB FM EACH OTR.
A 110-009 FOR CD IF UNA TO CTC ON FSS FREQ, CTC CHICAGO ARTCC AT 630-906-8921.
A 110-013 OPS HR H24; ATNDD CONSLY.
A 30A RWY 32R CALM WIND RWY WHEN ATCT CLSD.

111 INSPECTOR: (F) 112 LAST INSP: 03/26/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/3/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/3/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: IL LOC ID: CMI FAA SITE NR: 04494.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 03/26/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/3/2026
AFD EFF 04/16/2026