

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: HANCOCK 4 STATE: MI LOC ID: CMX FAA SITE NR: 09881.\*A  
> 2 AIRPORT NAME: HOUGHTON COUNTY MEML 5 COUNTY: HOUGHTON MI  
> 3 CBD TO AIRPORT (NM): 04 NE 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: GREEN BAY

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: HOUGHTON COUNTY  
> 12 ADDRESS: 23810 AIRPARK BLVD STE 113  
CALUMET, MI 49913-9233  
> 13 PHONE NR: 906-482-3970  
> 14 MANAGER: CASEY J POLKINGHORNE  
> 15 ADDRESS: 23810 AIRPARK BLVD STE 113  
CALUMET, MI 49913-9233  
> 16 PHONE NR: 906-482-3970  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0400-0000

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR  
76 OTHER SERVICES:  
INSTR

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 47-10-06.3010N ESTIMATED  
20 ARPT LONG: 088-29-20.6500W  
21 ARPT ELEV: 1095.1 SURVEYED  
22 ACREAGE: 1,996  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.700  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: NO  
86 FSS: GREEN BAY  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	07/25	14/32
> 30 RUNWAY INDENT:	5,201	6,501
> 31 LENGTH:	100	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	98.0	144.0
35 GROSS WT: S	149.0	175.0
36 (IN THSDS) D	220.0	258.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L / P4L	P4L / P4L	/	/
> 43 VGS: I	30 / 41	43 / 46	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y / N	/	/
> 48 REIL:	/	/ MALSR	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / C	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREES / TREES	TREES /	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	55 / 51	73 /	/	/
> 54 HGT ABOVE RWY END:	1,660 / 1,630	1,872 /	/	/
> 55 DIST FROM RWY END:	465L / 250L	715R /	/	/
> 56 CNTRLN OFFSET:	26:1 / 28:1	22:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	5,201 / 5,201	6,501 / 6,501		
> 60 TAKE OFF RUN AVBL (TORA):	5,201 / 5,201	6,501 / 6,501	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,201 / 5,201	6,501 / 6,501	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,201 / 5,201	6,501 / 6,501	/	/
> 63 LNDG DIST AVBL (LDA):	5,201 / 5,201	6,501 / 6,501	/	/

> 110 REMARKS

A 016 CELL 906-231-2256.  
A 026 ARPT CLSD TO UNSKED ACR OPS WITH GTR THAN 30 PAX SEATS EXC PPR CALL AMGR.  
A 039 RWY 07/25 PCR VALUE: 390/F/C/X/T  
A 039 RWY 14/32 PCR VALUE: 470/F/C/X/T  
A 072 RPRS AVBL ON REQ - CALL AMGR.  
A 081 ACTVT MALSR RWY 32; REIL RWY 14; PAPI RWY 14 & 32; HIRL RWY 14/32 - CTAF. ACTVT REIL RWY 07 & 25; PAPI RWY 07 & 25; MIRL RWY 07/25; TWY B - CTC CO MAINT VIA CTAF.  
A 110-001 DEER & GULLS ON & INVOF ARPT.  
A 110-002 AIRFIELD GUIDANCE SIGNS SNOW COVD IN WINTER.  
A 110-005 PAEW ON ARPT MONITOR CTAF. FQT SNOW REMOVAL OPS IN PROGRESS AT VARIOUS TIMES OCT-APR MONITOR CTAF.  
A 110-006 PPR VIA UNICOM FOR PRKG IN FRONT OF AIRLINE TRML.  
A 110-007 FOR CD IF UNA TO CTC ON FSS FREQ, CTC MINNEAPOLIS ARTCC AT 651-463-5588.  
A 110-008 RWY CONDS UNMON DLY 0000-0500.

111 INSPECTOR: ( F )

112 LAST INSP: 05/22/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: MI LOC ID: CMX FAA SITE NR: 09881.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: ( F )

112 LAST INSP: 05/22/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026