

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: COLORADO SPRINGS 4 STATE: CO LOC ID: COS FAA SITE NR: 02543.*A
> 2 AIRPORT NAME: CITY OF COLORADO SPRINGS MUNI 5 COUNTY: EL PASO CO
> 3 CBD TO AIRPORT (NM): 06 SE 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: DENVER

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF COLORADO SPRINGS
> 12 ADDRESS: 7770 MILTON E PROBY PKWY, SUITE 50
COLORADO SPRINGS, CO 80916
> 13 PHONE NR: (719) 550-1919
> 14 MANAGER: ALEXANDRU KOVACS
> 15 ADDRESS: 7770 MILTON E PROBY PKWY, SUITE 50
COLORADO SPRINGS, CO 80916
> 16 PHONE NR: (719) 550-1900
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
RNTL, SALES, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: DENVER
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 18 AIRPORT USE: PUBLIC
> 19 ARPT LAT: 38-48-20.9400N ESTIMATED
> 20 ARPT LONG: 104-42-02.7950W
> 21 ARPT ELEV: 6187.0 SURVEYED
> 22 ACREAGE: 7,200
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
> 25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I C S 05/1973

	13/31	17L/35R	17R/35L
> 30 RUNWAY INDENT:	8,270	13,500	11,022
> 31 LENGTH:	150	150	150
> 32 WIDTH:	ASPH-G	CONC-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0	120.0
35 GROSS WT: S	171.0	250.0	250.0
36 (IN THSDS) D	279.0	550.0	550.0
37 2D	691.0	1120.0	1120.0
38 2D/2D2			

LIGHTING/APCH AIDS

	MED	HIGH	HIGH	
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	PIR - G / PIR - G	- / -
> 42 RWY MARK TYPE-COND:	P4R / P4L	P4L / P4R	P4L / P4L	/
> 43 VGS:	64 / 52	57 / 71	49 / 72	/
44 THR COSSING HGT.:	3.00 / 3.04	3.00 / 3.00	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	- / -	Y - Y / Y - Y	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	TR - / TR -	TR - / TR - N	- / -
> 47 RVR-RVV:	Y / Y	N / Y	Y /	/
> 48 REIL:	/	MALSR /	/ MALSR	/

OBSTRUCTION DATA

	B(V) / C	PIR / PIR	D / PIR	
50 FAR 77 CATEGORY	/ 356	/	/	/
> 51 DISPLACED THR:	/ HILL	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 10	/	/	/
> 54 HGT ABOVE RWY END:	/ 400	/	/	/
> 55 DIST FROM RWY END:	/ 340L	/	/	/
> 56 CNTRLN OFFSET:	50:1 / 20:1	50:1 / 50:1	50:1 / 50:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	8,270 / 8,270	13,501 / 13,501	11,022 / 11,022	/
> 61 TAKE OFF DIST AVBL (TODA):	8,270 / 8,270	13,501 / 13,501	11,022 / 11,022	/
> 62 ACLT STOP DIST AVBL (ASDA):	8,270 / 8,270	13,501 / 13,501	11,022 / 11,022	/
> 63 LNDG DIST AVBL (LDA):	8,270 / 7,914	13,501 / 13,501	11,022 / 11,022	/

> 110 REMARKS

A 039 RWY 13/31 PCR VALUE: 460/F/C/X/T
A 039 RWY 17L/35R PCR VALUE: 1060/R/B/W/T
A 039 RWY 17R/35L PCR VALUE: 1160/F/A/X/T
A 081 ACTVT REIL RWY 13 & 31, 17R - CTC COS ATCT.
A 110-001 CUSTOMS AVBL FOR ALL MIL/CIVILIAN ACFT. CONTACT US CUSTOMS 719-574-6607.
A 110-002 TURBO JET TRNG FLTS PROHIBITED 2300-0600.
A 110-003 B52 OPNS PROHIBITED.
A 110-004 LGTD WDI APCH RWY 17L/35R, 17R/35L & 13/31.
A 110-009 JASU: 2(AM32A-95) 2MA32A-60A 2(MA32-86A) 1(SGNC) 2(B809D-GENERATORS).
A 110-010 OIL: O-133-148-156(MIL).
A 110-013 PORTIONS OF TWYS A, B, E, F, G, AND M ARE BLOCKED FROM VIEW FROM THE TOWER BY OBSTRUCTIONS. PORTIONS OF TWY C AND RY 17R/35L ARE BLOCKED FROM VIEW FROM THE TOWER WHEN THE INFIELD MILITARY OPERATING SFC IS OCCUPIED BY A C17 OR C5.
A 110-015 WATERFOWL AND MIGRATORY BIRD ACTIVITY ON AND INVOF ARPT.
A 110-016 A/DACG RAMP LIGHT 140 FT AGL.
A 110-017 BE ALERT; INTENSIVE USAF STUDENT TRAINING INVOF COLORADO SPRINGS & PUEBLO COLORADO.

111 INSPECTOR: (F) 112 LAST INSP: 04/04/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CO LOC ID: COS FAA SITE NR: 02543.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-018 CTN: ACFT WITH WINGSPAN GREATER THAN 117 FT; WHEN TAXI ON CNTRLN A2, A3, A4, USE OVERSTEER IN TURNS DUE TO INSUFFICIENT CORNER FILLETS IN PAVEMENT.
- A 110-019 PPR RQR FOR ALL TRAN ACFT - CTC AFLD MGT DSN 834-4778/9 C719-556-4778/9. AFLD MGMT OPR 1300-0500++, CLSD HOL.
- A 110-020 MILITARY: TRAN ALERT-FORT CARSON ARRIVAL/DEPARTURE AIR CONTROL GROUP (ADACG) MSN, CTC DSN 532-8002/3 OR C719-503-8002/3. ALL TRAN ACFT CTC HIGH COUNTRY 30 MIN PRIOR TO ARR. TRAN ACFT CTC COLORADO SPRINGS RGNL COMD POST (CALLSIGN: HIGH COUNTRY) WITH ATA AND ATD.
- A 110-021 MISC-FAA ATCT WILL PROVIDE MIL RCR O/R. CARGO AND PAX SVC AVBL ONLY ON PETERSON RAMP 1330-2330Z++ WKD. CLSD WKEND AND HOL UNLESS COORD 72 HR PRIOR. CTC PAX SVC AT DSN 834-4521/9021 OR C719-556-4521/9021.
- A 110-022 FUEL-A++(MIL)
- A 110-023 MISC-WX OPR H24 INCL WKEND; ++ CTC 834-4337, C 719-556-4337. OBSN AND FCST BY NWS KCOS. LLWASL KPEF WATCH, WARNING, ADZY.

111 INSPECTOR: (F)

112 LAST INSP: 04/04/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CO LOC ID: COS FAA SITE NR: 02543.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-024 WHEN CROSSING RWY 17R/35L FROM A1 TO B1 OR B1 TO A1, BE AWARE YOU WILL NOT SEE A1 OR B1 DEPENDING ON DIRECTION CROSSING UNTIL YOU CREST RWY 17R/35L. WHEN CROSSING FROM A1 TO B1 TRAVEL NE AND FROM B1 TO A1 TRAVEL SW.
A 110-025 AF: ACFT TRANSPORTING HAZ CARGO CTC AFLD MGMT ON 318.05 30 MIN PRIOR TO ARR.
A 110-029 MILITARY: RSTD: DUE TO LIMITED PRKG AND POTENTIAL TO DMG LGT, UNSECURED ACFT, MOBILITY ACFT ARE NOT PERMITTED TO USE COLORADO SPRINGS FBO UNLESS FBO CAN GUARANTEE SUFFICIENT PRKG CLNC THAT BLAST FM ENG THRUST AND REVERSE THRUST WILL NOT IMPACT OTR ACFT, GND PSNL, OR EQPT.

111 INSPECTOR: (F)

112 LAST INSP: 04/04/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026