

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: CARLSBAD 4 STATE: CA LOC ID: CRQ FAA SITE NR: 01376.1*A
> 2 AIRPORT NAME: MC CLELLAN-PALOMAR 5 COUNTY: SAN DIEGO CA
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: COUNTY OF SAN DIEGO
> 12 ADDRESS: 1960 JOE CROSSON DRIVE
EL CAJON, CA 92020-1235
> 13 PHONE NR: 619-956-4800
> 14 MANAGER: JOHN OTTO
> 15 ADDRESS: 2192 PALOMAR AIRPORT ROAD
CARLSBAD, CA 92011-4409
> 16 PHONE NR: 760-431-4646
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0700-2200

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CHTR, INSTR, RNTL,
SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 33-07-41.7000N ESTIMATED
20 ARPT LONG: 117-16-48.3000W
21 ARPT ELEV: 330.5 SURVEYED
22 ACREAGE: 466
> 23 RIGHT TRAFFIC: 24
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I A S 12/1996

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: NO
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: SAN DIEGO
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

06/24	H1
4,897	40
150	50
ASPH-G	CONC-G
GRVD	NONE
110.0	
168.0	
248.0	
692.0	

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

HIGH	HIGH		
NPI - G / PIR - G	- G / -	- / -	- / -
P4L / P4L	/	/	/
35 / 54	/	/	/
3.00 / 3.20	/	/	/
N - N / N - N	- / -	- / -	- / -
R - N / T - N	- / -	- / -	- / -
N / N	/	/	/
/ MALSR	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

C / PIR	/	/	/
297 /	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
50:1 / 34:1	/	/	/
N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

4,897 / 4,897	/	/	/
4,897 / 4,897	/	/	/
4,897 / 4,897	/	/	/
4,600 / 4,897	/	/	/

REMARKS

A 026 CLOSED TO AIR CARRIER OPNS WITH MORE THAN 9 PASSENGER SEATS FM 2230 TO 0600 EXCEPT BY PPR CALL AMGR 760-431-4646.
A 039 RWY 06/24 PCR VALUE: 454/F/C/X/T
A 042 RWY H1 STANDARD HELIPOINT MARKINGS.
A 081 WHEN ATCT CLSD ACTVT HIRL RWY 06/24, PAPI RWYS 06 & 24, MALSR RWY 24 - CTAF.
A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
A 110-001 ARPT HAS NOISE ABATEMENT PROCEDURES CONTACT AMGR 760-431-4646.
A 110-002 MULTIPLE APCHS BY LARGE ACFT (INCLUDING LARGE HEL) NOT AUTHORIZED.
A 110-003 NO JET ACFT TRNG DUE TO NOISE ABATEMENT AND TFC CONGESTION.
A 110-004 EXTENSIVE BIRD ACTIVITY IN VICINITY ESPECIALLY IN SPRING.
A 110-007 RWY 24 IS CALM WIND RWY.
A 110-009 POWER LINES 2 MILES W & SW.
A 110-010 VOLUNTARY CURFEW: JETS 2200-0700 LCL, PROPS 0000-0600 LCL, EMERG, LIFEGUARD, AND LAW ENFORCEMENT EXCEPTED.
A 110-011 REQUEST JETS FLY THE ILS APPROACH.
A 110-012 LTD TRANSIENT TIE DOWN SPACE ON PUBLIC RAMP.
A 110-013 PPR FOR ALL MILITARY ACFT CALL AMGR (760) 431-4646.

111 INSPECTOR: (F) 112 LAST INSP: 09/05/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: CRQ FAA SITE NR: 01376.1*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-015 RWY 24 HARD TO SEE 2 HRS PRIOR TO SS; DO NOT MISTAKE TWY A AS THE RWY.
A 110-016 NORTH SIDE RAMP LIMITED TO 12,500 LBS .
A 110-017 ALL ACFT MULT PRACTICE APCHS AND LNDGS DISCOURAGED 2200-0700 LCL.
A 110-018 RY 6/24 SOUTH VFR TFC PATTERN CLSD 2200-0700 LCL.
A 110-019 WHEN TWR CLSD ACFT MUST SELF-ANNOUNCE ON CTAF PRIOR TO LDG OR TKOF.
A 110-020 TSNT PRKG LTD TO SML SNGL AND TWIN ENG ACFT WITH WINGSPANS UNDER 38 FT.
A 110-021 USE CAUTION REG THERMAL PLUMES IN THE VCNTY OF POWER PLANT APRXLY 2.7 NM WNW OF ARPT.
A 110-022 NO JET ACFT PRKG ALLOWED IN TSNT PRKG.
A 110-023 FOR CD WHEN ATCT CLSD CTC SOCIAL APCH AT 800-448-3724.

111 INSPECTOR: (F)

112 LAST INSP: 09/05/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026