

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/2/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: DAYTONA BEACH 4 STATE: FL LOC ID: DAB FAA SITE NR: 03147.\*A  
> 2 AIRPORT NAME: DAYTONA BEACH INTL 5 COUNTY: VOLUSIA FL  
> 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: JACKSONVILLE

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: VOLUSIA COUNTY  
> 12 ADDRESS: 123 W INDIANA AVE  
DELAND, FL 32720-4612  
> 13 PHONE NR: 386-248-8030  
> 14 MANAGER: MS KAREN K FEASTER, AAE, IACE, ACE  
> 15 ADDRESS: 700 CATALINA DR, SUITE 300, DAYTONA BEACH  
DAYTONA BEACH, FL 32114  
> 16 PHONE NR: 386-248-8030  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: HIGH  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AVNCS, CARGO, CHTR, INSTR,  
RNTL, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SS-SR  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: SAINT  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 29-10-47.6720N ESTIMATED  
20 ARPT LONG: 081-03-28.9520W  
21 ARPT ELEV: 34.2 SURVEYED  
22 ACREAGE: 1,800  
> 23 RIGHT TRAFFIC: 25R, 07R  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGRPY3  
> 26 FAR 139 INDEX: I C S 05/1973

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

07L/25R	07R/25L	16/34
10,500	3,195	6,001
150	100	150
ASPH-CONC-G	ASPH-P	ASPH-F
GRVD	NONE	GRVD
120.0	26.0	109.0
214.0	44.0	191.0
406.0		355.0
919.0		750.0

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

HIGH	MED	MED	
PIR - G / PIR - G	NPI - G / NPI - G	NPI - G / NPI - G	- / -
/ P4L	P2L / P2L	P4L / P4L	/
/ 72	48 / 44	50 / 50	/
/ 3.00	3.00 / 3.00	3.00 / 3.00	/
Y - Y / Y -	- / -	- / -	- / -
T - N / R -	- / -	- / -	- / -
N / N	Y / Y	Y / Y	/
MALSR / MALSR	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

PIR / PIR	A(NP) / A(NP)	C / C	
690 /	/	/	/
ROAD / TREES	TREES / TREES	TREES / TREES	/
/	/	/	/
15 / 43	55 / 42	42 / 46	/
790 / 2,370	1,580 / 1,485	1,630 / 1,130	/
500L / 230L	185L / 105L	275L / 400L	/
39:1 / 50:1	25:1 / 30:1	34:1 / 20:1	/
N / N	N / N	N / N	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

10,500 / 10,500	3,195 / 3,195	6,001 / 6,001	/
10,500 / 10,500	3,195 / 3,195	6,001 / 6,001	/
10,500 / 10,293	3,195 / 3,195	5,969 / 6,001	/
9,810 / 10,293	3,195 / 3,195	5,969 / 6,001	/

> 110 REMARKS

A 030 RWY 07R/25L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 031 RWY 07L/25R FIRST 2300 FT RWY 7L CONCRETE ON 50 FT WIDE KEEL SECTION.  
A 033 RWY 07R/25L OUTER EDGES OF PAVEMENT UNEVEN.  
A 039 RWY 07L/25R PCR VALUE: 650/R/A/W/T  
A 039 RWY 07R/25L PCR VALUE: 90/F/C/X/T  
A 039 RWY 16/34 PCR VALUE: 420/F/A/X/T  
A 043 RWY 25R PAPI UNUSBL BYD 5 DEG LEFT & RIGHT OF CNTRLN.  
A 057 RWY 07L APCH SLP 50:1 TO DSPLCD THR.  
A 110-001 HVY MIGRATORY BIRD ACT ON & INVOF ARPT.  
A 110-002 E END OF TWY S IS NON-MOVEMENT AREA.  
A 110-004 TWY E RSTRD TO 22000 LBS MAX CRTFYD GROSS TKOF WEIGHT; TWY P RSTRD TO 190500 LBS MAX CRTFYD GROSS TKOF WEIGHT.  
A 110-008 TWY "N" N OF RY 7L-25R CAN BE MISTAKEN FOR THE RY & APCH ENVIRONMENT.  
A 110-011 USE CO FLY QUIET PROC OR RCMD NOISE ABATEMENT PROC - AMGR.  
A 110-012 AIRFIELD SFC CONDS ARE NOT MNMTD BTN THE HRS OF 0000-0400.

111 INSPECTOR: ( F )

112 LAST INSP: 12/12/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/2/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/2/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: FL LOC ID: DAB FAA SITE NR: 03147.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

### > 110 REMARKS

A 110-017 ROTOR WING HEL MUST GRND TAXI; IF UNABL USE CTN DURG HOVER TAXI.  
A 110-019 US CUSTS RAMP RSTRD GROUP II ACFT OF WINGSPAN 79 FT OR LESS.  
A 110-022 TWY C1 CLSD TO ACFT WINGSPAN MORE THAN 119 FT; TWY W CLSD TO ACFT WINGSPAN MORE THAN 119 FT; TWY W3 CLSD TO ACFT WINGSPAN MORE THAN 79 FT.  
A 110-023 TWY W BTN RWY 16 APCH END & TWY A CLSD TO MIL HEL & HOVER TAXI OPS.  
A 110-024 TWY W BTN TWY A & RWY 16 APCH END CLSD TO ROTARY WING WITH ROTAR SPAN MORE THAN 50 FT EXC 1 HR PPR - 386-527-0657.  
A 110-025 ALL MIL OPS REQ 24 HR. ADVND CDN WITH ARPT OPNS - PPR (386) 527-0657.  
A 110-026 ALL HELO OPS EXPC TWY W BTN TWY A & RWY 16 APCH END CLSD TO ROTARY WING ACFT WITH ROTAR SPAN MORE THAN 50 FT EXC 1 HR. PPR (386) 527-0657.  
A 110-027 INCRD DRONE ACT NE OF ARPT.  
A 110-028 HVY BIRD ACTIVITY OVER LANDFILL LOCATED 3.5NM SW OF THE AIRFIELD.  
A 110-029 PPR FOR DAYTONA BEACH SPEEDWAY LOW APCH OR FLY-OVER. CTC ATC FOR PMSN.  
A 110-030 RWY 07L LEAD-OFF LINES FOR TWY P3 AND TWY P4 FOR GROUP I ACFT ONLY WITH WINGSPAN OF LESS THAN 49 FT.

111 INSPECTOR: (F)

112 LAST INSP: 12/12/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/2/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/2/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: FL LOC ID: DAB FAA SITE NR: 03147.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-031 WX MOD GEO ENGINEERING ACFT NOTIFY AP OPS 24 HRS PRIOR TO ARR/DEP 386-527-0657.

111 INSPECTOR: ( F )

112 LAST INSP: 12/12/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/2/2026  
AFD EFF 05/14/2026