

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: DICKINSON 4 STATE: ND LOC ID: DIK FAA SITE NR: 17304.*A
 > 2 AIRPORT NAME: DICKINSON/THEODORE ROOSEVELT RGNL 5 COUNTY: STARK ND
 3 CBD TO AIRPORT (NM): 05 S 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT: BILLINGS

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: DICKINSON ARPT AUTHORITY
 > 12 ADDRESS: 11120 42ND ST SW
 DICKINSON, ND 58601-9282
 > 13 PHONE NR: 701-483-1062
 > 14 MANAGER: KELLY BRAUN
 > 15 ADDRESS: 11120 42ND ST SW
 DICKINSON, ND 58601-9282
 > 16 PHONE NR: 701-483-1062
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL 0700-1600

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: NONE
 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AGRI, AMB, CHTR, INSTR, RNTL, SALES,
 SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 46-48-01.7050N ESTIMATED
 20 ARPT LONG: 102-48-15.9670W
 21 ARPT ELEV: 2592.1 SURVEYED
 22 ACREAGE: 814
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGSY3
 > 26 FAR 139 INDEX: I A S 07/2006

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 123.000
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: NO
 86 FSS: GRAND FORKS
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	07/25	14/32
> 30 RUNWAY INDENT:	4,700	7,301
> 31 LENGTH:	75	150
> 32 WIDTH:	ASPH-G	CONC-E
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	16.0	60.0
35 GROSS WT: S	20.0	90.0
36 (IN THSDS) D		90.0
37 2D		90.0
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - F / NPI - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
> 43 VGS: I	27 / 28	50 / 50	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y / Y	Y / N	/	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	A(NP) / A(NP)	D / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/ ROAD	POLE / ROAD	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 28	65 / 37	/	/
> 55 DIST FROM RWY END:	/ 790	2,686 / 2,344	/	/
> 56 CNTRLN OFFSET:	/ 300L	676L / 666R	/	/
57 OBSTN CLNC SLOPE:	50:1 / 21:1	38:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	07/25	14/32		
> 60 TAKE OFF RUN AVBL (TORA):	4,700 / 4,700	7,301 / 7,301	/	/
> 61 TAKE OFF DIST AVBL (TODA):	4,700 / 4,700	7,301 / 7,301	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,700 / 4,700	7,301 / 7,301	/	/
> 63 LNDG DIST AVBL (LDA):	4,700 / 4,700	7,301 / 7,301	/	/

> 110 REMARKS

A 017 FOR SVC AFT HRS CALL 701-264-9966.
 A 030 RWY 07/25 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
 A 039 RWY 07/25 PCR VALUE: 60/F/D/X/T
 A 039 RWY 14/32 PCR VALUE: 440/R/D/W/T
 A 081 ACTVT MALSR RWY 32; REIL RWY 14, 07 & 25; PAPI RWY 14 & 32; HIRL RWY 14/32 - CTAF. PAPI RWY 07 & 25 OPR CONSLY SS-SR. MIRL RWY 07/25 PRESET ON LOW INTST DUSK-2200; TO INCR INTST AFT 2200 - CTAF.
 A 110-009 CONC APRON FOR HEAVY ACFT PARKING.
 A 110-010 HAYING OPNS ADJ TO ALL SFCS JUN - SEP.
 A 110-011 CROP DUSTING OPNS INVOF ARPT.
 A 110-012 PAEW ON MOVEMENT AREAS DURG WINTER (OCT-APR).
 A 110-014 AIRFIELD SFC CONDS UNMON BTN 2300-0430.
 A 110-017 FOR CD IF UNA TO CTC ON FSS FREQ, CTC MINNEAPOLIS ARTCC AT 651-463-5588.

111 INSPECTOR: (F) 112 LAST INSP: 09/16/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: ND LOC ID: DIK FAA SITE NR: 17304.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 09/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026