

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

> 1 ASSOC CITY: DOVER 4 STATE: DE LOC ID: DOV FAA SITE NR: 02967.*A
> 2 AIRPORT NAME: DOVER AFB 5 COUNTY: KENT DE
3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT: WASHINGTON

GENERAL

10 OWNERSHIP: AIR FORCE
> 11 OWNER: USAF
> 12 ADDRESS: DOVER AFB
DOVER, DE 19901
> 13 PHONE NR:
> 14 MANAGER: CHIEF AFLD MANAGEMENT/ MR HETTEROTH
> 15 ADDRESS: DOVER AFB
DOVER, DE 19901
> 16 PHONE NR: 302-677-4183
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: A+ J8
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: LOW
74 BULK OXYGEN: LOW
75 TSNT STORAGE: HGR
76 OTHER SERVICES: CARGO

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: MILLVILLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 39-07-46.3400N ESTIMATED
20 ARPT LONG: 075-27-57.4600W
21 ARPT ELEV: 28.9 ESTIMATED
22 ACREAGE:
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX: IV A U 11/2005

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

01/19	14/32
9,602	12,903
150	150
CONC	ASPH-CONC
GRVD	GRVD

150/R/A/W/T 105/R/B/W/T

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSi:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

HIGH	HIGH		
PIR - G / PIR - G	NPI - G / PIR - G	- / -	- / -
P4L / P4L	P4L / P4L	/	/
75 / 75	78 / 69	/	/
3.00 / 3.00	3.00 / 2.93	/	/
Y - Y / Y -	- / -	- / -	- / -
T - / T -	- / -	- / -	- / -
/ Y	/ Y	/	/
ALSF2 / ALSF1	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

PIR / PIR	B(V) / C	/	/
/	4,251 /	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
50:1 / 50:1	20:1 / 34:1	/	/
N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	12,903 / 9,670	/	/
/	12,903 / 9,670	/	/
/	12,903 / 12,903	/	/
/	8,653 / 12,903	/	/

> 110 REMARKS

A 026 ARFF INDEX APPLIES ONLY TO THE DOVER CIVIL AIR TERMINAL. 72 HRS PPR IS RQRD FOR ALL CIVILIAN ACFT OPNS THAT NEED TO USE THE DOVER CIVIL AIR TERMINAL; CALL 302-736-6614.
A 110-003 SERVICE: AOE.
A 110-004 LGT PAPI COINCIDENTAL WITH ILS GS RY 01/19 AND WITH TACAN VDP RY 01/19, 32 FOR H PAPI GT GP 4 ACFT ONLY. PAPI PROVIDES PROPER TCH FOR HGT GP 4 ACFT ONLY.
A 110-005 JASU: (ADAPTERS NOT AVBL.) 3(MA-1A) (M32A-86).
A 110-008 OIL: 0-133-148 SOAP.
A 110-009 TRAN ALERT: OPR H24.
A 110-010 RSTD: ALL ACFT WITH HAZ MATERIAL/RQR REMOTE/ISOLATED PRK WILL CTC 436 APS EXPLOSIVE HANDLING SECTION DSN 445-2304 1230-2130Z++ OR ATOC DUTY OFFICER DSN 445-2300 2130-1230Z++ FOR PPR. BASE OPS DSN 445-2861/4192, C302-677-2861/4192.
A 110-011 RSTD: ALL INBD PAX/CARGO MUST CTC COMD POST NO LATER THAN 30 MIN PRIOR TO LDG. RY 32 TKOF DIST AVBL 10,070 FT.
A 110-013 RSTD: ACFT TAXIING OUT OF MAIN RAMP USING TAXI LANE L BTN DELTA ROW AND SPOT ECHO MUST USE MIN PWR AND IN-BOARD ENG ONLY (C5 ACFT SHOULD NOT EXCEED 40 PERCENT N1 RPM) WHEN TURNING ONTO TAXI LANE A.
A 110-014 CAUTION: POSSIBLE JET WAKE TURBULENCE IN TFC PAT & C5 JET BLAST DUR GND OPR. SPECIAL HAZ EXIST FOR WIDE BODY ACFT TAXIING FM RAMP. 'FOLLOWW ME TRUCK' RQR FOR ALL MOVEMENTS ON RAMP BY NON C5 TRAN ACFT, TRAN C5 FLW ME SVC AVBL O/R.
111 INSPECTOR: (F) 112 LAST INSP: 06/29/2006 113 LAST INFO REQ: 02/07/2012

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

OPERATIONS

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D
> 39 PCN:

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSI:
 - 44 THR COSSING HGT.:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCH LIGHTS:

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD
> 54 HGT ABOVE RWY END
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

A 110-030	USAF ARFF MEETS ALL EMERG RESPONSE TIMES. ARFF IS CAT 6 FIREFIGHTING AGENT (12.1K) LEVEL WITH NFPA CAT 10 STAFFING LEVEL (13). SUFFICIENT CAPABILITY IS PROVIDED FOR INITIAL RESPONSE, SCENE ASSESSMENT AND IMPLEMENTATION OF MITIGATION TACTICS.
A 110-031	RWY 32 WINDS DERIVED FROM APCH END OF RWY 01. RWY 14 WINDS DERIVED FROM APCH END OF RWY 19.
A 110-032	RSTD: CONTACT AIRFIELD MANAGEMENT DSN 445-2861 FOR BIRD WATCH CONDITIONS (BWC).
A 110-034	RSTD: PPR EXC AMC, SAM, DOD COURIER SVC AND EVAC MSN DSN 445-2861.
A 110-035	CAUTION: 5 CIV ARPT LCTD WITHIN 10 NM RAD.
A 110-037	RWY 32 ASSAULT LDG ZONE (ALZ) NSTD AFLD MRK CONSISTING OF WHITE BOX (500 FT X 90 FT) BEGINNING 500 FT FR THLD WITH WHITE BAR 3000 FT FR END OF BOX. AFLD IS TERPS FROM SFC (GRD LEVEL), DER CROSSING HGT 0 FT.
A 110-038	MISC: JET SIDE SERVICE 1-STOP SHOP PRINTS INTEGRATED FMS CREW PACKAGES.

111 INSPECTOR: (F) 112 LAST INSP: 06/29/2006 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D
> 39 PCN:

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSi:
 - 44 THR COSSING HGT.:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCH LIGHTS:

50 FAR 77 CATEGORY

- > 51 DISPLACED THR:
- > 52 CTLG OBSTN:
- > 53 OBSTN MARKED/LGTD:
- > 54 HGT ABOVE RWY END:
- > 55 DIST FROM RWY END:
- > 56 CNTRLN OFFSET:
- 57 OBSTN CLNC SLOPE:
- 58 CLOSE-IN OBSTN:

- > 60 TAKE OFF RUN AVBL (TORA):
- > 61 TAKE OFF DIST AVBL (TODA):
- > 62 ACLT STOP DIST AVBL (ASDA):
- > 63 LNDG DIST AVBL (LDA):

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: DE

6 REGION/ADO: AEA/HAR

LOC ID: DOV

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 02967.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 06/29/2006

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/12/2026
AFD EFF 07/09/2026