

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/19/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: DUGWAY PROVING 4 STATE: UT LOC ID: DPG FAA SITE NR: 25124.3*A
 > 2 AIRPORT NAME: MICHAEL AAF (DUGWAY PROVING GROUND) 5 COUNTY: TOOELE UT
 3 CBD TO AIRPORT (NM): 09 W 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: SALT LAKE CITY

GENERAL

10 OWNERSHIP: ARMY
 > 11 OWNER: US ARMY AERONAUTICAL SVCS AGENCY
 > 12 ADDRESS: FT BELVOIR, VA 22060
 > 13 PHONE NR: 435-831-5322
 > 14 MANAGER: BASE OPERATION
 > 15 ADDRESS: MICHAEL AAF (DUGWAY PROVING GROUND)
 UT
 > 16 PHONE NR: 435-831-5322
 > 17 ATTENDANCE SCHEDULE:

ALL MON-THU 1400-2400Z++

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE: PRIVATE
 19 ARPT LAT: 40-11-50.5750N ESTIMATED
 20 ARPT LONG: 112-56-06.1960W
 21 ARPT ELEV: 4350.4 ESTIMATED
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING: NO

FACILITIES

80 ARPT BCN: SWG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM:
 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: NO
 86 FSS: CEDAR CITY
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

12/30
 10,999
 150
 ASPH-P

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

HIGH
 NONE - P / NONE - P - / - - / -
 88 85

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/ / / /
 1,000 / 1,000 / / /
 / / / /
 / / / /
 / / / /
 / / / /

> 110 REMARKS

A 013 BASE-OPS AT DPG.
 A 017 CLSD FRI-SUN AND HOLIDAYS.
 A 033 RWY 12/30 PEM.
 A 040 RWY 12/30 NW FIRST 5000 FT HIRL OTS INDEF.
 A 081 ACTVT PAPI RWY 12 & 30; HIRL RWY 12/30; TWY LGTS - CTAF.
 A 086 FSS-CEDAR CITY CDC-NOTAM CDC.
 A 110-005 JASU: 2 (A/M32A-86) 2(A/M32A-60).
 A 110-006 FUEL - A++. AIRCARD RQR COMMS.
 A 110-007 OIL: O-156.
 A 110-008 TSNT ALERT: OPR 1400-0030Z++ MON-THU EXCP HOL.
 A 110-009 SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
 A 110-010 RSTD: 24 HR PPR FOR LDG AND FUEL; CTC BASE OPS DSN 789-5322, C 435-831-5322.ALL USAF, ANG, AND AFRES AMC ACFT CONSULT ASRR FOR THIS LCTN.
 A 110-012 RWY 12R-30L CLSD.
 111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 02/14/1977

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/19/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/19/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: UT LOC ID: DPG FAA SITE NR: 25124.3*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

- A 110-013 CAUTION: POTENTIAL FOR WILD ANIMALS TO CROSS RWY AND FOREIGN OBJECT DAMAGE HAZ DURING HIGH WIND CONDITIONS. BIRD ACT MNT O/R.
- A 110-016 CAUTION-LANDING SHORT OF RY 30 THLD IS A SIGNIFICANT HAZARD. THE E-5 BARRIER PROTRUDES SEVERAL INCHES ABOVE THE GROUND. ACFT CTC WITH THE BARRIER SHORT OF THE RY THLD CAN CAUSE DAMAGE TO THE BARRIER AND SUBSTANTIAL DAMAGE TO THE ACFT.
- A 110-017 CAUTION: LTD ACFT RESCUE & FIRE FIGHTING (ARFF) CAPABILITY FOR MANNED ACFT, CALL BASOPS FOR INFO.
- A 110-018 FOR CD CTC CLOVER CTL AT 801-777-7575 OR VHF 134.1.
- A 110-019 TWY B CLSD TO MANNED ACFT B1 TO B2 1300-2300Z MON-THUR.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/19/2026
AFD EFF 05/14/2026