AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/17/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: DUGWAY PROVING 4 STATE: UT LOC ID: DPG FAA SITE NR: 25124.3*A
> 2 AIRPORT NAME: MICHAEL AAF (DUGWAY PROVING GROUND) 5 COUNTY: TOOELE UT
3 CBD TO AIRPORT (NM): 09 W 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: SALT LAKE CITY

GENERAL

10 OWNERSHIP: ARMY
> 11 OWNER: US ARMY AERONAUTICAL SVCS AGENCY
> 12 ADDRESS:
FT BELVOIR, VA 22060
> 13 PHONE NR: 435-831-5322
> 14 MANAGER: BASE OPERATION
> 15 ADDRESS: MICHAEL AAF (DUGWAY PROVING GROUND)
UT
> 16 PHONE NR: 435-831-5322
> 17 ATTENDANCE SCHEDULE:

ALL	MON-THU	1400-2400Z++

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 40-11-50.5750N ESTIMATED
20 ARPT LONG: 112-56-06.1960W
21 ARPT ELEV: 4350.4 ESTIMATED
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING: NO

80 ARPT BCN: SWG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: CEDAR CITY
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	12/30			
> 30 RUNWAY INDENT:				
> 31 LENGTH:	10,999			
> 32 WIDTH:	150			
> 33 SURF TYPE-COND:	ASPH-P			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH			
> 42 RWY MARK TYPE-COND:	NONE - P / NONE - P	- / -	- / -	- / -
	88 85			

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	1,000 / 1,000	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 013	BASE-OPS AT DPG.
A 017	CLSD FRI-SUN AND HOLIDAYS.
A 033	RWY 12/30 PEM.
A 040	RWY 12/30 NW FIRST 5000 FT HIRL OTS INDEF.
A 081	ACTVT PAPI RWY 12 & 30; HIRL RWY 12/30; TWY LGTS - CTAF.
A 086	FSS-CEDAR CITY CDC-NOTAM CDC.
A 110-005	JASU: 2 (A/M32A-86) 2(A/M32A-60).
A 110-006	FUEL - A++. AIRCARD RQR COMMS.
A 110-007	OIL: O-156.
A 110-008	TSNT ALERT: OPR 1400-0030Z++ MON-THU EXCP HOL.
A 110-009	SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
A 110-010	RSTD: 24 HR PPR FOR LDG AND FUEL; CTC BASE OPS DSN 789-5322, C 435-831-5322.ALL USAF, ANG, AND AFRES AMC ACFT CONSULT ASRR FOR THIS LCTN.
A 110-012	RWY 12R-30L CLSD.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 02/14/1977

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/17/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: UT | LOC ID: DPG | FAA SITE NR: 25124.3*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ANM/DEN | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-013 CAUTION: POTENTIAL FOR WILD ANIMALS TO CROSS RWY AND FOREIGN OBJECT DAMAGE HAZ DURING HIGH WIND CONDITIONS. BIRD ACT MNT O/R.
A 110-016 CAUTION-LANDING SHORT OF RY 30 THLD IS A SIGNIFICANT HAZARD. THE E-5 BARRIER PROTRUDES SEVERAL INCHES ABOVE THE GROUND. ACFT CTC WITH THE BARRIER SHORT OF THE RY THLD CAN CAUSE DAMAGE TO THE BARRIER AND SUBSTANTIAL DAMAGE TO THE ACFT.
A 110-017 CAUTION: LTD ACFT RESCUE & FIRE FIGHTING (ARFF) CAPABILITY FOR MANNED ACFT, CALL BASOPS FOR INFO.
A 110-018 FOR CD CTC CLOVER APCH AT 801-777-7575.
A 110-019 RWY 12 CLEAR ZONE CONTAINS NON-FRANGIBLE FENCE 375 FT WIDE. TWY A 9 FT FENCE 140 FT FM WEST END A TWY, WG WALKERS MAY BE RQRD. TWY B EDGE MKGS UNMRKD. RWY 12/30 EDGE S UNMRKD.
A 110-020 CAUTION: LRG VOL OF UAS TESTING ACFT WITHIN 5 MI TFC AREA.

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ: