

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aer\\_o\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: DEVILS LAKE 4 STATE: ND LOC ID: DVL FAA SITE NR: 17302.\*A  
> 2 AIRPORT NAME: DEVILS LAKE RGNL 5 COUNTY: RAMSEY ND  
> 3 CBD TO AIRPORT (NM): 02 W 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT: TWIN CITIES

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: DEVILS LAKE AIRPORT AUTHORITY  
> 12 ADDRESS: 106 NATIONAL GUARD ST NW  
DEVILS LAKE, ND 58301-8993  
> 13 PHONE NR: 701-662-5833  
> 14 MANAGER: DOMINIC ERITANO  
> 15 ADDRESS: 106 NATIONAL GUARD ST NW  
DEVILS LAKE, ND 58301-8993  
> 16 PHONE NR: 701-662-5833  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0700-1800

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AGRI, AMB, CHTR, INSTR, RNTL,  
SALES, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 48-06-59.7270N ESTIMATED  
20 ARPT LONG: 098-54-35.9570W  
21 ARPT ELEV: 1469.4 SURVEYED  
22 ACREAGE: 730  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX: I A S 01/2004

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.800  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: GRAND FORKS  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	03/21	13/31
> 30 RUNWAY INDENT:	4,314	6,400
> 31 LENGTH:	75	100
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:	30.0	75.0
35 GROSS WT: S		130.0
36 (IN THSDS) D		190.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	NPI - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L / P2L	P4L / P4L	/	/
> 43 VGS: I	25 / 25	45 / 44	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y /	/	/
> 48 REIL:	/	/ MALSR	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / C	D / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	ROAD / TREE	/ BLDG	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	35 / 38	/ 29	/	/
> 54 HGT ABOVE RWY END:	1,119 / 1,523	/ 1,400	/	/
> 55 DIST FROM RWY END:	384L / 131R	/ 650L	/	/
> 56 CNTRLN OFFSET:	26:1 / 34:1	34:1 / 41:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	4,314 / 4,314	6,401 / 6,401		
> 60 TAKE OFF RUN AVBL (TORA):	4,314 / 4,314	6,401 / 6,401	/	/
> 61 TAKE OFF DIST AVBL (TODA):	4,314 / 4,314	6,401 / 6,401	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,314 / 4,314	6,401 / 6,401	/	/
> 63 LNDG DIST AVBL (LDA):	4,314 / 4,314	6,401 / 6,401	/	/

> 110 REMARKS

A 017 FOR ATNDT AFT HRS CALL 701-520-0229.  
A 026 48 HRS PPR FOR UNSKED ACFT OPS WITH MORE THAN 30 PSGRS CALL AMGR 701-662-5833.  
A 026 SKED AIR CARRIER OPNS INVOLVING ACFT WITH MORE THAN 9 PSGRS ARE NOT AUTH IN EXCESS OF 15 MINS BFR OR AFT SKED ARR/DEP TIMES WO PRIOR COORD WTH ARPT MGR TO ENSURE THAT ARFF IS AVBL.  
A 030 RWY 03/21 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 039 RWY 03/21 PCR VALUE: 245/F/D/X/T  
A 039 RWY 13/31 PCR VALUE: 337/F/D/X/T  
A 070 FUEL AVBL IREG HRS CALL 701-520-0229; SELF SVC AVGAS AVBL H24.  
A 081 ACTVT OR INCR INTST MALSR RWY 31; REIL RWY 03, 13, & 21; PAPI RWY 13/31; HIRL RWY 13/31, MIRL RWY 03/21 - CTAF.  
A 110-001 NUMEROUS WATERFOWL & OTHER BIRDS; DEER & JACK RABBITS ON & INVOF ARPT.  
A 110-002 FOR CD IF UNA TO CTC ON FSS FREQ, CTC MINNEAPOLIS ARTCC AT 651-463-5588.

111 INSPECTOR: ( F )

112 LAST INSP: 09/16/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: ND LOC ID: DVL FAA SITE NR: 17302.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 09/16/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026