

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/16/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ELKO 4 STATE: NV LOC ID: EKO FAA SITE NR: 13048.*A
> 2 AIRPORT NAME: ELKO RGNL 5 COUNTY: ELKO NV
> 3 CBD TO AIRPORT (NM): 01 W 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: SALT LAKE CITY

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF ELKO
> 12 ADDRESS: 975 TERMINAL WAY
ELKO, NV 89801
> 13 PHONE NR: 775-777-7190
> 14 MANAGER: JAMES FOSTER
> 15 ADDRESS: 975 TERMINAL WAY
ELKO, NV 89801
> 16 PHONE NR: 775-777-7194
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0500-2100

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AMB, CARGO, CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 40-49-29.9950N ESTIMATED
20 ARPT LONG: 115-47-28.8150W
21 ARPT ELEV: 5139.8 SURVEYED
22 ACREAGE: 700
> 23 RIGHT TRAFFIC: 06, 12
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I A S 05/1973

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: RENO
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	06/24	12/30
> 30 RUNWAY INDENT:	7,454	3,015
> 31 LENGTH:	150	60
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	78.0	12.0
35 GROSS WT: S	105.0	
36 (IN THSDS) D	170.0	
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED			
> 40 EDGE INTENSITY:	PIR - G / PIR - G	BSC - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	/	/	/
> 43 VGS:	44 / 51	/	/	/
44 THR COSSING HGT.:	3.00 / 3.25	/	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	N / N	N / N	/	/
> 48 REIL:	/ MALSR	/	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / D	A(V) / A(V)	/	/
50 FAR 77 CATEGORY	/ 1,036	906 / 143	/	/
> 51 DISPLACED THR:	ROAD / POLE	POLE / POLE	/	/
> 52 CTLG OBSTN:	/	M /	/	/
> 53 OBSTN MARKED/LGTD:	24 / 99	26 / 30	/	/
> 54 HGT ABOVE RWY END:	700 / 2,300	650 / 900	/	/
> 55 DIST FROM RWY END:	325R / 450R	75L / 100L	/	/
> 56 CNTRLN OFFSET:	20:1 / 21:1	17:1 / 23:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	7,217 / 7,454	3,015 / 3,015	/	/
> 60 TAKE OFF RUN AVBL (TORA):	7,217 / 7,454	3,015 / 3,015	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,217 / 7,454	3,015 / 3,015	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,217 / 6,418	2,109 / 2,872	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 030 RWY 12/30 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 06/24 PCR VALUE: 340/F/B/X/T
A 039 RWY 12/30 PCR VALUE: 50/F/C/X/T
A 043 PAPI RWY 24 DOES NOT PRVD OBSTN CLNC BYD 6.5 NM FM THR.
A 070 100LL, A AVAILABLE 24/7.
A 081 ACTVT MALSR RWY 24; MRL RWY 06/24 - CTAF. PAPI RWY 06 & 24 ON CONSLY.
A 110-001 RWY 24 DESIGNATED CALM WIND RWY.
A 110-004 PPR FOR ALL ACFT OPNS OVER 100000 LBS CALL 775-777-7190.
A 110-005 TKOF ONLY ON RWY 12. LAND ONLY ON RWY 30.
A 110-006 NO TGL RWY 12/30.
A 110-007 STEEP SLOPE/GRADIENT RWY 30 UPWARD.
A 110-010 SFC CONDS NOT MNT DLY 0500-1400Z.
A 110-011 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SALT LAKE ARTCC AT 801-320-2568.
A 110-013 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -25C.

111 INSPECTOR: (F)

112 LAST INSP: 05/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/16/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/16/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NV LOC ID: EKO FAA SITE NR: 13048.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-014 INCD BIRD ACT INVOF ARPT MAR-SEP.

111 INSPECTOR: (F)

112 LAST INSP: 05/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/16/2026
AFD EFF 05/14/2026