

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ELMIRA/CORNING 4 STATE: NY LOC ID: ELM FAA SITE NR: 15203.*A
 > 2 AIRPORT NAME: ELMIRA/CORNING RGNL 5 COUNTY: CHEMUNG NY
 3 CBD TO AIRPORT (NM): 06 NW 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: COUNTY OF CHEMUNG
 > 12 ADDRESS: 276 SING SING RD., SUITE 1
 HORSEHEADS, NY 14845
 > 13 PHONE NR: 607-739-5621
 > 14 MANAGER: THOMAS FREEMAN
 > 15 ADDRESS: 276 SING SING RD., SUITE 1
 HORSEHEADS, NY 14845
 > 16 PHONE NR: 607-739-5621
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: LOW
 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES: CARGO, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 42-09-35.4770N ESTIMATED
 20 ARPT LONG: 076-53-30.2920W
 21 ARPT ELEV: 955.1 SURVEYED
 22 ACREAGE: 1,000
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGY3
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: BUFFALO
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	05/23	06/24	10/28
> 30 RUNWAY INDENT:	2,016	8,001	5,404
> 31 LENGTH:	150	150	150
> 32 WIDTH:	TURF-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	GRVD	GRVD
> 34 SURF TREATMENT:		80.0	57.0
35 GROSS WT: S		121.0	90.0
36 (IN THSDS) D		200.0	150.0
37 2D			
38 2D/2D2			
> 39 PCN:			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	MED	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -
> 42 RWY MARK TYPE-COND:	V4L / P4L	/ P4L	/
> 43 VGS: I	51 / 52	/ 40	/
44 THR COSSING HGT.:	3.00 / 3.00	/ 3.00	/
45 VISUAL GLIDE ANGLE:	Y - / Y -	- / -	- / -
> 46 CNTRLN-TDZ:	TMR - / TMR - N	- / -	- / -
> 47 RVR-RVV:	N / N	/	/
> 48 REIL:	MALSR / MALSR	/	/
> 49 APCH LIGHTS:			

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	A(V) / A(V)	PIR / PIR	C / C
50 FAR 77 CATEGORY	/	600 / 202	/ 402
> 51 DISPLACED THR:	/	TREE / TREE	TREES / POLE
> 52 CTLG OBSTN:	/	/	/
> 53 OBSTN MARKED/LGTD:	/	790 / 382	632 / 54
> 54 HGT ABOVE RWY END:	/	27,250 / 12,329	8,761 / 1,351
> 55 DIST FROM RWY END:	/	1800R / 2123R	1488L / 264L
> 56 CNTRLN OFFSET:	/	34:1 / 31:1	13:1 / 21:1
57 OBSTN CLNC SLOPE:	20:1 / 20:1	N / N	N / N
58 CLOSE-IN OBSTN:	N / N		

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	2,017 / 2,017	8,001 / 8,001	5,404 / 5,404
> 61 TAKE OFF DIST AVBL (TODA):	2,017 / 2,017	8,001 / 8,001	5,404 / 5,404
> 62 ACLT STOP DIST AVBL (ASDA):	2,017 / 2,017	8,001 / 8,001	5,004 / 5,404
> 63 LNDG DIST AVBL (LDA):	2,017 / 2,017	7,401 / 7,799	5,004 / 5,002

> 110 REMARKS

A 013 OR 607-739-5622.
 A 024 LNDG FEE FOR ALL NON BASED ACFT.
 A 026 ARFF INDEX C EQUIPMENT COVERAGE IS AVBL UPON REQUEST CTC ARPT MANAGEMENT AT 607-426-5621.
 A 039 RWY 06/24 PCR VALUE: 560/F/B/X/T
 A 039 RWY 10/28 PCR VALUE: 640/F/B/X/T
 A 042 RWY 05/23 MKD WITH ASPH L CORNER MARKERS.
 A 043 RWY 24 PAPI UNUSBL BYD 9 DEGS RIGHT OF CNTRLN.
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 06 & 24; HIRL RWY 06/24; MIRL RWY 10/28; TWY LGTS - CTAF.
 A 110-001 ACFT WITH WINGSPANS GTR THAN 93 FEET SHOULD USE EXTREME CARE WHEN TAXIING ON TWY T ADJ TO APRONS.
 A 110-002 EXTSV GLIDER ACT ON & INVOF ARPT.
 A 110-003 BIRDS & DEER ON & INVOF ARPT.
 A 110-004 RWY 05/23 (SOUTHEAST OF RWY 06/24) UNMARKED SEASONAL USE TURF RWY CLSD 1 DEC THROUGH 30 APR.
 A 110-005 FOR LAND SIDE ACCESS FM APRON WHEN FBO CLSD CTC ELM ARPT ATTENDANT AT 607-426-5621.
 A 110-006 WINTER DE-ICING ON GLYCOL APRON ONLY.
 A 110-007 BLIMP ACT RQRS PPR, CTC ARPT MGMT AT 607-426-5621.

111 INSPECTOR: (F) 112 LAST INSP: 03/03/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: ELM FAA SITE NR: 15203.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-011 RWY 10 OPNS PROHIBITED FOR ACFT WITH APCH SPEEDS GTR THAN OR EQUAL TO 121 KNOTS AND/OR WINGSPANS GTR THAN OR EQUAL TO 118 FT .
- A 110-012 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -21C.
- A 110-013 TWY H, J, & L LTD TO DESIGN GROUP II ACFT.
- A 110-014 TRML RAMP IS UNCONTROLLED. DO NOT CALL FOR PUSH/POWER BACK. ADVISE GC WHEN READY TO TAXI FOR DEP.
- A 110-015 TWY T BTN TXY L AND TWY D NONMOVEMENT AREA.
- A 110-016 FOR CD IF UNA TO CTC ON FSS FREQ, CTC NEW YORK ARTCC AT 631-468-1425.

111 INSPECTOR: (F)

112 LAST INSP: 03/03/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026