

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: FAIRBANKS 4 STATE: AK LOC ID: FAI FAA SITE NR: 50219.*A
 > 2 AIRPORT NAME: FAIRBANKS INTL 5 COUNTY: FAIRBANKS NORTH STAR AK
 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: FAIRBANKS

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: STATE OF ALASKA DOTPF
 > 12 ADDRESS: 6450 AIRPORT WAY - SUITE 1
 FAIRBANKS, AK 99709
 > 13 PHONE NR: 907-474-2500
 > 14 MANAGER: ANGIE SPEAR
 > 15 ADDRESS: 6450 AIRPORT WAY - SUITE 1
 FAIRBANKS, AK 99709
 > 16 PHONE NR: 907-474-2500
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A1
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR
 76 OTHER SERVICES: CARGO

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 64-48-55.2800N ESTIMATED
 20 ARPT LONG: 147-51-24.0000W
 21 ARPT ELEV: 439.0 SURVEYED
 22 ACREAGE: 3,470
 > 23 RIGHT TRAFFIC: 02R
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGSY
 > 26 FAR 139 INDEX: I C S 03/2005

80 ARPT BCN: WG
 81 ARPT LGT SKED : BCN LGT SKED: SS-SR
 82 UNICOM:
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: FAIRBANKS
 87 FSS ON ARPT: YES
 88 FSS PHONE NR: 907-474-0788
 89 TOLL FREE NR: 1-866-248-6516

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	02/20	02L/20R	02R/20L	02W/20W
> 30 RUNWAY INDENT:	2,900	11,800	4,510	5,400
> 31 LENGTH:	75	150	75	100
> 32 WIDTH:	GRVL	ASPH-G	ASPH-G	WATER
> 33 SURF TYPE-COND:	NONE	GRVD	NONE	NONE
35 GROSS WT: S		75.0	21.0	
36 (IN THSDS) D		220.0	40.0	
37 2D		580.0		
38 2D/2D2		1100.0		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	MED	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	BUOY - G / BUOY - G
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/
> 43 VGS: I	73 / 74	40 / 42	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	Y - Y / Y - N	- / -	- / -
> 46 CNTRLN-TDZ:	TMR - N / TMR - N	- / -	- / -
> 47 RVR-RVV:	/	N / Y	/
> 48 REIL:	ALSF2 / MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	A(V) / A(V)	PIR / PIR	B(V) / B(V)	A(V) / A(V)
50 FAR 77 CATEGORY	/	750 / 750	/	/
> 51 DISPLACED THR:	/	TREE / TREE	TREES /	FENCE / FENCE
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	72 / 86	79 /	14 / 11
> 54 HGT ABOVE RWY END:	/	2,711 / 3,096	2,175 /	553 / 505
> 55 DIST FROM RWY END:	/	652L / 430R	350B /	170L / 0
> 56 CNTRLN OFFSET:	/	34:1 / 33:1	25:1 /	39:1 / 45:1
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	11,800 / 11,800	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	12,800 / 12,800	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	11,800 / 11,800	/	/
> 63 LNDG DIST AVBL (LDA):	/	11,050 / 11,050	/	/

> 110 REMARKS

A 011 ALASKA INTL SYS.
 A 030 RWY 02/20 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. SUMMER & SKI STRIP WINTER USE; AVBL LCL NOTAM & ATCT BFR ARR OR DEP.
 A 030 RWY 02R/20L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
 A 030 RWY 02W/20W NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. CTLD; APREQ - ATCT 118.3. CTC CD ASAP AFT ENG START. FROZEN IN WINTER; SFC UNMNT. THR BUOYS 500 FT FM N & S SHORES & MARK WATERLANE. STEP TAX OUTSIDE OF WATERLANE NA. E OF WATERLANE UNCTLD; TAX AT PILOT DISCRETION.
 A 039 RWY 02L/20R PCR VALUE: 780/F/B/X/T
 A 039 RWY 02R/20L PCR VALUE: 46/F/B/X/T
 A 043 RWY 20R UNUSBL BYD 8 DEGS RIGHT OF CNTRLN.
 A 110-005 ATCT 538 MS ATCT 64 48 39.438 N 147 50 55.722 W.
 A 110-008 BIRDS INVOF SPRING - FALL.
 A 110-014 CTN: SN REMOVAL EQUIP 1 OCT 1 - MAY 15.

111 INSPECTOR: (F)

112 LAST INSP: 05/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: FAI FAA SITE NR: 50219.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-016 MIL CONTR FUEL AVBL.
- A 110-021 OPS IN MOAS E OF FAIRBANKS - EIELSON RANGE CTL 125.3/126.3 OR 1-800-758-8723.
- A 110-022 NOISE ABATEMENT PROC IN EFCT 2200-0800; LRG, TURBINE & HVY ARR RWY 02L; DEP RWY 20R BASED ON WIND. ENG RUNUP LCT - ARPT OPS.
- A 110-035 CTN: AVOID LNDG ON TWY; N/S TWY PARL TO RWY 02L/20R W SIDE.
- A 110-043 WX CAMERA AVBL ON INTERNET AT [HTTPS://WEATHERCAMS.FAA.GOV](https://weathercams.faa.gov).
- A 110-044 RWY HOLD LINES OBSCURED OCT 1 - APRIL 1.
- A 110-045 TSNT PRKG WINGSPAN LESS THAN 79 FT E RAMP. TSNT PRKG W RAMP NA. LTD TSNT FLOAT PLANE PRKG - 907-455-4571. MEDIVAC & TSNT HEL PRKG OR INFO - 907-451-2300.
- A 110-046 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -29C.
- A 110-047 SEE ADDITIONAL PAGES UNDER NOTICES FOR TRSA AND FAIRBANKS AREA INFORMATION.

111 INSPECTOR: (F)

112 LAST INSP: 05/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: FAI FAA SITE NR: 50219.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-049 NWS WEATHER BALLOON LAUNCH SITE 2000 FEET WEST OF MIDFIELD RUNWAY 02L/20R. LAUNCHES ARE TWICE DAILY AT 1100 AND 2300 HOURS UTC.
- A 110-050 RWY 02R/20L IS LIMITED FOR USE BY ACFT DESIGN GROUP B II, ACFT OR SMALLER.
- A 110-051 TWY B SCTY GATE - ACTVT 121.75 OR 907-451-2300.
- A 110-052 COMPASS ROSE CLBR NA.
- A 110-054 PPR MIL OPS HVY CARGO OR TRML APN - APRT OPS.

111 INSPECTOR: (F)

112 LAST INSP: 05/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/15/2026
AFD EFF 05/14/2026