

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/

PRINT DATE: 4/26/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: FRESNO 4 STATE: CA LOC ID: FAT FAA SITE NR: 01591.*A
 > 2 AIRPORT NAME: FRESNO YOSEMITE INTL 5 COUNTY: FRESNO CA
 3 CBD TO AIRPORT (NM): 05 NE 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: SAN FRANCISCO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF FRESNO
 > 12 ADDRESS: 4995 E CLINTON WAY
 FRESNO, CA 93727
 > 13 PHONE NR: 559-621-4500
 > 14 MANAGER: HENRY L. THOMPSON
 > 15 ADDRESS: 4995 E CLINTON WAY
 FRESNO, CA 93722
 > 16 PHONE NR: 559-621-4600
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

70 FUEL: 100 A A++
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH/LOW
 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AVNCS, CARGO, CHTR, INSTR,
 RNTL, SALES, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED :
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: RANCHO MURIETA
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 36-46-35.6000N ESTIMATED
 20 ARPT LONG: 119-43-07.8000W
 21 ARPT ELEV: 335.5 SURVEYED
 22 ACREAGE: 1,728
 > 23 RIGHT TRAFFIC: 29R, 11R
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGPY
 > 26 FAR 139 INDEX: I C S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

11L/29R	11R/29L
9,539	8,008
150	150
ASPH-F	ASPH-G
GRVD	GRVD
70.0	70.0
170.0	170.0
250.0	250.0

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

HIGH	MED		
PIR - G / PIR - G	PIR - G / PIR - P	- / -	- / -
P4L / P4L	/ P4L	/	/
50 / 76	/ 50	/	/
3.00 / 3.00	/ 3.00	/	/
Y - N / Y - Y	N - N / N - N	- / -	- / -
TMR - Y / TMR - Y	- N / - N	- / -	- / -
Y / N	Y /	/	/
/ ALSF2	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

D / PIR	D / D		
/ 312	/	/	/
TREE / ROAD	/	/	/
/ L	/	/	/
67 / 16	/	/	/
755 / 750	/	/	/
780L / 580R	/	/	/
8:1 / 34:1	50:1 / 20:1	/	/
N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

9,539 / 9,539	8,008 / 8,008	/	/
9,539 / 9,539	8,008 / 8,008	/	/
9,279 / 9,539	8,008 / 8,008	/	/
9,279 / 9,227	8,008 / 8,008	/	/

> 110 REMARKS

A 014 OPS MGR - SEVAN GHAZARIANS: OFC 559-621-4508; CELL 559-840-7315; 24 HR OPNS 559-978-1835.
 A 024 FEE FOR ACFT OVER 12500 LBS GWT.
 A 030 RY 11L/29R RY 11L 1000 FT BLAST PAD; RY 29R 850 FT BLAST PAD.
 A 030 RY 11R/29L RY 11R 1000 FT BLAST PAD; RY 29L 1000 FT BLAST PAD.
 A 039 RWY 11L/29R PCR VALUE: 505/F/A/X/T
 A 039 RWY 11R/29L PCR VALUE: 492/F/A/X/T
 A 042 RWY 29L RUBBER BUILD-UP OBSCS THE CNTRLN MRKGS IN TDZ.
 A 110-004 FRESNO YOSEMITE INTL IS NOISE SENSITIVE; NOISE ABATEMENT PROCEDURES IN EFFECT.
 A 110-007 NO MULT APCHS AND LNDGS MON-SAT 2200-0700 AND SUN 1800-1000.
 A 110-009 POSSIBLE WAKE TURBULENCE OR WIND SHEAR ARR TO RY 29L OR DEP FM RY 11R. JET TESTING CONDUCTED AT AIR NATIONAL GUARD RAMP LCTD AT SE CORNER OF ARPT.
 A 110-012 NUMEROUS BIRDS INVOF ARPT.
 A 110-014 LGTD RY DISTANCE REMAINING MARKERS ON SOUTH SIDE OF RY 11R/29L; LGTD RY DISTANCE REMAINING MARKERS BOTH SIDES OF RY 11L/29R- 11L DRM ON NORTH SIDE; 29R DRM ON SOUTH SIDE.

111 INSPECTOR: (F)

112 LAST INSP: 04/25/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/26/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/26/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: FAT FAA SITE NR: 01591.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-017 RETRACTABLE BAK-12/14 AVBL ON RY 11L AND RY 29R ARE KEPT IN RECESSED POSITION UNTIL REQ FOR USE; TWR MUST BE NOTIFIED AT LEAST 5 SECONDS PRIOR TO ENGAGEMENT SO THAT THE AG CABLE MAY BE RAISED.
- A 110-019 SERVICE-FUEL: SIGNATURE FLIGHT SUPPORT, C559-981-2490
- A 110-022 SERVICE - FUEL: ROSS AVIATION, C559-251-1555
- A 110-023 MILITARY: ANG: CTC ANG OPS FOR LCL BIRD WATCH COND (BWC).
- A 110-024 MILITARY: SVC: RWY 29R AND 11L A-GEAR CABLE AVBL UPON REQ ONLY; DEFAULT POSN DOWN.
- A 110-025 TWY B3 CLSD BTN RWY 11L/29R AND RWY 11R/29L.
- A 110-026 TWY A LTD TO ACFT DESIGN GROUP II.
- A 110-027 ATCT CLNC RQRD TO PUSH ON MOV AREA.
- A 110-028 PPR FOR ENG START AT ACR TRML GATES & ENG RUN-UP.

111 INSPECTOR: (F)

112 LAST INSP: 04/25/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/26/2026
AFD EFF 04/16/2026