AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/27/2026
AFD EFF 11/26/2026

> 1 ASSOC CITY: DAYTON
> 2 AIRPORT NAME: WRIGHT-PATTERSON AFB
3 CBD TO AIRPORT (NM): 08 NE
4 STATE: OH
6 REGION/ADO: AGL/DET
LOC ID: FFO
5 COUNTY: GREENE OH
7 SECT AERO CHT: CINCINNATI
FAA SITE NR: 17827.*A

GENERAL

10 OWNERSHIP: AIR FORCE
> 11 OWNER: US AIR FORCE
> 12 ADDRESS: WRIGHT-PATTERSON AFB
DAYTON, OH 45433
> 13 PHONE NR: 937-257-2131
> 14 MANAGER: BASE COMMANDER
> 15 ADDRESS: WRIGHT PATTERSON AFB
DAYTON, OH 45433
> 16 PHONE NR: 937-257-2131
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 39-49-33.4939N ESTIMATED
20 ARPT LONG: 084-02-45.9702W
21 ARPT ELEV: 823.3 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC: 23R
> 24 NON-COMM LANDING: NO

80 ARPT BCN: WG
81 ARPT LGT SKED :
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: DAYTON
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	05L/23R	05R/23L		
> 30 RUNWAY INDENT:				
> 31 LENGTH:	12,600	7,000		
> 32 WIDTH:	300	150		
> 33 SURF TYPE-COND:	PEM	ASPH		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH	MED		
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	- / -	- / -	- / -
	51 53	51 50		

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 014	AIRFIELD MANAGER - ROMULO ALCANTARA 937-257-6206
A 017	OPR H24 EXC AD CLSD MAJOR HOLS & OTR TIMES BY NOTAM.
A 033	RWY 05L/23R SW 2600 FT CONC, NE 10000 FT ASPH.
A 110-003	CAUTION: PORTIONS OF FLAMEOUT & OVERHEAD TFC PAT NOT VIS FM TWR.
A 110-006	MISC: EXP DEP FR RY 23R AT TWY 'B' INT 11,600 FT AVBL; IF FULL LEN RQR, RQ BACK-TAXI FM TWR.
A 110-011	CTN: 5 FT UNLIT OBST APRXLY 150 FT NORTH OF AFRT TRML LCTD 136 FT FM TWY B CNTRLN EAST SIDE. UNLGTD ABNDD TWR WEST SIDE OF FLD.
A 110-013	CAUTION: BIRD WATCH CONDITION PHASE I (NOV-JUN) INDICATES LGT BIRD ACT, PHASE II (JUL-OCT) INDICATES HVY BIRD ACT NML ASSOCIATED WITH MIGRATORY SEASON.
A 110-018	MISC: AMOPS C937-257-4492, DSN 787-4492.
A 110-019	AFRC: 445 AW OPR 1200--0330Z++. MON-FRI AND TRNG WKEND.
A 110-020	CUST/AG/IMG: LTD CUST AVBL. US MIL REQ A MNM OF 24 HR PN, FOREIGN STATE ACFT A MNM OF 48 HR PN, AMOPS C937-257-4492, DSN 787-4492.
A 110-021	JASU: 7(A/M32A-86) 1(MC-1A) 4(AM32-95) 7(A/M32A-60/A).
A 110-022	FUEL: A++

111 INSPECTOR: (N)
112 LAST INSP:
113 LAST INFO REQ: 10/02/2013

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/27/2026
AFD EFF 11/26/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: FFO FAA SITE NR: 17827.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-023 FLUID: SP PRESAIR LHOX LOX.
A 110-024 SVC: OIL: SOAP/JOAP NOT AVBL.
A 110-025 TRAN ALERT: OPR 1100-0300Z++; AVBL OT WITH 24 HR PN TO AFLD OPS. FLEET SVC IS A CONTRACTED CO AND AVBL WITH 3 HR PN. PRIOR PAYMENT RQR BY AVCARD.
A 110-026 MISC: STD RSRS APPLIED.
A 110-029 RSTD: AD PPR. CTC AFLD OPS C937-257-4492, DSN 787-4492.
A 110-031 TRANS ALERT: PAX TRML IS CONTRACTED. ALL AIRCREWS RQRG SUPPORT MUST COORD PRIOR TO ARR/DEP NML DUTY HR M-F 1130-2030Z++ DSN: 787-7741/COMM: 937-257-7741 OR AFTER HR DUTY CELL: 937-815-6995.
A 110-032 RSTD: INBD ACFT WITH VIP CTC AFLD OPS ON PTD 30 MIN PRIOR TO ARR.
A 110-034 MISC: LTD COMSEC STORAGE AVBL, PRIOR COORD RQR WITH AMOPS.
A 110-036 CAUTION: RY 23R CNTRLN MARK OBSC BY RUBBER DEPOSITS.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/27/2026
AFD EFF 11/26/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: FFO FAA SITE NR: 17827.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-037	NOISE ABATEMENT: QUIET HRS 0500-1000Z++: ONLY INITIAL DEP/FSL PMTD; FM 0300-0500Z++ ALL TRNG FLTS BTN THESE HRS HELD TO ABSOLUTE MNM FOR MISSION RQRMT. ALL REQ COORD THRU AMOPS WITH 88 OSS/CC APVL, C937-257-4492, DSN 787-4492.
A 110-038	CAUTION: NVD OPS IN PROGRESS TUE-THU SS-0400Z++. CHECK NOTAM AND ATIS FOR CURRENT OPS. WHEN NVD OPR ARE IN EFFECT, NON-PARTICIPATING ACFT CTC TWR 20 MILES OR 15 MINS PRIOR TO ENTERING CLASS D AIRSPACE AND FOR AFLD LGT ADJUSTMENT.
A 110-040	CTN: SML UAS OPR IN KFFO CLASS D ASP SFC-400 FT AGL SR-SS; CK ATIS/NOTAMS. HIGH DENSITY SML UAS, RECREATIONAL REMOTE CTL OPRG AREA SFC-1400 FT MSL 3.5 NM SW FFO TACAN; OPS GTR THAN 400 FT AGL PUBLD VIA NOTAM.
A 110-042	MISC: ARFF IS NFPA CAT 8 RDCD LVL OF SVC DUE TO 8100 GALLONS OF AGENT AVBL.
A 110-043	CAUTION: RWYCC NOT RPT.
A 110-044	SVC: RPRTD PVLG VIS MAY NOT REP ENTR HRZN DUE TO OBST FM OBSTN PT 050-210. TDZ VIS NOT OBSTD. ATC WILL ENHANCE SFC OBS WHEN VIS LESS THAN 4 SM & DIFFERENT FM RPRTD VIS.
A 110-045	RSTD: ACFT BACKING PROCS NA AT INT OF TWY A & A2 DUE TO INCRD FOD POTENTIAL.
A 110-047	CTN: GRASS CUTTING OPS ON AFLD WEF 1130-1930Z++ MON-FRI APR-OCT.
A 110-048	RSTD: RWY 05R/23L MKD WITH WHITE NON-REFLECTIVE LDG ZONE MRKGS 99 FT X 3624 FT; 24 HR PPR FOR ALL NON-445TH ACFT & LTD TO 2 LDG ZONE LDGS PER MISSION.
A 110-049	TRANS ALERT: NO C-5 OR B-52 TOWBAR AVBL, ACFT MUST ARR WITH OWN TOWBAR.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/27/2026
AFD EFF 11/26/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: OH | LOC ID: FFO | FAA SITE NR: 17827.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AGL/DET | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-050 RSTD: ALL FAA CSLDTD WAKE TURB CAT F (UPPER LRG) ACFT OR LRGR EXCTG A 180 DEG TURNAROUND ARE RQRD TO USE CONC PTN OF RWY 05L/23R.
A 110-051 MISC: SEE AP/1 FOR ADNL CLOSURES/RSTRNS.
A 110-052 RSTD: RWY 05R/23L TKOF/LDG: TGL RSTRD TO C-17 & SMLR ACFT, LRGR ACFT CAN TAXI ON RWY 05R/23L WITH MNM PWR SETTINGS.
A 110-053 TWY A CLSD 200 FT SOUTH OF TWY D INT TO AER 05L.

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ: