AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/20/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: FLEMINGSBURG
> 2 AIRPORT NAME: FLEMING-MASON
3 CBD TO AIRPORT (NM): 07 N
4 STATE: KY
6 REGION/ADO: ASO/MEM
LOC ID: FGX
5 COUNTY: MASON KY
7 SECT AERO CHT: CINCINNATI
FAA SITE NR: 07137.1*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: FLEMING-MASON ARPT BOARD
> 12 ADDRESS: PO BOX 460,, POB 460
MAYSVILLE, KY 41056
> 13 PHONE NR: (606) 407-2966
> 14 MANAGER: DERON MULLIKIN
> 15 ADDRESS: 7079 AIRPORT RD.
MAYSVILLE, KY 41056
> 16 PHONE NR: 606-742-2411
> 17 ATTENDANCE SCHEDULE:

ALL	MON-FRI	0800-1700
ALL	SAT	1000-1600
ALL	SUN	1100-1600

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 38-32-29.7800N ESTIMATED
20 ARPT LONG: 083-44-38.4670W
21 ARPT ELEV: 913.3 SURVEYED
22 ACREAGE: 77
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NY1
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100LL A+
71 AIRFRAME RPRS: MINOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: INSTR, RNTL

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: LOUISVILLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	07/25			
> 30 RUNWAY INDENT:				
> 31 LENGTH:	5,002			
> 32 WIDTH:	100			
> 33 SURF TYPE-COND:	ASPH-G			
> 34 SURF TREATMENT:	NONE			
35 GROSS WT: S	58.5			
36 (IN THSDS) D	79.0			
37 2D				
38 2D/2D2				
> 39 PCN:	PCN/22 /F/			
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	MED			
> 42 RWY MARK TYPE-COND:	NPI - P / NPI - P	- / -	- / -	- / -
> 43 VGSI:	P4R / P4L	/	/	/
44 THR COSSING HGT.:	40 / 40	/	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y / Y	/	/	/
> 49 APCH LIGHTS:	/	/	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	C / C	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	34:1 / 34:1	/	/	/
58 CLOSE-IN OBSTN:	N / N	/	/	/
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	5,002 / 5,002	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,002 / 5,002	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,002 / 4,703	/	/	/
> 63 LNDG DIST AVBL (LDA):	4,703 / 4,703	/	/	/

> 110 REMARKS

A 011 DAVID MAHER
A 013 BOARD CHAIR
A 016 MANAGER'S CELL (606) 541-2957
A 017 SVC AFT HR - 606-748-7170.
A 042 RWY 07 MARKINGS FADED.
A 042 RWY 25 MARKINGS FADED.
A 081 ACTVT REIL RWY 07 & 25; PAPI RWY 07 & 25; MIRL RWY 07/25 - CTAF.
A 110-001 FOR CD CTC INDIANAPOLIS ARTCC AT 317-247-2411.

111 INSPECTOR: (S)
112 LAST INSP: 09/29/2025
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/20/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: KY LOC ID: FGX FAA SITE NR: 07137.1*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S) 112 LAST INSP: 09/29/2025 113 LAST INFO REQ: