

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: FORT HUACHUCA SIERRA 4 STATE: AZ LOC ID: FHU FAA SITE NR: 00682.*A
 > 2 AIRPORT NAME: SIERRA VISTA MUNI-LIBBY AAF 5 COUNTY: COCHISE AZ
 3 CBD TO AIRPORT (NM): 03 N 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

GENERAL

10 OWNERSHIP: ARMY
 > 11 OWNER: US ARMY INTELLIGENCE CTR
 > 12 ADDRESS: FORT HUACHUCA
 FORT HUACHUCA, AZ 85613
 > 13 PHONE NR: 520-538-2860
 > 14 MANAGER: SHARON FLISSAR
 > 15 ADDRESS: 401 GIULIO CESARE AVE
 SIERRA VISTA, AZ 85635
 > 16 PHONE NR: 520-458-5775
 > 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 1400-2230Z

SERVICES

70 FUEL: 100 A
 71 AIRFRAME RPRS:
 72 PWR PLANT RPRS:
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE: TIE
 76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: PRESCOTT
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

	03/21	08/26	12/30	H1
	4,286	12,001	5,367	40
	75	150	100	40
	ASPH-CONC-G	CONC-E	ASPH-CONC-G	ASPH
	NONE	NONE	NONE	NONE
		75.0	46.0	
		200.0	106.0	
		450.0	137.0	
		700.0	172.0	
	8 /F/A/W/T	58 /R/B/W/T	92 /F/A/W/T	
	MED	HIGH	MED	PERI
	NPI - G / NPI - G	PIR - G / PIR - G	NPI - G / NPI - G	- / -
	/	P4L / P4L	P4L / P4R	/
	/	55 / 50	23 / 41	/
	/	3.00 / 3.00	3.00 / 3.00	/
	N - N / N - N	- / -	N - N / N - N	- / -
	- N / - N	- / -	- N / - N	- / -
	N / N	/	N / N	/
	/	/	/	/
	A(V) / A(V)	C / PIR	B(V) / B(V)	/
	1,253 /	/	/	/
	/	/	/	/
	/	/	/	/
	/	/	/	/
	/	/	/	/
	/	/	/	/
	50:1 / 50:1	50:1 / 50:1	50:1 / 50:1	/
	N / N	N / N	N / N	N / N
	4,286 / 4,286	12,001 / 12,001	5,367 / 5,367	/
	4,286 / 4,286	12,001 / 12,001	5,367 / 5,367	/
	4,286 / 4,286	12,001 / 12,001	5,367 / 5,367	/
	3,033 / 4,286	12,001 / 12,001	5,367 / 5,367	/

A 002 FORT HUACHUCA
 A 011 APRON, TRML & NE END OWNED BY CITY OF SIERRA VISTA.
 A 014 MIL CAROL THOMPSON - 520-538-2861
 A 070 WO ICING INHIBITOR.
 A 081 ACTVT PAPI RWY 08, 26, 12 & 30; HIRL RWY 08/26; MIRL RWY 03/21 & 12/30; PERIMETER LGT H1 - CTAF.
 A 110-003 PRKG MIL TSNT SIGN IN AT BASE OPS PRIOR TO LV FLT LINE.
 A 110-006 TFC PAT: FIXED WING NORTH; ROTARY WING SOUTH; ALT FIXED WING RECIPROCATING 5700 FT; ROTOR WING 5500 FT; FIXED WING TURBOPROP/JET 6200 FT.
 A 110-011 WHEN CLASS D ASP IN EFCT UNMANNED AERIAL VEHICLES OPR SFC - 7000 FT MSL.
 A 110-014 USAF WX FCST AVBL 0500-2000 FM DAVIS MONTHAN AFB.
 A 110-016 TWY G & J LMTD TO SW ACFT MAX 33000 LB; TWY K LMTD TO SW ACFT MAX 50000 LB; TWY D & ACFT APRON ON NW SIDE LMTD TO DW ACFT MAX 100000 LB.
 A 110-017 CRCG S OF RWY 08 & 30 NA.
 A 110-018 MIL JET OPS WKDAYS; BIRD HAZ INVOF RWYS ON TKOF & APCH; DEER ON & INVOF ARPT SPCLY AT NIGHT.

111 INSPECTOR: (F) 112 LAST INSP: 02/25/2014 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: FHU FAA SITE NR: 00682.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTGL OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-020 MIL POL 1530-2230Z MON-FRI; EXC HOL; OTR TIMES 24 HR PRIOR NOTICE - D879-2860/2862. POL SVC RQR CREW ATND TO SPECIFY FUEL/OIL RQMNTS; FUEL LMTD TO 6000 GAL; JET A AVBL 1400-2230Z DLY; OTR TIMES C520-234-3552; SVC FEE.
A 110-021 TRAN ALERT: TSNT CTC BAOPS TO COORD PRKG.
A 110-028 CSTMS/AG/IMG: AVBL WITH 72 HR PN FOR US MIL OR DOD CONTR ACFT ONLY.
A 110-029 MISC: TSNT & RON ACFT USING MIL SIDE SIGN IN AT BAOPS PRIOR TO DEPG FLT LINE. ASSAULT STRIP 5 NM NE 72 HR PPR. NONSKED ARR RQRG ASST - EOC 533-2291.
A 110-030 MILITARY USE: OPR 0600-0600Z SUN-SAT; EXC HOL. OTR TIME 72 HR PPR - D879-2860/2862/C520-538-2860/2862. SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
A 110-032 MISC: WX OBSN/FCST 0600-0600Z SUN-FRI; EXC HOL. OTR TIMES ASOS. LIBBY WX AVBL - 122.95 D879-3798/2865/C520-538-3798/2865.
A 110-033 RSTD: 24 HR PPR FOR TSNT MIL.
A 110-034 CTN: EXP WS ALL RWYS; ARPT SW WIND MAY NOT REP WIND ON FNA.

111 INSPECTOR: (F)

112 LAST INSP: 02/25/2014

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: FHU FAA SITE NR: 00682.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-035 MISC: REMOTE BRIEFING SVC AVBL 25 OWS DAVIS-MONTHAN AFB D228-6598/6599/6588/C520-228-6598/6599/6588 OR HTTPS://25OWS.US.AF.MIL.
- A 110-036 MISC: LIBBY BAOPS 0600-0600Z MON-SAT; EXC HOL. TR TIME 72 HR PPR. D879-2860/2862/C520-538-2860/2862.
- A 110-038 RSTD: TWY G LMTD TO S33; TWY K LMTD TO S50.
- A 110-039 ASP CLASS D SFC AREA LMTD TO DEP & FSL DURG NGT UNMANNED ACFT OPS; EXP DELAYS. MANNED & UNMANNED ACFT NOT AUTH IN SAME TFC PAT.
- A 110-040 CIVIL TFC PAT UNAVBL DURG DALGT UNMANNED ACFT TFC PAT OPS; DEP & FSL AUTH.
- A 110-041 TPA: 981 FT AGL FIXED WING UNMANNED ACFT.
- A 110-042 TPA: DO NOT EXCEED 5700 FT UNTIL DER.
- A 110-043 CTN: RWY 08/26 & 12/30 OVRNS UNAVBL; BLW 25 PAVEMENT COND INDEX.
- A 110-044 TWY P & S EDGE LGT N/A.

111 INSPECTOR: (F)

112 LAST INSP: 02/25/2014

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026