AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/8/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: FORT HUACHUCA SIERRA 4 STATE: AZ LOC ID: FHU FAA SITE NR: 00682.*A
> 2 AIRPORT NAME: SIERRA VISTA MUNI-LIBBY AAF 5 COUNTY: COCHISE AZ
3 CBD TO AIRPORT (NM): 03 N 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

GENERAL

10 OWNERSHIP: ARMY
> 11 OWNER: US ARMY INTELLIGENCE CTR
> 12 ADDRESS: FORT HUACHUCA
FORT HUACHUCA, AZ 85613
> 13 PHONE NR: 520-538-2860
> 14 MANAGER: SHARON FLISSAR
> 15 ADDRESS: 401 GIULIO CESARE AVE
SIERRA VISTA, AZ 85635
> 16 PHONE NR: 520-458-5775
> 17 ATTENDANCE SCHEDULE:

ALL	MON-FRI	1400-2230Z

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 31-35-18.4600N ESTIMATED
20 ARPT LONG: 110-20-39.7500W
21 ARPT ELEV: 4718.8 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC: 21, 26, 30
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGSY
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100 A
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: PRESCOTT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	03/21	08/26	12/30	H1
> 30 RUNWAY INDENT:				
> 31 LENGTH:	4,286	12,001	5,367	40
> 32 WIDTH:	75	150	100	40
> 33 SURF TYPE-COND:	ASPH-CONC-G	CONC-E	ASPH-CONC-G	ASPH
> 34 SURF TREATMENT:	NONE	NONE	NONE	NONE
35 GROSS WT: S		75.0	46.0	
36 (IN THSDS) D		200.0	106.0	
37 2D		450.0	137.0	
38 2D/2D2		700.0	172.0	
> 39 PCN:	PCN/8 /F/	PCN/58 /R/	PCN/92 /F/	
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	MED	HIGH	MED	PERI
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	PIR - G / PIR - G	NPI - G / NPI - G	- / -
> 43 VGSI:	/	P4L / P4L	P4L / P4R	/
44 THR COSSING HGT.:	/	55 / 50	23 / 41	/
45 VISUAL GLIDE ANGLE:	/	3.00 / 3.00	3.00 / 3.00	/
> 46 CNTRLN-TDZ:	N - N / N - N	- / -	N - N / N - N	- / -
> 47 RVR-RVV:	- N / - N	- / -	- N / - N	- / -
> 48 REIL:	N / N	/	N / N	/
> 49 APCH LIGHTS:	/	/	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	A(V) / A(V)	C / PIR	B(V) / B(V)	/
> 51 DISPLACED THR:	1,253 /	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	50:1 / 50:1	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	4,286 / 4,286	12,001 / 12,001	5,367 / 5,367	/
> 61 TAKE OFF DIST AVBL (TODA):	4,286 / 4,286	12,001 / 12,001	5,367 / 5,367	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,286 / 4,286	12,001 / 12,001	5,367 / 5,367	/
> 63 LNDG DIST AVBL (LDA):	3,033 / 4,286	12,001 / 12,001	5,367 / 5,367	/

> 110 REMARKS

A 002	FORT HUACHUCA
A 011	APRON, TRML & NE END OWNED BY CITY OF SIERRA VISTA.
A 014	MIL CAROL THOMPSON - 520-538-2861
A 070	WO ICING INHIBITOR.
A 081	ACTVT PAPI RWY 08, 26, 12 & 30; HIRL RWY 08/26; MIRL RWY 03/21 & 12/30; PERIMETER LGT H1 - CTAF.
A 110-003	PRKG MIL TSNT SIGN IN AT BASE OPS PRIOR TO LV FLT LINE.
A 110-006	TFC PAT: FIXED WING NORTH; ROTARY WING SOUTH; ALT FIXED WING RECIPROCATING 5700 FT; ROTOR WING 5500 FT; FIXED WING TURBOPROP/JET 6200 FT.
A 110-011	WHEN CLASS D ASP IN EFCT UNMANNED AERIAL VEHICLES OPR SFC - 7000 FT MSL.
A 110-014	USAF WX FCST AVBL 0500-2000 FM DAVIS MONTHAN AFB.
A 110-016	TWY G & J LMTD TO SW ACFT MAX 33000 LB; TWY K LMTD TO SW ACFT MAX 50000 LB; TWY D & ACFT APRON ON NW SIDE LMTD TO DW ACFT MAX 100000 LB.
A 110-017	CRCG S OF RWY 08 & 30 NA.
A 110-018	MIL JET OPS WKDAYS; BIRD HAZ INVOF RWYS ON TKOF & APCH; DEER ON & INVOF ARPT SPCLY AT NIGHT.

111 INSPECTOR: (F) 112 LAST INSP: 02/25/2014 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/8/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: AZ
6 REGION/ADO: AWP/PHX
LOC ID: FHU
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 00682.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-020	MIL POL 1530-2230Z MON-FRI; EXC HOL; OTR TIMES 24 HR PRIOR NOTICE - D879-2860/2862. POL SVC RQR CREW ATND TO SPECIFY FUEL/OIL RQMNTS; FUEL LMTD TO 6000 GAL; JET A AVBL 1400-2230Z DLY; OTR TIMES C520-234-3552; SVC FEE.
A 110-021	TRAN ALERT: TSNT CTC BAOPS TO COORD PRKG.
A 110-028	CSTMS/AG/IMG: AVBL WITH 72 HR PN FOR US MIL OR DOD CONTR ACFT ONLY.
A 110-029	MISC: TSNT & RON ACFT USING MIL SIDE SIGN IN AT BAOPS PRIOR TO DEPG FLT LINE. ASSAULT STRIP 5 NM NE 72 HR PPR. NONSKED ARR RQRG ASST - EOC 533-2291.
A 110-030	MILITARY USE: OPR 0600-0600Z SUN-SAT; EXC HOL. OTR TIME 72 HR PPR - D879-2860/2862/C520-538-2860/2862. SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
A 110-032	MISC: WX OBSN/FCST 0600-0600Z SUN-FRI; EXC HOL. OTR TIMES ASOS. LIBBY WX AVBL - 122.95 D879-3798/2865/C520-538-3798/2865.
A 110-033	RSTD: 24 HR PPR FOR TSNT MIL.
A 110-034	CTN: EXP WS ALL RWYS; ARPT SW WIND MAY NOT REP WIND ON FNA.

111 INSPECTOR: (F)
112 LAST INSP: 02/25/2014
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/8/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: AZ
6 REGION/ADO: AWP/PHX
LOC ID: FHU
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 00682.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-035 MISC: REMOTE BRIEFING SVC AVBL 25 OWS DAVIS-MONTHAN AFB D228-6598/6599/6588/C520-228-6598/6599/6588 OR HTTPS://25OWS.US.AF.MIL.
A 110-036 MISC: LIBBY BAOPS 0600-0600Z MON-SAT; EXC HOL. TR TIME 72 HR PPR. D879-2860/2862/C520-538-2860/2862.
A 110-038 RSTD: TWY G LMTD TO S33; TWY K LMTD TO S50.
A 110-039 ASP CLASS D SFC AREA LMTD TO DEP & FSL DURG NGT UNMANNED ACFT OPS; EXP DELAYS. MANNED & UNMANNED ACFT NOT AUTH IN SAME TFC PAT. MANNED ARR MAY FLW UNMANNED ACFT ON FNA.
A 110-040 CIVIL TFC PAT UNAVBL DURG DALGT UNMANNED ACFT TFC PAT OPS; DEP & FSL AUTH.
A 110-041 TPA: 981 FT AGL FIXED WING UNMANNED ACFT.
A 110-042 TPA: DO NOT EXCEED 5700 FT UNTIL DER.
A 110-043 CTN: RWY 08/26 & 12/30 OVRNS UNAVBL; BLW 25 PAVEMENT COND INDEX.
A 110-044 TWY P & S EDGE LGT N/A.

111 INSPECTOR: (F)
112 LAST INSP: 02/25/2014
113 LAST INFO REQ: