

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/2/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: FORT COLLINS/LOVELAND 4 STATE: CO LOC ID: FNL FAA SITE NR: 02603.1\*A  
> 2 AIRPORT NAME: NORTHERN COLORADO RGNL 5 COUNTY: LARIMER CO  
> 3 CBD TO AIRPORT (NM): 09 SE 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: CHEYENNE

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: FORT COLLINS & LOVELAND  
> 12 ADDRESS: 4900 EARHART ROAD  
LOVELAND, CO 80538  
> 13 PHONE NR: 970-962-2850  
> 14 MANAGER: JOHN KINNEY  
> 15 ADDRESS: 4900 EARHART ROAD  
LOVELAND, CO 80538  
> 16 PHONE NR: 970-962-2852  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
CHTR, INSTR, RNTL, SALES, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-27-06.5370N ESTIMATED  
20 ARPT LONG: 105-00-40.7720W  
21 ARPT ELEV: 5020.3 SURVEYED  
22 ACREAGE: 1,065  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: I B S 08/1993

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM:  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: DENVER  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	06/24	15/33
> 30 RUNWAY INDENT:	2,189	8,500
> 31 LENGTH:	40	100
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:		50.0
35 GROSS WT: S		65.0
36 (IN THSDS) D		130.0
37 2D		
38 2D/2D2		
> 39 PCN:		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

		HIGH		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	P4L / P4L	/	/
> 43 VGS: I	/	54 / 52	/	/
44 THR COSSING HGT.:	/	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	/	- / -	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	N / N	Y / N	/	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	A(V) / A(V)	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	Y / Y	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	2,189 / 2,189	8,500 / 8,500	/	/
> 61 TAKE OFF DIST AVBL (TODA):	2,189 / 2,189	8,500 / 8,500	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	2,189 / 2,189	8,500 / 8,500	/	/
> 63 LNDG DIST AVBL (LDA):	2,189 / 2,189	8,500 / 8,500	/	/

> 110 REMARKS

A 017 SVC - 130.575 OR 970-667-2574.  
A 026 24 HR PPR FOR UNSKED OPS WITH MORE THAN 30 PAX SEATS - AMGR.  
A 030 RWY 06/24 EDGE REFLECTORS FULL LEN.  
A 030 RWY 15/33 RWY 33 CALM WIND RWY 5 KTS OR LESS.  
A 039 RWY 15/33 PCR VALUE: 581/F/D/X/T  
A 058 RWY 06 CONC HEADWALL 43 FT L & R OF CNTRLN 815 FT FM THR.  
A 058 RWY 24 2 - 4 FT DITCH WI 55 FT L & R OF CNTRLN FULL LEN.  
A 070 L H24 WITH CREDIT CARD.  
A 070 H24 WITH CREDIT CARD.  
A 081 DUSK-DAWN: ACTVT MALSR RWY 33; REIL RWY 15; PAPI RWY 33; HIRL RWY 15/33; TWY LGTS - CTAF. PAPI RWY 15 ON CONSLY.  
A 110-004 RSCD UNMON 0500-1300Z++  
A 110-006 FOR CD CTC DENVER APCH AT 303-342-1916.  
A 110-007 RWY 24 THLD NOT VISIBLE BY TWR.

111 INSPECTOR: ( F )

112 LAST INSP: 03/05/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/2/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/2/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CO LOC ID: FNL FAA SITE NR: 02603.1\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSi:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/2/2026  
AFD EFF 04/16/2026