AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/2/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: WESTHAMPTON BEACH
> 2 AIRPORT NAME: FRANCIS S GABRESKI
3 CBD TO AIRPORT (NM): 03 N
4 STATE: NY
6 REGION/ADO: AEA/NYC
LOC ID: FOK
5 COUNTY: SUFFOLK NY
7 SECT AERO CHT: NEW YORK
FAA SITE NR: 16408.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: COUNTY OF SUFFOLK
> 12 ADDRESS: COUNTY CENTER
RIVERHEAD, NY 11901
> 13 PHONE NR: (631) 852-8095
> 14 MANAGER: JOSHUA SMITH
> 15 ADDRESS: GABRESKI AIRPORT, ADMINISTRATION BLDG #1
WESTHAMPTON, NY 11978
> 16 PHONE NR: 631-852-8095
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	0700-2300

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 40-50-37.0270N ESTIMATED
20 ARPT LONG: 072-37-54.5230W
21 ARPT ELEV: 66.1 SURVEYED
22 ACREAGE: 1,451
> 23 RIGHT TRAFFIC: 24, 33
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGPY3
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100LL A

71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AVNCS, CHTR, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: NEW YORK
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	01/19	06/24	15/33	
> 30 RUNWAY INDENT:	5,100	9,002	5,002	
> 31 LENGTH:	150	150	150	
> 32 WIDTH:	ASPH-CONC-F	ASPH-CONC-G	ASPH-G	
> 33 SURF TYPE-COND:	NONE	NONE	NONE	
> 34 SURF TREATMENT:	50.0	100.0	94.0	
35 GROSS WT: S	50.0	120.0	157.0	
36 (IN THSDS) D	100.0	200.0	259.0	
37 2D				
38 2D/2D2				
> 39 PCN:	PCN/17 /R/	PCN/31 /F/	PCN/42 /F/	
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:		HIGH	MED	
> 42 RWY MARK TYPE-COND:	BSC - G / BSC - G	PIR - G / PIR - G	NPI - G / NPI - G	- / -
> 43 VGSI:	/	P2L / P4L	P2L / V4L	/
44 THR COSSING HGT.:	/	66 / 77	62 / 57	/
45 VISUAL GLIDE ANGLE:	/	3.00 / 3.00	3.00 / 3.00	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	Y /	Y / Y	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	B(V) / B(V)	D / PIR	B(V) / B(V)	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	TREES / TREES	TREES / TREES	TREES / TREES	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	55 / 49	85 / 70	58 / 42	/
> 55 DIST FROM RWY END:	1,342 / 1,014	1,776 / 1,086	1,067 / 1,070	/
> 56 CNTRLN OFFSET:	219L / 329L	278L / 620L	153L / 250L	/
57 OBSTN CLNC SLOPE:	20:1 / 16:1	18:1 / 12:1	14:1 / 20:1	/
58 CLOSE-IN OBSTN:	N / N	Y / N	N / N	/
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 031	RWY 01/19 SOUTH END RWY 900 FT & NORTH END RWY 1000 FT ARE SAFETY AREAS.
A 031	RWY 06/24 1000 FT SAFETY AREA EACH END.
A 031	RWY 15/33 1000 FT SAFETY AREA EACH END.
A 033	RWY 06/24 6000 FT ASPH OVERLAY IN CNTR OF RWY.
A 042	15/33 MIL MAX EFFORT LDG STRIP MKGS (3500 X 60) INCLD WITH NPI RWY MKGS.
A 052	RWY 01 +40 FT TO 55 FT TREES, 1280 FT TO 1360 FT FM RWY, PERPENDICULAR TO EXTDD RWY CNTRLN.
A 052	RWY 15 +35 FT TO 52 FT TREES, 1112 FT TO 1141 FT FM RWY, PERPENDICULAR TO EXTDD RWY CNTRLN.
A 052	RWY 19 +33 FT TO 47 FT TREES, 1000 FT TO 1080 FT FM RWY, PERPENDICULAR TO EXTDD RWY CNTRLN.
A 052	RWY 24 +85 FT TO 91 FT TREES, 2160 FT TO 2350 FT FM RWY, PERPENDICULAR TO EXTDD RWY CNTRLN.
A 052	+30 FT TO 33 FT TREES, 1035 FT TO 1103 FT FM RWY, PERPENDICULAR TO EXTDD RWY CNTRLN.
A 058	RWY 06 +30 FT TREES, 135-285 FT FM RWY END, 357-530 FT RIGHT; +50 FT STRUCTURE, 1500 FT FM RWY, 78 FT RIGHT.
A 081	WHEN ATCT CLSD ACTVT MALSR RWY 24; REIL RWY 06, 15, & 33; PAPI RWY 06, 15 & 24; VASI RWY 33; HIRL RWY 06/24; MIRL RWY 15/33 - CTAF.
A 110-002	BEARING STRENGTH RWY 01-19: S38 T49
A 110-003	BEARING STENGTH RWY 06-24: S100 DW120 DT 200.

111 INSPECTOR: (S)
112 LAST INSP: 06/25/2025
113 LAST INFO REQ: 06/21/1993

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/2/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: FOK FAA SITE NR: 16408.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT: (IN THSDS)	S	D	2D	2D/2D2
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-004 BEARING STENGTH RWY 15-33: S94 DW157 DT259.
A 110-007 JASU: AVBL DUR ANG OPR HR. (A/M32A-86) 2(MA-1A).
A 110-008 FUEL: AVBL DUR ANG OPR HR. J8(MIL) (NC-100LL, A).
A 110-009 FLUID - SP DE-ICE LOX.
A 110-010 OIL - O-148-156(MIL) SOAP.
A 110-011 RSTD - NO 180 DEG TURNS PMTD ON ASPH SECTION OF RWY 06/24.
A 110-012 CAUTION: BIRDS AND DEER HAZ. PJE VCNTY OF ARPT.
A 110-013 CSTMS/AG/IMG: US CSTMS CLNC SVC AVBL WITH PN (FRG) 631-753-2691 (MIL FLTS WILL COORD THRU BASE OPNS 631-723-7362/7364). MIN 24 HR PN ON RGLR BUS DAY PRECDNG SVC RQR DATE, MAX PAX 15. US CSTMS HRS BTN 0800 AND 2200 LOCAL.
A 110-014 CLASS D AIRSPACE EFF 1200-0400Z++; OT CLASS G.

111 INSPECTOR: (S) 112 LAST INSP: 06/25/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/2/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: NY | LOC ID: FOK | FAA SITE NR: 16408.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AEA/NYC | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-015 MILITARY: ANG: NML OPR 1230-2230Z++ TUES-FRI. CLSD SAT, SUN, MON AND HOL. LTD RAMP SPACE. TRAN ACFT MAY BE DIVERTED TO CIV FBO DRG NON-DUTY HR. PRK ON ANG RAMP IS PPR OFFL BUS AND PRE COORD WITH 106 OSS/OSA AT C631-723-7362/4 AT LEAST 24 HOURS PRIOR ARR. WHITE PAINTED LINES DENOTING A ROADWAY ON THE APRON BY THE PODS INDICATING WHERE A VEHICLE MUST DRIVE IN ORDER TO MAINTAIN ALL NECESSARY WINGTIP CLEARANCES.
A 110-017 VOLUNTARY NOISE ABATEMENT PROCS IN EFCT; SEE ARPT WEBSITE.
A 110-018 ANG: ADVSY FOR TRAN AIRCREWS - WING TIP CLNC WAIVER IN EFFECT ON GUARD C-130 RAMP. NSTD MRK ON HH-60 APRON; WHITE BOXES INDICATING HOT REFUELING AREA. AFLD MGR DOES NOT STORE COMSEC.
A 110-019 FUEL: A++ (MIL) AVBL.
A 110-020 FOR CD WHEN ATCT CLSD CTC NEW YORK APCH AT 516-683-2449.
A 110-021 RCMDD RSVN WITH FBO PRIOR TO ARR.
A 110-022 WHEN SAFETY AND OPNS ALLOW, RWY 24 PREF FOR NOISE ABATEMENT.

111 INSPECTOR: (S) | 112 LAST INSP: 06/25/2025 | 113 LAST INFO REQ: