

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: FORT WORTH 4 STATE: TX LOC ID: FTW FAA SITE NR: 23887.*A
> 2 AIRPORT NAME: FORT WORTH MEACHAM INTL 5 COUNTY: TARRANT TX
> 3 CBD TO AIRPORT (NM): 05 N 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: DALLAS-FT WORTH

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF FORT WORTH
> 12 ADDRESS: 1000 THROCKMORTON ST.
FORT WORTH, TX 76102-6311
> 13 PHONE NR: 817-392-5400
> 14 MANAGER: AARON BARTH
> 15 ADDRESS: 201 AMERICAN CONCOURSE, SUITE 330
FORT WORTH, TX 76106-2749
> 16 PHONE NR: 817 392-5400
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A A1+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AMB, AVNCS, CHTR, INSTR, RNTL, SALES,
SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 32-49-11.1730N ESTIMATED
20 ARPT LONG: 097-21-44.8200W
21 ARPT ELEV: 710.1 SURVEYED
22 ACREAGE: 745
> 23 RIGHT TRAFFIC: 34, 17
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY3
> 26 FAR 139 INDEX: IV A U 12/1974

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: FORT WORTH
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	16/34	17/35	H1	H2
> 30 RUNWAY INDENT:	7,502	4,005	35	35
> 31 LENGTH:	150	75	35	35
> 32 WIDTH:	CONC-G	ASPH-E	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	NONE	NONE	NONE
> 34 SURF TREATMENT:	80.0	25.0		
35 GROSS WT: S	100.0	45.0		
36 (IN THSDS) D	190.0			
37 2D	350.0			
38 2D/2D2				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	MED	NONE - G / / -	NONE - F / / -
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G		
> 42 RWY MARK TYPE-COND:	P4R /	P2L / P2L	/	/
> 43 VGS:	59 /	56 / 43	/	/
44 THR COSSING HGT.:	3.00 /	3.75 / 3.25	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	T - N / R -	- / -	- / -	- / -
> 47 RVR-RVV:	N / N	/	/	/
> 48 REIL:	MALSR / MALS	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / PIR	A(V) / A(V)	/	/
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	POLE /	BERM /	/	/
> 52 CTLG OBSTN:	/	L /	/	/
> 53 OBSTN MARKED/LGTD:	31 /	39 /	/	/
> 54 HGT ABOVE RWY END:	1,450 /	1,361 /	/	/
> 55 DIST FROM RWY END:	625L /	1R /	/	/
> 56 CNTRLN OFFSET:	40:1 / 50:1	29:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	N / N
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	7,502 / 7,502	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,502 / 7,502	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,502 / 7,306	/	/	/
> 63 LNDG DIST AVBL (LDA):	7,502 / 7,306	/	/	/

> 110 REMARKS

A 030 RWY 17/35 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 16/34 PCR VALUE: 310/R/C/W/T
A 039 RWY 17/35 PCR VALUE: 100/F/C/X/T
A 110-006 BIRDS ON & INVOF ARPT.
A 110-034 TWYS B, B1, C, AND D WEST OF RWY 16/34, TWYS C & M EAST OF TWY A, TWYS H, J, K SOUTH OF TWY D, TWY G SE OF TWY K CLSD TO ACR ACFT WITH MORE THAN 30 PSGR SEATS.
A 110-038 RWY 17/35 DESIGNED FOR ACFT WITH WINGSPAN 49 FT OR LESS. TWYS B & B1 DESIGNED FOR ACFT WITH WINGSPAN LESS THAN 79 FT. RWY 16/34 & TWYS A, A1 & M DESIGNED FOR ACFT WITH WINGSPAN LESS THAN 171 FT. ALL OTHER TWYS DESIGNED FOR ACFT WITH WINGSPAN LESS THAN 118 FT. H1 & H2 HELIPADS ARE VMC DALGT USE ONLY; NON-MOVEMENT AREA.
A 110-043 MKD US CUST PRKG SOUTHEAST OF TXL G AND TXL N INTXN.
A 110-044 HELO SKIDDING OPNS PROHIBITED ON RWY 17/35. IF SKIDDING IS RQRD, COORD WITH ATCT TO USE TWY B.
A 110-045 PPR FOR ACR OPNS WITH MORE THAN 30 PSGR SEATS - 24 HR NOTICE RQRD - CALL ARPT OPS 817-994-0653.
A 110-046 ARPT FEES FOR USE OF CUST SVCS WILL BE COLLD IMT UPON LDG BY CITY OF FORT WORTH ARPT OPNS PSNL.

111 INSPECTOR: (F) 112 LAST INSP: 01/08/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: FTW FAA SITE NR: 23887.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-047 RWY 17/35 LED LGT CAN APPR BRGTR THAN RWY 16/34; ENSURE COR RWY ALNMT.
A 110-048 HELS REPOSITIONING BYD IMT PRKG APRON AND UNDER THEIR OWN PWR MUST CTC ATC.
A 110-049 ARFF INDEX B AVBL ALL USERS WITH PPR.

111 INSPECTOR: (F)

112 LAST INSP: 01/08/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026