AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: GRAND FORKS
> 2 AIRPORT NAME: GRAND FORKS INTL
3 CBD TO AIRPORT (NM): 05 NW
4 STATE: ND
6 REGION/ADO: AGL/DMA
LOC ID: GFK
5 COUNTY: GRAND FORKS ND
7 SECT AERO CHT: TWIN CITIES
FAA SITE NR: 17349.1*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: GRAND FORKS REG ARPT AUTH
> 12 ADDRESS: 2301 AIRPORT DRIVE
GRAND FORKS, ND 58203
> 13 PHONE NR: 701-795-6981
> 14 MANAGER: RYAN RIESINGER
> 15 ADDRESS: 2301 AIRPORT DR
GRAND FORKS, ND 58203
> 16 PHONE NR: 701-795-6981
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 47-56-52.3264N ESTIMATED
20 ARPT LONG: 097-10-32.4673W
21 ARPT ELEV: 845.2 SURVEYED
22 ACREAGE: 1,618
> 23 RIGHT TRAFFIC: 27R, 09R, 35R, 17R
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I B S 05/1973

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
CARGO, CHTR, INSTR, RNTL, SALES, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: GRAND FORKS
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	09L/27R	09R/27L	17L/35R	17R/35L
> 30 RUNWAY INDENT:	6,701	3,300	3,901	7,351
> 31 LENGTH:	100	60	75	150
> 32 WIDTH:	CONC-G	CONC-G	CONC-F	ASPH-F
> 33 SURF TYPE-COND:	GRVD	NONE	NONE	GRVD
> 34 SURF TREATMENT:	120.0	12.5	12.5	120.0
35 GROSS WT: S	198.0			250.0
36 (IN THSDS) D	321.0			550.0
37 2D	760.0			
38 2D/2D2	PCR/630 /R/	PCR/150 /R/	PCR/150 /R/	PCR/1000/R/
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	MED	MED	MED	HIGH
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	BSC - G / BSC - G	NPI - G / NPI - G	PIR - G / PIR - G
> 43 VGSI:	P4L / P4L	P2L / P2L	P4L / P4L	P4L / P4L
44 THR COSSING HGT.:	45 / 44	21 / 21	21 / 21	53 / 61
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	3.00 / 2.76
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	R - / T -
> 48 REIL:	Y / Y	/	/	Y /
> 49 APCH LIGHTS:	/	/	/	/ MALSR

OBSTRUCTION DATA

50 FAR 77 CATEGORY	D / D	A(V) / A(V)	A(NP) / A(NP)	D / PIR
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	34:1 / 34:1	/	20:1 / 20:1	34:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	6,701 / 6,701	3,300 / 3,300	3,901 / 3,901	7,351 / 7,351
> 61 TAKE OFF DIST AVBL (TODA):	6,701 / 6,701	3,300 / 3,300	3,901 / 3,901	7,351 / 7,351
> 62 ACLT STOP DIST AVBL (ASDA):	6,701 / 6,701	3,300 / 3,300	3,901 / 3,901	7,351 / 7,351
> 63 LNDG DIST AVBL (LDA):	6,701 / 6,701	3,300 / 3,300	3,901 / 3,901	7,351 / 7,351

> 110 REMARKS

A 026	ARFF INDEX C SVCS AVBL WITH 24 HR PPR. CALL AMGR AT 701-795-6984.
A 030	RWY 09R/27L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 030	RWY 17L/35R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 081	WHEN TWR CLSD ACTVT MALSR RWY 35L; REIL RWY 09L, 17R, & 27R; MIRL RWY 09L/27R; MIRL 9R/27L; MIRL RWY 17L/35R; HIRL RWY 17R/35L - CTAF. PAPI RWY 09L, 09R, 17L, 17R, 27L, 27R, 35L, 35R OPR CONSLY.
A 110-001	HVY STUDENT TRNG ACTVTY WI 15 MI OF ARPT.
A 110-002	BIRDS ON & INVOF ARPT.
A 110-004	LGTD ENTRANCE RD 1600' EAST OF RY 17R/35L.
A 110-005	CUSTOMS AVBL 24/7/365. YOU MUST SPEAK WITH AN OFFICER BEFORE ARRIVAL (USE PHONE OPTIONS) 701-772-3301 OR 701-772-6433.
A 110-008	PAEW 2330-0600 LOCAL
A 110-009	HVY STUDENT HELICOPTER TRAINING AT ARPT BTN PARALLEL TWYS.-
A 110-011	TWY G, TWY N, & TWY U CLSD TO FIXED WING ACFT 12,500 LBS & OVER.
A 110-012	WESTERN MOST 100 FT OF TWY C1 IS AN EXTENSION OF THE BRAVO APRON & NOT VSBL FR THE TWR.

111 INSPECTOR: (F)
112 LAST INSP: 06/23/2026
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: ND LOC ID: GFK FAA SITE NR: 17349.1*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

	H1	H10	H11	H12
> 30 RUNWAY INDENT:				
> 31 LENGTH:	60	60	60	60
> 32 WIDTH:	60	60	60	60
> 33 SURF TYPE-COND:	TURF	TURF	TURF	TURF
> 34 SURF TREATMENT:	NONE	NONE	NONE	NONE
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-017 TWY C SOUTH OF TWY B, TWY E, TWY S NOT AVBL FOR SKED ACR OPNS WITH MORE THAN 9 PSGR SEATS OR UNSKED ACR OPNS WITH AT LEAST 31 PSGR SEATS.
A 110-019 FOR CD WHEN ATCT CLSD CTC MINNEAPOLIS ARTCC ON FREQ. IF UNA CTC MINNEAPOLIS ARTCC AT 651-463-5588.
A 110-020 RWY 17R SEGMENTED CIRCLE U/S.
A 110-021 (CONTACT NAME) ARPT OPS & FAC MGR.

111 INSPECTOR: (F) 112 LAST INSP: 06/23/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: ND
6 REGION/ADO: AGL/DMA
LOC ID: GFK
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 17349.1*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

	H2	H3	H4	H5
> 30 RUNWAY INDENT:	60	60	60	60
> 31 LENGTH:	60	60	60	60
> 32 WIDTH:	TURF	TURF	TURF	TURF
> 33 SURF TYPE-COND:	NONE	NONE	NONE	NONE
> 34 SURF TREATMENT:				
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)
112 LAST INSP: 06/23/2026
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: ND
6 REGION/ADO: AGL/DMA
LOC ID: GFK
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 17349.1*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

	H6	H7	H8	H9
> 30 RUNWAY INDENT:	60	60	60	60
> 31 LENGTH:	60	60	60	60
> 32 WIDTH:	TURF	TURF	TURF	TURF
> 33 SURF TYPE-COND:	NONE	NONE	NONE	NONE
> 34 SURF TREATMENT:				
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)
112 LAST INSP: 06/23/2026
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: ND
6 REGION/ADO: AGL/DMA
LOC ID: GFK
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 17349.1*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)
112 LAST INSP: 06/23/2026
113 LAST INFO REQ: