

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: GREEN BAY 4 STATE: WI LOC ID: GRB FAA SITE NR: 27234.*A
> 2 AIRPORT NAME: GREEN BAY/AUSTIN STRAUBEL INTL 5 COUNTY: BROWN WI
> 3 CBD TO AIRPORT (NM): 07 SW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: GREEN BAY

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: BROWN COUNTY
> 12 ADDRESS: 2077 AIRPORT DRIVE, STE #18
GREEN BAY, WI 54313-5596
> 13 PHONE NR: 920-498-4800
> 14 MANAGER: MARTY PIETTE
> 15 ADDRESS: 2077 AIRPORT DRIVE
GREEN BAY, WI 54313-5596
> 16 PHONE NR: 920-498-4800
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0500-2200

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 44-29-04.6810N ESTIMATED
20 ARPT LONG: 088-07-46.9680W
21 ARPT ELEV: 695.1 SURVEYED
22 ACREAGE: 2,441
> 23 RIGHT TRAFFIC: 18
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: GREEN BAY
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	06/24	18/36
> 30 RUNWAY INDENT:	7,700	8,700
> 31 LENGTH:	150	150
> 32 WIDTH:	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0
35 GROSS WT: S	170.0	170.0
36 (IN THSDS) D	290.0	290.0
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4R / P4L	/	/
> 43 VGS:	40 / 50	54 / 50	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	T - Y / R - N	R - N / T - N	- / -	- / -
> 47 RVR-RVV:	N / N	Y / N	/	/
> 48 REIL:	MALSR /	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / C	C / PIR		
50 FAR 77 CATEGORY	/	499 /	/	/
> 51 DISPLACED THR:	/	ROAD /	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	12 /	/	/
> 54 HGT ABOVE RWY END:	/	580 /	/	/
> 55 DIST FROM RWY END:	/	540L /	/	/
> 56 CNTRLN OFFSET:	50:1 / 50:1	31:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	7,699 / 7,699	8,700 / 8,201		
> 60 TAKE OFF RUN AVBL (TORA):	7,699 / 7,699	8,700 / 8,201	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,699 / 7,699	8,700 / 8,201	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,699 / 7,699	8,700 / 8,201	/	/
> 63 LNDG DIST AVBL (LDA):	7,699 / 7,699	8,201 / 8,201	/	/

> 110 REMARKS

A 039 RWY 06/24 PCR VALUE: 520/R/B/W/T
A 039 RWY 18/36 PCR VALUE: 520/R/B/W/T
A 057 RWY 18 APCH RATIO 50:1 TO THE DTHR.
A 081 ACTVT MALSR RWY 06 & 36; REIL RWY 18; HIRL RWY 06/24 & 18/36 - CTAF. PAPI RWY 06, 18, 24 & 36 OPR CONSPLY. WHEN ATCT CLSD PREFERRED RWY PRESET ON LOW OR MED INTST; INCR INTST - CTAF.
A 110-002 AVOID NOISE SENSITIVE AREAS N & E OF ARPT 2400-0600.
A 110-003 TWY C NOT AVBL FOR ACR MORE THAN 30 PAX SEATS.
A 110-005 TWY D WBND NO TURN ONTO TWY J.
A 110-006 TWY J SWB NO TURN ONTO NBND TWY M.
A 110-007 TWY M SBND NO TURN ONTO TWY J.
A 110-008 TWY J SWB NO TURN ONTO EB TWY D.
A 110-009 WHEN ATC CLSD FOR CD IF UNA TO CTC ON FSS FREQ, CTC MINNEAPOLIS ARTCC AT 651-463-5588.
A 110-010 BIRDS ON & INVOF ARPT.
A 110-011 TWY D BTN TWY H & RWY 24 APCH END CLSD TO WINGSPAN GTR THAN 118 FT.

111 INSPECTOR: (F) 112 LAST INSP: 06/21/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: GRB FAA SITE NR: 27234.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 06/21/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026