

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: FORT HOOD (KILLEEN) 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2*A
> 2 AIRPORT NAME: ROBERT GRAY AAF 5 COUNTY: BELL TX
> 3 CBD TO AIRPORT (NM): 06 SW 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: SAN ANTONIO

GENERAL

10 OWNERSHIP: ARMY
> 11 OWNER: US ARMY AERONAUTICAL SVCS AGENCY
> 12 ADDRESS: FT BELVOIR, VA 22060
> 13 PHONE NR:
> 14 MANAGER: MICHAEL WILSON
> 15 ADDRESS: 8101 S CLEAR CREEK RD, BOX C
KILLEEN, TX 76549
> 16 PHONE NR: 254-501-8701
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL: A
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

ALL ALL ALL

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 31-04-02.1000N ESTIMATED
20 ARPT LONG: 097-49-44.1000W
21 ARPT ELEV: 1015.2 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I E S 08/2024

80 ARPT BCN: SWG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: SAN ANGELO
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

15/33	H1	H2	H3
9,997	100	75	75
200	100	75	75
ASPH-CONC-E	CONC-G	ASPH-G	ASPH-G
NONE	NONE	NONE	NONE

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

HIGH			
PIR - G / PIR - G	BSC - F / -	BSC - F / -	BSC - F / -
P4L / P4L	/	/	/
53 / 50	/	/	/
3.00 / 3.00	/	/	/
- / -	- / -	- / -	- / -
T - / R -	- / -	- / -	- / -
/	/	/	/
MALSR / MALSR	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

PIR / PIR	/	/	/
/ 194	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
50:1 / 50:1	/	/	/
N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 014 CIVILIAN ARPT MANAGER. MIL CTC AFLD MGR, VERNON MCDANIEL, CELL-254-289-5628/ OFFICE-254-287-5102.
A 016 AIRFIELD MANAGER- BASE OPERATIONS. MWILSON@KILLEENTEXAS.GOV
A 033 RWY 15/33 RWY 33 FIRST 1000 FT PEM REMAINING 8997 FT GRVD.
A 039 RWY 15/33 PCN NUMBER TAKEN FROM RGA AF AIRFIELD PAVEMENT AT IIP AAF-19-02 REPORT DATED 5 SEPTEMBER 2019
A 070 CIV: JET A AVBL 0400-2030. FOR SVC AFT HRS CALL 254-501-8750.
A 110-002 CAUTION: EXTV COPTER OPR VCNTY FORT HOOD, SOME WO CONSPICUOUS MRK AND BLEND WITH TERRAIN.
A 110-003 MIL-MISC: LTD PRK.
A 110-005 MISC: WX VIS OBST RSTD S THRU NW.
A 110-007 BEARING STRENGTH RWY 15/33: ST175 SBTT593 TRT840 TRT585.
A 110-008 MIL-JASU: 1(AM32-95) LASS 1(TUG TMD-250) 1(ESSEX B809).
A 110-009 MIL-FUEL: A++ PPR ONLY.
A 110-010 TFC PAT: TFC PAT ALT LEFT AND RGT. ROTARY WING 1500 FT, UAS 2000 FT WEST TFC ONLY, FIXED WING 2500 FT, PURE JET/OVERHEAD 3000 FT.
A 110-011 MISC: CLSD CIRCUIT TV OPR.
A 110-012 MIL-MISC: ALL INBD PPR ACFT CTC PTD 20 MIN PRIOR TO LDG. BASE OPS FAX DSN 738-1930, C254-288-1930.

111 INSPECTOR: (F) 112 LAST INSP: 08/14/2024 113 LAST INFO REQ: 03/01/1976

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-014 CIV: PPR ALL CIVIL ACFT CTC AMGR.
- A 110-015 MIL-RSTD: PPR MIL RAMP DSN 738-9200/9209, C254-288-9200/9209, CIV RAMP (KFHRA) C254-501-8750.
- A 110-017 RSTD: TWY B FR TWY C TO E RSTD TO ACFT WITH WINGSPAN 200' OR LESS.
- A 110-018 MIL-MISC: PAR NOT AVBL (EXC EMERGENCY) FROM 0500-1300Z++.
- A 110-019 MIL-MISC: BASE OPS APVL FOR RAMP ACCESS.
- A 110-020 MIL-CSTMS/AG/IMG: CSTMS AVBL 72 HR PN RQR. DUR NML DUTY HR CTC PMO CSTMS DSN 737-3535/3508, C254-287-3535/3508, OT CTC BASE OPS DSN 738-9200, C254-288-9200.
CAUTION: EXTV COPTER SOD OPS.
- A 110-021 MIL-CSTMS/AG/IMG: USDA AG INSPECTION NOT AVBL.
- A 110-022 MIL-RSTD: TWY B FROM TWY C TO AER 15 RSTD TO ACFT WITH AN ACN OF 24 OR LESS.
- A 110-023 MIL-MISC: 24 HR NOTICE RQR FOR LAV AND WATER SVC.
- A 110-024 MIL-MISC: 24 HR NOTICE RQR FOR LAV AND WATER SVC.
- A 110-025 MIL: BASE OPS FX DSN 738-1930, COM 254-288-1930.
- A 110-026 CIV: ARPT UNICOM FREQ 122.825 (KILLEEN RADIO).

111 INSPECTOR: (F)

112 LAST INSP: 08/14/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aerodata/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-027 MIL-MISC: SPACE A PAX OPS PROHIBITED, INBOUND AND OUTBOUND.
A 110-028 MIL-MISC: NO OFF AFLD TRANSIENT AIRCREW TRANSPORTATION AVBL.
A 110-029 MIL-MISC: 50 FT FUEL SERVICE SAFETY ZONE ENFORCED DURING ALL REFUEL OPS.
A 110-030 RSTD: TWY D AND TWY B FR C TO APCH END RWY 33 NOT AUTH FOR DOD ACFT RQR CLASS B RWY.
A 110-031 CAUTION: EXTV UAS ACFT WITHIN CLASS D AIRSPACE AND BTN CLASS D AIRSPACE AND R6302.
A 110-032 TFC PAT: UAS 2000' (WEST TFC ONLY).
A 110-033 MISC - 50' FUEL SVC SAFETY ZONE ENFORCED DURING ALL REFUEL OPS. SPACE A PAX OPS PROH, INBD AND OUTBD. NO OFF AFLD TRAN AIRCREW TRANSPORTATION AVBL. WIDE BODY ACFT 180 DEG TURNS PROH ON RWY 15/33. WIDE BODY ACFT MOVEMENT ON THE SOUTH RAMP AUTH ONLY UNDER CONTROL OF FOLLOW-ME AND GROUND MARSHAL PERS.
A 110-034 WIDE BODY ACFT 180 DEG TURNS ALLOWED ONLY ON CONC AREAS AT EACH EOR 15/33. WIDE BODY AIRCRAFT MOVEMENT ON THE SOUTH RAMP AUTHORIZED ONLY UNDER CONTROL OF FOLLOW-ME AND GROUND MARSHAL PERSONNEL.
A 110-035 WATER TOWER 1182 FT E SIDE OF AIRFIELD.
A 110-036 MIL-MISC: NO DE-ICE CAPABILITY.

111 INSPECTOR: (F)

112 LAST INSP: 08/14/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026