

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025

> 1 ASSOC CITY: FORT CAVAZOS (KILLEEN) 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2\*A  
> 2 AIRPORT NAME: ROBERT GRAY AAF 5 COUNTY: BELL TX  
> 3 CBD TO AIRPORT (NM): 06 SW 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: SAN ANTONIO

### GENERAL

10 OWNERSHIP: ARMY  
> 11 OWNER: US ARMY AERONAUTICAL SVCS AGENCY  
> 12 ADDRESS: FT BELVOIR, VA 22060  
> 13 PHONE NR:  
> 14 MANAGER: MICHAEL WILSON  
> 15 ADDRESS: 8101 S CLEAR CREEK RD, BOX C  
KILLEEN, TX 76549  
> 16 PHONE NR: 254-501-8701  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL: A  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

ALL ALL ALL

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 31-04-02.1000N ESTIMATED  
20 ARPT LONG: 097-49-44.1000W  
21 ARPT ELEV: 1015.2 SURVEYED  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: I E S 08/2024

80 ARPT BCN: SWG  
81 ARPT LGT SKED : SS-SR  
BCN LGT SKED: SS-SR  
82 UNICOM:  
83 WIND INDICATOR: YES  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: SAN ANGELO  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

|  | 15/33       | H1     | H2     | H3     |
|--|-------------|--------|--------|--------|
|  | 9,997       | 100    | 75     | 75     |
|  | 200         | 100    | 75     | 75     |
|  | ASPH-CONC-E | CONC-G | ASPH-G | ASPH-G |
|  | NONE        | NONE   | NONE   | NONE   |
|  | 59 /R/B/W/T |        |        |        |

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|  | 15/33             | H1          | H2          | H3          |
|--|-------------------|-------------|-------------|-------------|
|  | HIGH              |             |             |             |
|  | PIR - G / PIR - G | BSC - F / - | BSC - F / - | BSC - F / - |
|  | P4L / P4L         | /           | /           | /           |
|  | 53 / 50           | /           | /           | /           |
|  | 3.00 / 3.00       | /           | /           | /           |
|  | - / -             | - / -       | - / -       | - / -       |
|  | T - / R -         | - / -       | - / -       | - / -       |
|  | /                 | /           | /           | /           |
|  | MALSR / MALSR     | /           | /           | /           |

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|  | 15/33       | H1    | H2    | H3    |
|--|-------------|-------|-------|-------|
|  | PIR / PIR   | /     | /     | /     |
|  | / 194       | /     | /     | /     |
|  | /           | /     | /     | /     |
|  | /           | /     | /     | /     |
|  | /           | /     | /     | /     |
|  | /           | /     | /     | /     |
|  | /           | /     | /     | /     |
|  | 50:1 / 50:1 | /     | /     | /     |
|  | N / N       | N / N | N / N | N / N |

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|  | 15/33 | H1 | H2 | H3 |
|--|-------|----|----|----|
|  | /     | /  | /  | /  |
|  | /     | /  | /  | /  |
|  | /     | /  | /  | /  |
|  | /     | /  | /  | /  |

### REMARKS

A 014 CIVILIAN ARPT MANAGER. MIL CTC AFLD MGR, VERNON MCDANIEL, CELL-254-289-5628/ OFFICE-254-287-5102.  
A 016 AIRFIELD MANAGER- BASE OPERATIONS. MWILSON@KILLEENTEXAS.GOV  
A 033 RWY 15/33 RWY 33 FIRST 1000 FT PEM REMAINING 8997 FT GRVD.  
A 039 RWY 15/33 PCN NUMBER TAKEN FROM RGA AF AIRFIELD PAVEMENT AT IIP AAF-19-02 REPORT DATED 5 SEPTEMBER 2019  
A 070 CIV: JET A AVBL 0400-2030. FOR SVC AFT HRS CALL 254-501-8750.  
A 110-002 CAUTION: EXTV COPTER OPR VCNTY FORT CAVAZOS, SOME WO CONSPICUOUS MRK AND BLEND WITH TERRAIN.  
A 110-003 MIL-MISC: LTD PRK.  
A 110-005 MISC: WX VIS OBST RSTD S THRU NW.  
A 110-007 BEARING STRENGTH RWY 15/33: ST175 SBTT593 TRT840 TRT585.  
A 110-008 MIL-JASU: 1(AM32-95) LASS 1(TUG TMD-250) 1(ESSEX B809).  
A 110-009 MIL-FUEL: A++ PPR ONLY.  
A 110-010 TFC PAT: TFC PAT ALT LEFT AND RGT. ROTARY WING 1500 FT, UAS 2000 FT WEST TFC ONLY, FIXED WING 2500 FT, PURE JET/OVERHEAD 3000 FT.  
A 110-011 MISC: CLSD CIRCUIT TV OPR.  
A 110-012 MIL-MISC: ALL INBD PPR ACFT CTC PTD 20 MIN PRIOR TO LDG. BASE OPS FAX DSN 738-1930, C254-288-1930.

111 INSPECTOR: (F) 112 LAST INSP: 08/14/2024 113 LAST INFO REQ: 03/01/1976

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|       |       |       |       |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

- A 110-014 CIV: PPR ALL CIVIL ACFT CTC AMGR.
- A 110-015 MIL-RSTD: PPR MIL RAMP DSN 738-9200/9209, C254-288-9200/9209, CIV RAMP (KFHRA) C254-501-8750.
- A 110-017 RSTD: TWY B FR TWY C TO E RSTD TO ACFT WITH WINGSPAN 200' OR LESS.
- A 110-018 MIL-MISC: PAR NOT AVBL (EXC EMERGENCY) FROM 0500-1300Z++.
- A 110-019 MIL-MISC: BASE OPS APVL FOR RAMP ACCESS.
- A 110-020 MIL-CSTMS/AG/IMG: CSTMS AVBL 72 HR PN RQR. DUR NML DUTY HR CTC PMO CSTMS DSN 737-3535/3508, C254-287-3535/3508, OT CTC BASE OPS DSN 738-9200, C254-288-9200.  
CAUTION: EXTV COPTER SOD OPS.
- A 110-021 MIL-CSTMS/AG/IMG: USDA AG INSPECTION NOT AVBL.
- A 110-022 MIL-RSTD: TWY B FROM TWY C TO AER 15 RSTD TO ACFT WITH AN ACN OF 24 OR LESS.
- A 110-023 MIL-MISC: 24 HR NOTICE RQR FOR LAV AND WATER SVC.
- A 110-024 MIL-MISC: 24 HR NOTICE RQR FOR LAV AND WATER SVC.
- A 110-025 MIL: BASE OPS FX DSN 738-1930, COM 254-288-1930.
- A 110-026 CIV: ARPT UNICOM FREQ 122.825 (KILLEEN RADIO).

111 INSPECTOR: ( F )

112 LAST INSP: 08/14/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|       |       |       |       |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-027 MIL-MISC: SPACE A PAX OPS PROHIBITED, INBOUND AND OUTBOUND.  
A 110-028 MIL-MISC: NO OFF AFLD TRANSIENT AIRCREW TRANSPORTATION AVBL.  
A 110-029 MIL-MISC: 50 FT FUEL SERVICE SAFETY ZONE ENFORCED DURING ALL REFUEL OPS.  
A 110-030 RSTD: TWY D AND TWY B FR C TO APCH END RWY 33 NOT AUTH FOR DOD ACFT RQR CLASS B RWY.  
A 110-031 CAUTION: EXTV UAS ACFT WITHIN CLASS D AIRSPACE AND BTN CLASS D AIRSPACE AND R6302.  
A 110-032 TFC PAT: UAS 2000' (WEST TFC ONLY).  
A 110-033 MISC - 50' FUEL SVC SAFETY ZONE ENFORCED DURING ALL REFUEL OPS. SPACE A PAX OPS PROH, INBD AND OUTBD. NO OFF AFLD TRAN AIRCREW TRANSPORTATION AVBL. WIDE BODY ACFT 180 DEG TURNS PROH ON RWY 15/33. WIDE BODY ACFT MOVEMENT ON THE SOUTH RAMP AUTH ONLY UNDER CONTROL OF FOLLOW-ME AND GROUND MARSHAL PERS.  
A 110-034 WIDE BODY ACFT 180 DEG TURNS ALLOWED ONLY ON CONC AREAS AT EACH EOR 15/33. WIDE BODY AIRCRAFT MOVEMENT ON THE SOUTH RAMP AUTHORIZED ONLY UNDER CONTROL OF FOLLOW-ME AND GROUND MARSHAL PERSONNEL.  
A 110-035 WATER TOWER 1182 FT E SIDE OF AIRFIELD.  
A 110-036 MIL-MISC: NO DE-ICE CAPABILITY.

111 INSPECTOR: ( F )

112 LAST INSP: 08/14/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: GRK FAA SITE NR: 23882.2\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|       |       |       |       |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2025  
AFD EFF 06/12/2025