

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: GREELEY 4 STATE: CO LOC ID: GXY FAA SITE NR: 02627.\*A  
> 2 AIRPORT NAME: GREELEY-WELD COUNTY 5 COUNTY: WELD CO  
> 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: CHEYENNE

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: GREELEY-WELD CO ARPT AUTH  
> 12 ADDRESS: PO BOX 727  
GREELEY, CO 80632  
> 13 PHONE NR: 970-336-3000  
> 14 MANAGER: COOPER ANDERSON  
> 15 ADDRESS: PO BOX 727  
GREELEY, CO 80632  
> 16 PHONE NR: 970-336-3000  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0600-2000

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AGRI, AMB, AVNCS, CHTR, INSTR, RNTL,  
SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-26-14.7000N ESTIMATED  
20 ARPT LONG: 104-37-59.6000W  
21 ARPT ELEV: 4696.8 SURVEYED  
22 ACREAGE: 1,198  
> 23 RIGHT TRAFFIC: 28  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX:

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.700  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: DENVER  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

|                      | 10/28  | 17/35  | H1     | H2     |
|----------------------|--------|--------|--------|--------|
| > 30 RUNWAY INDENT:  | 5,801  | 10,000 | 20     | 20     |
| > 31 LENGTH:         | 100    | 100    | 20     | 20     |
| > 32 WIDTH:          | ASPH-E | ASPH-G | CONC-G | CONC-G |
| > 33 SURF TYPE-COND: | NONE   | NONE   | NONE   | NONE   |
| > 34 SURF TREATMENT: | 49.0   | 42.0   |        |        |
| 35 GROSS WT: S       | 65.0   | 65.0   |        |        |
| 36 (IN THSDS) D      | 110.0  | 115.0  |        |        |
| 37 2D                |        |        |        |        |
| 38 2D/2D2            |        |        |        |        |

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 43 / 27  
44 THR COSSING HGT.: 3.00 / 3.00  
> 46 CNTRLN-TDZ: - / -  
> 47 RVR-RVV: - / -  
> 48 REIL: Y / Y  
> 49 APCH LIGHTS: /

|                          | MED               | MED               | PERI        | PERI         |
|--------------------------|-------------------|-------------------|-------------|--------------|
| > 40 EDGE INTENSITY:     | PIR - G / PIR - G | PIR - G / PIR - G | BSC - G / - | NONE - P / - |
| > 42 RWY MARK TYPE-COND: | P2L / V4L         | P2L / P2L         | /           | /            |
| > 43 VGS:                | 43 / 27           | 46 / 51           | /           | /            |
| 44 THR COSSING HGT.:     | 3.00 / 3.00       | 3.00 / 3.00       | /           | /            |
| > 46 CNTRLN-TDZ:         | - / -             | - / -             | - / -       | - / -        |
| > 47 RVR-RVV:            | - / -             | - / -             | - / -       | - / -        |
| > 48 REIL:               | Y / Y             | Y / Y             | /           | /            |
| > 49 APCH LIGHTS:        | /                 | /                 | /           | /            |

### OBSTRUCTION DATA

50 FAR 77 CATEGORY: C / C  
> 51 DISPLACED THR: /  
> 52 CTGL OBSTN: /  
> 53 OBSTN MARKED/LGTD: /  
> 54 HGT ABOVE RWY END: /  
> 55 DIST FROM RWY END: /  
> 56 CNTRLN OFFSET: /  
57 OBSTN CLNC SLOPE: 34:1 / 34:1  
58 CLOSE-IN OBSTN: Y / N

|                         | C / C       | B(V) / PIR  | /     | /     |
|-------------------------|-------------|-------------|-------|-------|
| 50 FAR 77 CATEGORY:     | C / C       | B(V) / PIR  | /     | /     |
| > 51 DISPLACED THR:     | /           | / 1,100     | /     | /     |
| > 52 CTGL OBSTN:        | /           | /           | /     | /     |
| > 53 OBSTN MARKED/LGTD: | /           | /           | /     | /     |
| > 54 HGT ABOVE RWY END: | /           | /           | /     | /     |
| > 55 DIST FROM RWY END: | /           | /           | /     | /     |
| > 56 CNTRLN OFFSET:     | /           | /           | /     | /     |
| 57 OBSTN CLNC SLOPE:    | 34:1 / 34:1 | 20:1 / 50:1 | /     | /     |
| 58 CLOSE-IN OBSTN:      | Y / N       | N / N       | N / N | N / N |

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): /  
> 61 TAKE OFF DIST AVBL (TODA): /  
> 62 ACLT STOP DIST AVBL (ASDA): /  
> 63 LNDG DIST AVBL (LDA): /

|                                  |   |   |   |   |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA):   | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA):  | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA):       | / | / | / | / |

> 110 REMARKS

A 017 PREARRANGE AFT HRS ARPT ACCESS WITH FBOS. CALL 970-336-3000 OR 970-336-3010.  
A 017 FOR ATTENDANCE AFT HRS CALL 970-336-3010 AND FOLLOW PROMPTS.  
A 039 RWY 10/28 PCR VALUE: 190/F/D/X/T  
A 039 RWY 17/35 PCR VALUE: 160/F/C/X/T  
A 058 10 FT DIRT ACES ROAD AT THLD & PARL TO EXTDD CNTRLN; 9 FT CROPS 140 FT FM THLD 90 FT LEFT & RIGHT OF CNTRLN.  
A 081 ACTVT MRL RWYS 10/28 & 17/35, & REIL RWYS 10, 28, 17, & 35 - CTAF. PAPI RWYS 10, 17, 35, & VASI RWY 28 OPR 24 HRS.  
A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.  
A 110-001 RWY 17/35 PREFERRED USE WHEN X WIND COMPONENT EXCEEDS 12 KT ON RWY 10/28.  
A 110-002 RWY 35 PREFERRED USE WHEN WIND LESS THAN 5 KNOTS. RWY 35 PREFERRED FOR TGL.  
A 110-003 WILDLIFE & BIRDS ON & INVOF APRT.  
A 110-004 OIL DRILLING RIGS UP TO 120 FT ON AND INVOF APRT.  
A 110-005 CTN INTENSIVE USAF STUDENT T INVOF COLORADO SPRINGS AND PUEBLO, COLORADO  
A 110-006 ACFT DEPG RWY 28 AVOID SB TURN PR TO XNG RWY 10 THLD.  
A 110-007 CTN EXTENDED TAXI DIST TO RWY 17/35 VIA TWY C1  
A 110-008 TWO HEL PRKG PSN (TDPC MKD) LOCATED ON WEST EDGE OF MAIN APN; NO DESIGNATED HELIPADS.

111 INSPECTOR: (S)

112 LAST INSP: 06/12/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CO LOC ID: GXY FAA SITE NR: 02627.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|       |       |       |       |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-009 TXY PAVEMENT STRENGTH IS LESS THAN PUBLISHED RWY PCR; TWYS CONSIST OF OLDER PAVEMENT AND HAVE NOT BEEN EVALUATED.

111 INSPECTOR: (S)

112 LAST INSP: 06/12/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026