

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: HARTFORD 4 STATE: CT LOC ID: HFD FAA SITE NR: 02827.*A
 > 2 AIRPORT NAME: HARTFORD-BRAINARD 5 COUNTY: HARTFORD CT
 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT: NEW YORK

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CONNECTICUT AIRPORT AUTHORITY
 > 12 ADDRESS: SUITE 160, 334 ELLA GRASSO TURNPIKE
 WINDSOR LOCKS, CT 06096
 > 13 PHONE NR: 860-386-6000
 > 14 MANAGER: PELLEGRINO, ROBERT
 > 15 ADDRESS: 239 MAXIM ROAD
 HARTFORD, CT 06114
 > 16 PHONE NR: 860-982-2443
 > 17 ATTENDANCE SCHEDULE:

APR-NOV ALL 0700-2100
 DEC-MAR ALL 0700-1900

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: NONE
 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES: AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: BRIDGEPORT
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 41-44-12.2000N ESTIMATED
 20 ARPT LONG: 072-38-58.0000W
 21 ARPT ELEV: 18.3 SURVEYED
 22 ACREAGE: 201
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY3
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	02/20	11/29	H1	H2
> 30 RUNWAY INDENT:	4,417	2,314	70	44
> 31 LENGTH:	150	71	77	44
> 32 WIDTH:	ASPH-F	ASPH-G	ASPH-G	ASPH-E
> 33 SURF TYPE-COND:	GRVD	NONE	NONE	NONE
> 34 SURF TREATMENT:	30.0	10.0		
35 GROSS WT: S	43.0			
36 (IN THSDS) D	70.0			
37 2D				
38 2D/2D2				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 37 / 58
 44 THR COSSING HGT.: 3.50 / 4.00
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ: N - N / N - N
 > 47 RVR-RVV: - / -
 > 48 REIL: Y / Y
 > 49 APCH LIGHTS: /

	HIGH	HIGH	MED	MED
> 40 EDGE INTENSITY:	NPI - G / NPI - G	BSC - G / BSC - G	NONE - / -	NONE - / -
> 42 RWY MARK TYPE-COND:	P4L / P4R	/	/	/
> 43 VGS:	37 / 58	/	/	/
44 THR COSSING HGT.:	3.50 / 4.00	/	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	Y / Y	N / N	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY: C / B(V)
 > 51 DISPLACED THR: 411 / 560
 > 52 CTLG OBSTN: TREES / TREES
 > 53 OBSTN MARKED/LGTD: /
 > 54 HGT ABOVE RWY END: 100 / 80
 > 55 DIST FROM RWY END: 1,263 / 238
 > 56 CNTRLN OFFSET: 300L / 252R
 57 OBSTN CLNC SLOPE: 10:1 / 1:1
 58 CLOSE-IN OBSTN: Y / Y

	C / B(V)	A(V) / A(V)	/	/
50 FAR 77 CATEGORY:	C / B(V)	A(V) / A(V)	/	/
> 51 DISPLACED THR:	411 / 560	/ 265	/	/
> 52 CTLG OBSTN:	TREES / TREES	TREES / TREES	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	100 / 80	56 / 88	/	/
> 55 DIST FROM RWY END:	1,263 / 238	550 / 714	/	/
> 56 CNTRLN OFFSET:	300L / 252R	18R / 175L	/	/
57 OBSTN CLNC SLOPE:	10:1 / 1:1	6:1 / 5:1	/	/
58 CLOSE-IN OBSTN:	Y / Y	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): /
 > 61 TAKE OFF DIST AVBL (TODA): /
 > 62 ACLT STOP DIST AVBL (ASDA): /
 > 63 LNDG DIST AVBL (LDA): /

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 024 LDG FEE FOR BUS/CORPORATE & REVENUE PRODUCING ACFT.
 A 026 ARPT CLSD TO ACR OPNS.
 A 043 RWY 20 PAPI UNUSBL BYD 7 DEGS L OF RCL.
 A 052 RWY H1 HNDR (26 FT HIGH AT 290 DEGS WEST) 234 FT FROM HELI.
 A 057 RWY 02 APCH RATIO 20:1 TO DTHR.
 A 057 RWY 20 APCH RATIO 16:1 TO DTHR.
 A 057 RWY 29 APCH RATIO 11:1 TO DTHR.
 A 058 RWY 02 3 FT GND, 0 FT DSTC, 150 FT R.
 A 058 RWY 20 27 FT BERM, 0-199 FT DSTC, 171-57 FT L.
 A 081 WHEN ATCT CLSD, ACTVT REIL RWYS 02 & 20; HIRL RWY 02/20 - CTAF. PAPI RWY 02 & 20 OPR CONSLY.
 A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
 A 110-001 BIRDS & DEER ON & INVOF ARPT.
 A 110-002 ARPT LCTD IN NOISE SENSITIVE AREA. POPULATED AREAS TO SOUTH & WEST SHOULD BE AVOIDED. APCH/DEP OVR RIVER WHEN PSBL. SEE BRAINARD TWR LTRS TO AIRMEN.
 A 110-003 VOLUNTARY COMPLIANCE REQSTD - NO TGL & PRACTICE INST APCH MON THRU SAT 2200-0600 & SUN 2200-0900.

111 INSPECTOR: (S) 112 LAST INSP: 09/02/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CT LOC ID: HFD FAA SITE NR: 02827.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

NE/SW
2,309
150
TURF
NONE

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

A(V) / A(V)	/	/	/
/	/	/	/
TREES / TREES	/	/	/
/	/	/	/
68 / 91	/	/	/
624 / 1,885	/	/	/
195L / 0B	/	/	/
9:1 / 20:1	/	/	/
N / N	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-004 TURF NE/SW RWY CLSD DURG WINTER MONTHS FM NOV 2 TO APR 30 EXC FOR SKI-EQUIPPED ACFT & HEL TRNG.
A 110-006 CTN HFD IS LCTD ON W SIDE OF RIVER. CLSD ARPT 1 MILE ENE OF HFD ON E SIDE OF RIVER.
A 110-007 WHEN ATCT CLSD, FOR CD CTC BRADLEY APCH 860-386-3597.

111 INSPECTOR: (S)

112 LAST INSP: 09/02/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026