

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: WAHIAWA 4 STATE: HI LOC ID: HHI FAA SITE NR: 52587.*A
 > 2 AIRPORT NAME: WHEELER AAF 5 COUNTY: HONOLULU HI
 3 CBD TO AIRPORT (NM): 01 SW 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: HAWAIIAN ISLANDS

GENERAL

10 OWNERSHIP: ARMY 70 FUEL:
 > 11 OWNER: U S ARMY
 > 12 ADDRESS: WHEELER AAF SCHOFIELD BARRACKS
 WAHIAWA, HI
 > 13 PHONE NR:
 > 14 MANAGER: AFLD COMMANDER
 > 15 ADDRESS: WHEELER AAF, SCHOFIELD BARRACKS
 WAHIAWA, HI
 > 16 PHONE NR: 808-656-2656
 > 17 ATTENDANCE SCHEDULE:

ALL MON-SAT ALL

SERVICES

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE: PRIVATE
 19 ARPT LAT: 21-28-53.2000N ESTIMATED
 20 ARPT LONG: 158-02-16.2000W
 21 ARPT ELEV: 843.3 SURVEYED
 22 ACREAGE:
 > 23 RIGHT TRAFFIC: 06, 24
 > 24 NON-COMM LANDING: NO

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM:
 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: HONOLULU
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

06/24
 5,608
 100
 ASPH

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

MED
 - / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
570 /	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 017 OT BY NOTAM.
 A 080 ROTG BCN 1/8 NM NORTH OF ATCT.
 A 081 ACTVT MIRL RWY 06/24 - CTAF.
 A 110-001 ALL ACFT ARR FM N AFTER 1800 WILL CROSS ARPT AT 2500 FT ENTER TFC FM THE S.
 A 110-004 EXTV COPTER TFC INVOF ARPT.
 A 110-005 PRACTICE APCHS BY NON-TENANT ACFT RSTD AND APVD CONTINGENT UPON TENANT ACFT ACTIVITY HRS OF DAY AND ETC.
 A 110-007 PPR FOR FULL STOP LDG, PRKG & FOR NON-TENANT ACFT USE OF WHEELER AAF; CTC OPS C808-771-1282, V456-1282.
 A 110-008 NO TRANSIENT ACFT SVC AVBL.
 A 110-009 NIGHT VISION GOGGLE TRAINING A311 500 FT & BLO FM 1 HR AFTER SS THRU 1 HR BEFORE SR.
 A 110-010 EXTREMELY NOISE SENSITIVE AREA; AVOID OVERFLIGHT COMMUNITIES SURROUNDING WHEELER AFB.
 A 110-011 CAUTION - EXTREME CAUTION SWEEPER ON RUNWAY M-F 1500-1700Z.
 A 110-013 CAUTION: USE CTN ON TXY A DUE TO NO TWY EDGE LIGHTS INSTLD. ALL AIRFIELD MARKINGS ARE EXTREMELY FADED ON ALL APNS AND TWYS.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ: 07/15/1976

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: HHI FAA SITE NR: 52587.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

- 10 OWNERSHIP:
- > 11 OWNER:
- > 12 ADDRESS:
- > 13 PHONE NR:
- > 14 MANAGER:
- > 15 ADDRESS:
- > 16 PHONE NR:
- > 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

- 18 AIRPORT USE:
- 19 ARPT LAT:
- 20 ARPT LONG:
- 21 ARPT ELEV:
- 22 ACREAGE:
- > 23 RIGHT TRAFFIC:
- > 24 NON-COMM LANDING:

- 80 ARPT BCN:
- 81 ARPT LGT SKED :
BCN LGT SKED:
- 82 UNICOM:
- 83 WIND INDICATOR:
- 84 SEGMENTED CIRCLE:
- 85 CONTROL TWR:
- 86 FSS:
- 87 FSS ON ARPT:
- 88 FSS PHONE NR:
- 89 TOLL FREE NR:

RUNWAY DATA

- > 30 RUNWAY INDENT:
- > 31 LENGTH:
- > 32 WIDTH:
- > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

- 50 FAR 77 CATEGORY
- > 51 DISPLACED THR:
- > 52 CTLG OBSTN:
- > 53 OBSTN MARKED/LGTD:
- > 54 HGT ABOVE RWY END:
- > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-014 MISC: AUTO WX OBSN AVBL H24; HUMAN BACKUP AVBL MON-FRI 1700-0900Z. HUMAN WX OBSN VIEW OBSTD BY BLDG W THRU NE (250-060 DEGS). VIS EVAL IS LTD TO 1/6 TO 1/4 MILE IN THIS SECT. WX SVCS OPR MON-FRI 1700-0900Z; 2 HR PN RQRD FOR TIMELY BRIEF.
- A 110-015 NO TSNT FIXED-WING ACFT ON TWY A THRU F. SEE AP3 FOR ADDNL RESTRICTIONS.
- A 110-016 CAUTION: BLUE TWY EDGE REFLECTORS INSTLD ON TWY A NORTH OF RWY AND ON TWY J ADJ TO SOUTH APN.
- A 110-017 SERVICE: FUEL - F24, JAA, 1730-0845Z M-F, OT BY NOTAM.
- A 110-018 WHEELER OPS OPR 1730-0900Z MON-FRI EXC HOL AND WKEND; OT BY NOTAM.
- A 110-019 CAUTION: USE CTN WHEN TAXIING ON TWY A; DO NOT TAXI BHND ACFT IN PSN AND HOLD ON TWY B, C, D, E, F DUE TO RDCD ROTOR/WINGTIP CLNC AVBL.
- A 110-020 LED LGTS INSTLD ON RWY AND ALL TWYS.
- A 110-021 CAUTION: MULT TREE OBSTN HAZARD PENETRATION RWY 24 40:1 APCH CLNC SFC SLOPE OUT TO 6000 FT (EAST SIDE).

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026