

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/6/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: HELENA 4 STATE: MT LOC ID: HLN FAA SITE NR: 12402.*A
 > 2 AIRPORT NAME: HELENA RGNL 5 COUNTY: LEWIS AND CLARK MT
 3 CBD TO AIRPORT (NM): 02 NE 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT: GREAT FALLS

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: HELENA REG ARPT AUTH
 > 12 ADDRESS: 2850 MERCER LOOP
 HELENA, MT 59602
 > 13 PHONE NR: 406-442-2821
 > 14 MANAGER: JEFF WADEKAMPER
 > 15 ADDRESS: 2850 MERCER LOOP
 HELENA, MT 59602
 > 16 PHONE NR: 406-442-2821
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL 0500-0100

SERVICES

70 FUEL: 100 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH
 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AGRI, AMB, CARGO, CHTR, INSTR,
 RNTL, SALES, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 46-36-24.2000N ESTIMATED
 20 ARPT LONG: 111-58-59.8000W
 21 ARPT ELEV: 3877.3 SURVEYED
 22 ACREAGE: 1,224
 > 23 RIGHT TRAFFIC: 23, 27, 35
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGY3
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: GREAT FALLS
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	05/23	09/27	10/28	17/35
> 30 RUNWAY INDENT:	4,644	9,000	1,584	2,989
> 31 LENGTH:	75	150	75	75
> 32 WIDTH:	ASPH-F	ASPH-G	TURF	ASPH-F
> 33 SURF TYPE-COND:	PFC	PFC	NONE	PFC
> 34 SURF TREATMENT:	21.0	160.0		
35 GROSS WT: S	30.0	250.0		
36 (IN THSDS) D		420.0		
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	MED	HIGH		MED
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / PIR - G	- / -	BSC - G / BSC - G
> 42 RWY MARK TYPE-COND:	P2L / P2L	P4L / P4L	/	/
> 43 VGS:	40 / 49	55 / 55	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.30 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/	Y /	/	Y / Y
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	B(V) / C	C / PIR	A(V) / A(V)	A(V) / A(V)
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	ROAD / FENCE	GND /	/	/ GND
> 53 OBSTN MARKED/LGTD:	/ M	/	/	/
> 54 HGT ABOVE RWY END:	22 / 8	6 /	/	/ 4
> 55 DIST FROM RWY END:	425 / 550	200 /	/	/ 200
> 56 CNTRLN OFFSET:	136L / 165L	350R /	/	/ 0B
57 OBSTN CLNC SLOPE:	10:1 / 43:1	34:1 / 50:1	/	20:1 / 20:1
58 CLOSE-IN OBSTN:	N / N	Y / N	N / N	N / Y

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	4,644 / 4,644	9,000 / 9,000	/	2,989 / 2,989
> 61 TAKE OFF DIST AVBL (TODA):	4,644 / 4,644	9,000 / 9,000	/	2,989 / 2,989
> 62 ACLT STOP DIST AVBL (ASDA):	4,644 / 4,644	9,000 / 9,000	/	2,989 / 2,989
> 63 LNDG DIST AVBL (LDA):	4,644 / 4,644	9,000 / 9,000	/	2,989 / 2,989

> 110 REMARKS

A 026 ARFF PRVDD FOR SKED PART 121 ACR: OTRW PRIOR APVL RQRD - AMGR.
 A 030 RWY 05/23 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. NO PART 121/PART 380 OPS EXC BTN TWY F & TWY C.
 A 030 RWY 17/35 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. NO PART 121/PART 380 OPS EXC BTN TWY F & TWY C.
 A 039 RWY 05/23 PCR VALUE: 300/F/D/X/T
 A 039 RWY 09/27 PCR VALUE: 790/F/D/X/T
 A 039 RWY 17/35 PCR VALUE: 460/F/D/X/T
 A 058 RWY 09 +6 FT GND 0-200 FT FM RWY END 350 FT R.
 A 058 RWY 35 +4 FT GND 0-200 FT FM RWY END 0-125 FT L & R.
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 27; REIL RWY 09, 17 & 35; PAPI RWY 09 & 27; HIRL RWY 09/27; MIRL RWY 05/23 & 17/35 - CTAF.
 A 110-001 FLIGHT NOTIFICATION SERVICE (ADCUS) AVBL.
 A 110-004 TWY A, B, & C BTN TWY A & RWY 35 NOT AVBL TO ACR GTR THAN 30 PAX SEATS.

111 INSPECTOR: (F) 112 LAST INSP: 03/21/2025 113 LAST INFO REQ: 02/09/2015

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/6/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/6/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MT LOC ID: HLN FAA SITE NR: 12402.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-006 ARNG OPS 1400-0030Z++ MON-FRI, EXC HOL. CTN DURG TAX; AASF RAMP NOT STRESSED FOR LRG ACFT. RAMP ADVSY - 126.2, D406-324-5775, C406-324-5775. TSNT SVC NA AFT 2300Z++ MON-FRI; WKEND & HOL.
A 110-007 FUEL SVC- 406-442-2190.
A 110-009 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -16C.
A 110-010 ARNG: FT HARRISON AAF WI CLASS D; PAJA - MT ARNG OPS C406 324-5775/76, D324-5775/76.
A 110-011 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SALT LAKE ARTCC AT 801-320-2568.
A 110-012 LNDG FEE GTR THAN 10000 LB.

111 INSPECTOR: (F)

112 LAST INSP: 03/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/6/2026
AFD EFF 04/16/2026