

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 9/12/2025
AFD EFF 09/04/2025

> 1 ASSOC CITY: HOUSTON 4 STATE: TX LOC ID: HOU FAA SITE NR: 24071.*A
> 2 AIRPORT NAME: WILLIAM P HOBBY 5 COUNTY: HARRIS TX
> 3 CBD TO AIRPORT (NM): 08 SE 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: HOUSTON

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF HOUSTON
> 12 ADDRESS: 16930 JF KENNEDY BLVD
HOUSTON, TX 77032
> 13 PHONE NR: 281-233-3000
> 14 MANAGER: STEVE RUNGE
> 15 ADDRESS: PO BOX 60106
HOUSTON, TX 77205
> 16 PHONE NR: 713-845-6555
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A A1
71 AIRFRAME RPRS: MINOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 29-38-44.8794N ESTIMATED
20 ARPT LONG: 095-16-38.0337W
21 ARPT ELEV: 46.3 SURVEYED
22 ACREAGE: 1,304
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: MONTGOMERY
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	13L/31R	13R/31L
> 30 RUNWAY INDENT:	7,602	5,148	7,602
> 31 LENGTH:	150	100	150
> 32 WIDTH:	CONC-G	CONC-F	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	75.0	30.0	75.0
35 GROSS WT: S	200.0	45.0	195.0
36 (IN THSDS) D	400.0	80.0	220.0
37 2D			
38 2D/2D2			
> 39 PCN:			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	MED	HIGH	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	BSC - G / BSC - G	PIR - G / PIR - G	- / -
> 42 RWY MARK TYPE-COND:	P4R / P4L	P4L /	P4R / P4L	/
> 43 VGS:	58 / 49	60 /	52 / 76	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 /	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	Y - Y / Y - N	- / -	Y - Y / Y - Y	- / -
> 46 CNTRLN-TDZ:	TMR - N / TMR -	- / -	T - / T -	- / -
> 47 RVR-RVV:	/	/	/ Y	/
> 48 REIL:	ALSF2 / MALS	/	MALSR /	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / D	B(V) / B(V)	PIR / PIR	
50 FAR 77 CATEGORY	/	/	1,034 /	/
> 51 DISPLACED THR:	/ POLE	/	POLE / ROAD	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 125	/	37 / 13	/
> 54 HGT ABOVE RWY END:	/ 4,400	/	310 / 200	/
> 55 DIST FROM RWY END:	/ 1000L	/	500R / 500R	/
> 56 CNTRLN OFFSET:	50:1 / 33:1	50:1 / 50:1	2:1 / 0:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	7,602 / 7,602	5,148 / 5,148	7,602 / 7,602	
> 60 TAKE OFF RUN AVBL (TORA):	7,602 / 7,602	5,148 / 5,148	7,602 / 7,602	/
> 61 TAKE OFF DIST AVBL (TODA):	7,602 / 7,602	5,148 / 5,148	7,602 / 7,602	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,602 / 7,602	5,148 / 5,148	7,602 / 7,602	/
> 63 LNDG DIST AVBL (LDA):	7,602 / 7,602	5,148 / 5,148	6,568 / 7,602	/

> 110 REMARKS

A 039 RWY 04/22 PCR VALUE: 620/R/C/W/T
A 039 RWY 13L/31R PCR VALUE: 200/R/D/W/T
A 039 RWY 13R/31L PCR VALUE: 670/R/B/W/T
A 057 RWY 13R APCH RATIO 36:1 TO DSPLCD THR.
A 110-002 NMRS BIRDS ON AND IN VCNTY OF ARPT.
A 110-003 TWY G CNTRLN TO PARKED ACFT ON WEST SIDE ONLY 68 FT. TWY G CNTRLN TO EDGE OF ADJ SVC VEHICLE ROAD ON WEST SIDE ONLY 48 FT.
A 110-007 DUE TO COMPLEX RWY CONFIG; WHEN TAX TO THRS 13L & 13R CHECK COMPASS HDG BFR DEPARTING.
A 110-008 ACFT SOUTHBOUND ON TWY C TO RWY 31L THR USE EXTREME CARE; TWY C MAKES A 45 DEG DOGLEG TO THE LEFT XNG TWY K.
A 110-009 ACFT IN TKOF PTN ON RWY 22 BE ALERT FOR POSS RADIO INTFC OR NULL ON FREQ 118.7. USE UPPER ANT IF SO EQUIPPED.
A 110-020 CUST RAMP HAS MULT OBSTNS; LARGE ACFT WILL BE ASGND AN ALTN AREA BY ATCT.
A 110-026 ARPT CLSD TO ACFT WITH WING SPAN OVER 125 FT EXCP 24 HRS PPR CALL OPNS 713-417-5710.
A 110-027 PILOTS/CREW SHOULD BE AWARE OF DEP TURNS IN EXCESS OF 180 DEGS. READ BACK OF DRCTN OF TURNS IS HIGHLY ENCOURAGED.

111 INSPECTOR: (F)

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 9/12/2025
AFD EFF 09/04/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 9/12/2025
AFD EFF 09/04/2025

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: HOU FAA SITE NR: 24071.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 9/12/2025
AFD EFF 09/04/2025