# AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/10/2026
**AFD EFF 10/29/2026**

> 1 ASSOC CITY: ILIAMNA
> 2 AIRPORT NAME: ILIAMNA
3 CBD TO AIRPORT (NM): 02 NW
4 STATE: AK
6 REGION/ADO: AAL/NONE
LOC ID: ILI
5 COUNTY: LAKE AND PENINSULA AK
7 SECT AERO CHT: KODIAK
FAA SITE NR: 50340.*A

## GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: ALASKA DOT&PF SOUTHCOAST REGION
> 12 ADDRESS: PO BOX 112506
JUNEAU, AK 99811-2506
> 13 PHONE NR: (907) 465-1779
> 14 MANAGER: TREFIM ANDREW
> 15 ADDRESS: BOX 187
ILIAMNA, AK 99606
> 16 PHONE NR: 907-571-1261
> 17 ATTENDANCE SCHEDULE:

| | | |
|---|---|---|
| JUNE-SEP | TH | 0600-1400 |
| JUN-SEP | M-W | 0600-1630 |
| OCT-MAY | M-F | 0800-1630 |

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 59-45-20.0812N ESTIMATED
20 ARPT LONG: 154-55-03.9081W
21 ARPT ELEV: 192.4 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC: S
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX:

## SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

## FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: ILIAMNA
87 FSS ON ARPT: YES
88 FSS PHONE NR: 907-571-1240
89 TOLL FREE NR: LC571-1240

## RUNWAY DATA

| | 08/26 | 18/36 | E/W | N/S |
|---|---|---|---|---|
| > 30 RUNWAY INDENT: | | | | |
| > 31 LENGTH: | 5,086 | 4,800 | 2,998 | 2,892 |
| > 32 WIDTH: | 100 | 100 | 400 | 400 |
| > 33 SURF TYPE-COND: | ASPH-G | ASPH-G | WATER-E | WATER-E |
| > 34 SURF TREATMENT: | GRVD | GRVD | NONE | NONE |
| 35 GROSS WT: | S | | | |
| 36 (IN THSDS) | D | | | |
| 37 | 2D | | | |
| 38 | 2D/2D2 | | | |
| > 39 PCN: | | | | |

## LIGHTING/APCH AIDS

| | | | | |
|---|---|---|---|---|
| > 40 EDGE INTENSITY: | MED | MED | | |
| > 42 RWY MARK TYPE-COND: | NPI - F / NPI - F | NPI - F / NPI - F | - / - | - / - |
| > 43 VGSI: | P4L / P4L | P4L / P4L | / | / |
| 44 THR COSSING HGT.: | 35 / 35 | 30 / 32 | / | / |
| 45 VISUAL GLIDE ANGLE: | 3.00 / 3.00 | 3.00 / 3.00 | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / Y | / Y | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

## OBSTRUCTION DATA

| | | | | |
|---|---|---|---|---|
| 50 FAR 77 CATEGORY | C / C | C / C | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | BRUSH / BRUSH | BRUSH / BRUSH | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | 10 / 12 | 12 / 4 | / | / |
| > 55 DIST FROM RWY END: | 200 / 200 | 200 / 200 | / | / |
| > 56 CNTRLN OFFSET: | 215L/ / 187L/ | 195L / 165R | / | / |
| 57 OBSTN CLNC SLOPE: | 0:1 / 0:1 | 0:1 / 0:1 | / | / |
| 58 CLOSE-IN OBSTN: | N / N | N / N | N / N | N / N |

## DECLARED DISTANCES

| | | | | |
|---|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

| | |
|---|---|
| A 031 | RWY 08/26 TUNDRA WHEEL GRVL SFC 275 FT PRIOR TO ASPH BOTH END; DALGT OPS ONLY. |
| A 081 | WHEN FSS CLSD ACTVT REIL RWY 26 & 36; PAPI RWY 18, 36, 08, & 26; MIRL RWY 08/26; 18/36 - CTAF. |
| A 110-001 | SNOW & ICE REMOVAL & HAZ RPRTNG DURG DUTY HR; EXC PPR IN WRITING - AMGR. |
| A 110-004 | TAXI ON ACTIVE RWYS; LOCKED BRAKE TURNS ON RWYS NA. |
| A 110-007 | PSNL & EQPT MAY BE ON RWY. |
| A 110-010 | SAFETY AREAS SOFT. |
| A 110-012 | MULT AIRSTRIPS & FLOAT PLANE BASINS INVOF ARPT; LOW-LEVEL HEL SLING LOAD OPS WI 25 NM W-NW; MNT CTAF & SELF ANNOUNCE UPON ENTRY. |
| A 110-013 | BE ALERT: NO LINE OF SIGHT BTN ILIAMNA, PIKE LAKE & EAST WIND LAKE/STRIP; TFC PAT & VFR ARR & DEP PROC SEE SECTION C NOTICE. |
| A 110-016 | TSNT PRKG MKD WITH GREEN CONES. |
| A 110-018 | WX CAMERAS AVBL ON INTERNET AT HTTPS://WEATHERCAMS.FAA.GOV/. |
| A 110-019 | ARPT SAND LRGR THAN FAA RCMDD/SEE AC150/5200-30. |
| A 110-020 | WX OBS 16 OCT-14 MAY 0545-2145 - ILIAMNA WX 133.75 OR 907-571-1240. |
| A 110-021 | COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -26C. |

111 INSPECTOR: ( C )
112 LAST INSP: 08/16/2025
113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/10/2026
**AFD EFF 10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: AK | LOC ID: ILI | FAA SITE NR: 50340.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AAL/NONE | 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

## SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

## FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

## RUNWAY DATA

| | | | | |
|---|---|---|---|---|
| > 30 RUNWAY INDENT: | | | | |
| > 31 LENGTH: | | | | |
| > 32 WIDTH: | | | | |
| > 33 SURF TYPE-COND: | | | | |
| > 34 SURF TREATMENT: | | | | |
| 35 GROSS WT: | S | | | |
| 36 (IN THSDS) | D | | | |
| 37 | 2D | | | |
| 38 | 2D/2D2 | | | |
| > 39 PCN: | | | | |

## LIGHTING/APCH AIDS

| | | | | |
|---|---|---|---|---|
| > 40 EDGE INTENSITY: | | | | |
| > 42 RWY MARK TYPE-COND: | - / - | - / - | - / - | - / - |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

## OBSTRUCTION DATA

| | | | | |
|---|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

## DECLARED DISTANCES

| | | | | |
|---|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

111 INSPECTOR: ( C ) | 112 LAST INSP: 08/16/2025 | 113 LAST INFO REQ: