

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: HILO 4 STATE: HI LOC ID: ITO FAA SITE NR: 52095.*A
> 2 AIRPORT NAME: HILO INTL 5 COUNTY: HAWAII HI
> 3 CBD TO AIRPORT (NM): 02 E 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: HAWAIIAN ISLANDS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: STATE OF HAWAII ARPT DIV DOT
> 12 ADDRESS: HONOLULU INTL ARPT, 400 RODGERS
HONOLULU, HI 96819
> 13 PHONE NR: 808-838-8600
> 14 MANAGER: TIFFINIE C SMITH
> 15 ADDRESS: AIRPORTS DISTRICT MANAGER, 2450 KEKUANAOA
HILO, HI 96720
> 16 PHONE NR: 808-961-9300
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-2030

SERVICES

70 FUEL: 100LL A A+ MOGAS
71 AIRFRAME RPRS: MINOR
72 PWR PLANT RPRS: NONE
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AGRI, CARGO, CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: HONOLULU
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 19-43-12.9440N ESTIMATED
20 ARPT LONG: 155-02-54.4930W
21 ARPT ELEV: 37.6 SURVEYED
22 ACREAGE: 1,007
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I C S 05/1973

RUNWAY DATA

	03/21	08/26
> 30 RUNWAY INDENT:	5,601	9,803
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-F	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	52.0	99.0
35 GROSS WT: S	83.0	154.0
36 (IN THSDS) D	148.0	275.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - F / NPI - F	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	V4L /	P4R / P4L	/	/
> 43 VGS:	48 /	71 / 70	/	/
44 THR COSSING HGT.:	3.25 /	3.00 / 2.60	/	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	- / -	- / -
> 47 RVR-RVV:	- N / - N	- N / - N	- / -	- / -
> 48 REIL:	Y / N	N / N	/	/
> 49 APCH LIGHTS:	/	ODALS / MALSR	/	/

OBSTRUCTION DATA

	B(V) / C	B(V) / PIR		
50 FAR 77 CATEGORY	351 /	/	/	/
> 51 DISPLACED THR:	FENCE / POLE	TREE / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	7 / 37	32 / 25	/	/
> 54 HGT ABOVE RWY END:	200 / 1,050	1,400 / 650	/	/
> 55 DIST FROM RWY END:	0B / 20L	600R / 400L	/	/
> 56 CNTRLN OFFSET:	0:1 / 28:1	43:1 / 26:1	/	/
57 OBSTN CLNC SLOPE:	N / N	Y / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

	5,192 / 5,250	9,803 / 9,803		
> 60 TAKE OFF RUN AVBL (TORA):	5,192 / 5,250	9,803 / 9,803	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,601 / 5,510	9,803 / 9,803	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,250 / 5,510	9,803 / 9,803	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 014 HAWAII DIST MGR CHAUNCEY WONG YUEN AT KEAHOLE ARPT 808-327-9520 EXT 222.
A 026 ARFF AVBL 24 HRS, CONTACT 118.1 OR 808-961-9317.
A 039 RWY 03/21 PCR VALUE: 180/F/B/X/T
A 039 RWY 08/26 PCR VALUE: 390/F/B/X/T
A 043 PAPI RWY 08 UNUSBL BYD 3.0 NM
A 057 RWY 03 APCH RATIO 20:1 FM DSPLCD THR.
A 058 RWY 08 +6' FENCES 400' LEFT OF CNTRLN.
A 070 FOR FUEL ADVANCE NOTICE REQUIRED, FOR 100LL CALL (808) 960-5146 OR CTC FREQ 128.95, FOR JET-A CALL (808) 934-7757 OR CTC FREQ 130.8.
A 081 DUSK-DAWN. ACTVT MIRL RY 03/21 & HIRL RY 08/26; MALSR RY 26 & ODALS RY 08 - 118.1.
A 110-001 RWY 08 PVD 1325' MKD BY CHEVRONS, UNUSBL FOR LNDG/TKOF/OVRN/STY; CANNOT BE USED IN COMPUTING TKOF DATA.
A 110-002 ATCT CTLS ENTRY/EXIT TFC ON TWYS F&E TO EAST TRML RAMP.
A 110-003 181' LGTD SMOKE STACK 1/2 SM SOUTH OF FLD.
A 110-004 PPR FROM ARPT MGR FOR TRANSIENT PARKING.
A 110-005 BE ALERT OCNL BIRD FLOCKS ON ARPT AND IN FLT ACROSS RWY 08/26 AND 03/21.

111 INSPECTOR: (F) 112 LAST INSP: 01/30/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: ITO FAA SITE NR: 52095.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTGL OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-008 (A70A) JET FUEL AVBL MON-SAT 0800-1700 CALL (808) 935-6881/6122 OR 961-6601.
- A 110-009 (E93) NO MKD PAD, HEL OPER FM FBO HANGER AREA.
- A 110-011 DIVISION 1.1, 1.2, 1.3 EXPLOSIVES PROHIBITED.
- A 110-012 PPR FROM AIRPORT MANAGER FOR TRANSPORTATION OF DIVISION 1.4 EXPLOSIVES AND HAZARDOUS MATERIAL IN OR OUT OF AIRPORT.
- A 110-013 NOISE ABATEMENT: AVOID OVERFLIGHT OF NOISE SENSITIVE RESIDENTIAL AREAS N, W AND SW OF AIRPORT.
- A 110-015 RY 08/26 SINGLE-BELLY TWIN TANDEM (SBTT) GWT 450,000 LBS.
- A 110-016 RY 03/21 SINGLE-BELLY TWIN TANDEM (SBTT) GWT 230,000 LBS.
- A 110-017 FOR CD WHEN ATCT IS CLSD CTC HONOLULU CONTROL FACILITY AT 808-840-6262.
- A 110-018 TWY E BTN TWY A AND RWY 08/26 PONDING DRG HVY RAINS.
- A 110-019 RWYS 8, 21 AND 26 WIND CONES ARE LCTD IN THE ROFA.

111 INSPECTOR: (F)

112 LAST INSP: 01/30/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: ITO FAA SITE NR: 52095.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 01/30/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026