

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/2/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: JAMESTOWN 4 STATE: ND LOC ID: JMS FAA SITE NR: 17367.*A
> 2 AIRPORT NAME: JAMESTOWN RGNL 5 COUNTY: STUTSMAN ND
> 3 CBD TO AIRPORT (NM): 02 NE 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT: TWIN CITIES

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: JAMESTOWN RGNL ARPT AUTHORITY
> 12 ADDRESS: PO BOX 1560
JAMESTOWN, ND 58402
> 13 PHONE NR: 701-252-6466
> 14 MANAGER: KATIE HEMMER
> 15 ADDRESS: PO BOX 1560
JAMESTOWN, ND 58402
> 16 PHONE NR: 701-252-6466
> 17 ATTENDANCE SCHEDULE:
ALL MON-FRI 0800-1700

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AGRI, AMB, CHTR, INSTR, RNTL, SALES,
SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 46-55-47.0000N ESTIMATED
20 ARPT LONG: 098-40-41.5000W
21 ARPT ELEV: 1499.9 SURVEYED
22 ACREAGE: 1,500
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: GRAND FORKS
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	13/31
> 30 RUNWAY INDENT:	5,750	6,502
> 31 LENGTH:	75	100
> 32 WIDTH:	ASPH-F	ASPH-G
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:	85.0	130.0
35 GROSS WT: S	103.0	160.0
36 (IN THSDS) D	162.0	250.0
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	NPI - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
> 43 VGS: I	22 / 21	49 / 52	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y / Y	Y /	/	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / D	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	TREE /	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	46 /	/	/
> 55 DIST FROM RWY END:	/	1,927 /	/	/
> 56 CNTRLN OFFSET:	/	70R /	/	/
57 OBSTN CLNC SLOPE:	50:1 / 34:1	37:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	5,750 / 5,750	6,502 / 6,502		
> 60 TAKE OFF RUN AVBL (TORA):	5,750 / 5,750	6,502 / 6,502	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,750 / 5,750	6,502 / 6,502	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,750 / 5,750	6,502 / 6,502	/	/
> 63 LNDG DIST AVBL (LDA):	5,750 / 5,750	6,502 / 6,502	/	/

> 110 REMARKS

A 026 48 HRS PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 701-252-6466. ACR OPS INVOLVING ACFT WITH MORE THAN 9 PSGRS NOT AUZD IN EXCESS OF 15 MINS BEFORE OR AFTER SKED ARR/DEP TIMES WITHOUT PRIOR COORDINATION WITH AMGR AND CONFIRMATION THAT ARFF IS AVBL PRIOR TO LANDING OR TAKEOFF.
INDEX B ARFF AVAILABLE, 48 HRS PPR CONTACT AIRPORT MANAGER 701-252-6466.
A 039 RWY 04/22 PCR VALUE: 80/F/D/X/T
A 039 RWY 13/31 PCR VALUE: 490/F/C/X/T
A 070 100LL AVBL 24 HRS WITH CREDIT CARD. 24 HR PILOT LOUNGE AVBL.
A 081 ACTVT MALSR RWY 31; REIL RWYS 04, 13, & 22; MIRL RWY 04/22; HIRL RWY 13/31 - CTAF. PAPI RWYS 04, 13, 22, & 31 OPR CONSLY.
A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
A 110-001 BIRDS ON AND INVOF ARPT.
A 110-004 FBO FUELING AFTER HOURS PHONE 701-952-1515.
A 110-005 FOR CD IF UNA TO CTC ON FSS FREQ, CTC MINNEAPOLIS ARTCC AT 651-463-5588.

111 INSPECTOR: (F)

112 LAST INSP: 09/17/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/2/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/2/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: ND LOC ID: JMS FAA SITE NR: 17367.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 09/17/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/2/2026
AFD EFF 06/11/2026