

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/3/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: JUNEAU 4 STATE: AK LOC ID: JNU FAA SITE NR: 50385.\*A  
> 2 AIRPORT NAME: JUNEAU INTL 5 COUNTY: JUNEAU AK  
> 3 CBD TO AIRPORT (NM): 07 NW 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: JUNEAU

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF JUNEAU  
> 12 ADDRESS: 155 S SEWARD  
JUNEAU, AK 99801  
> 13 PHONE NR: 907-789-7821  
> 14 MANAGER: ANDRES DELGADO  
> 15 ADDRESS: 1873 SHELL SIMMONS DR, SUITE 200  
JUNEAU, AK 99801  
> 16 PHONE NR: 907-789-7821  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A1+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE: BUOY, HGR, T  
76 OTHER SERVICES: AFRT, AMB, AVNCS, CARGO, CHTR, INSTR

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 58-21-16.9625N ESTIMATED  
20 ARPT LONG: 134-34-42.4939W  
21 ARPT ELEV: 25.3 ESTIMATED  
22 ACREAGE: 662  
> 23 RIGHT TRAFFIC: 08  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGPSY  
> 26 FAR 139 INDEX: I C S 04/2005

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: JUNEAU  
87 FSS ON ARPT: YES  
88 FSS PHONE NR: 907-586-7380  
89 TOLL FREE NR: 1-866-297-2236

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	08/26	08W/26W
> 30 RUNWAY INDENT:	8,857	4,800
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-G	WATER
> 33 SURF TYPE-COND:	GRVD	NONE
35 GROSS WT: S	120.0	
36 (IN THSDS) D	250.0	
37 2D	550.0	
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH			
> 40 EDGE INTENSITY:	NPI - F / NPI - F	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	V2L / P4L	/	/	/
> 43 VGS:	38 / 46	/	/	/
44 THR COSSING HGT.:	3.50 / 3.50	/	/	/
45 VISUAL GLIDE ANGLE:	Y - N / Y - N	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	TR - Y / TR - Y	- / -	- / -	- / -
> 47 RVR-RVV:	N / Y	/	/	/
> 48 REIL:	MALSF / MALSF	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / C	A(V) / A(V)		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TOWER /	/	/	/
> 52 CTLG OBSTN:	LM /	/	/	/
> 53 OBSTN MARKED/LGTD:	573 /	/	/	/
> 54 HGT ABOVE RWY END:	7,600 /	/	/	/
> 55 DIST FROM RWY END:	900L /	/	/	/
> 56 CNTRLN OFFSET:	12:1 / 34:1	/	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	8,857 / 8,857	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	8,857 / 8,857	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	8,457 / 8,457	/	/	/
> 63 LNDG DIST AVBL (LDA):	8,457 / 8,457	/	/	/

> 110 REMARKS

A 030 RWY 08/26 SAND USED FOR FRICTION MAY NOT MEET FAA SPECS.  
A 039 RWY 08/26 PCR VALUE: 892/F/A/X/T  
A 043 RWY 08 VASI UNUSBL BYD 06 DEGS LEFT OF CNTRLN. VASI ALIGNED 13 DEG R OF CNTRLN; NOT VIS ON CNTRLN.  
A 043 RWY 26 PAPI UNUSBL BYD 2 NM DUE TO TRRN.  
A 049 RWY 08 RLLS LGT: JNUB BATTLESHIP ISLAND, JNUA ENGINEERS CUT, JNU WETLANDS/FLATS.  
A 049 RWY 26 NSTD; LEN 800 FT.  
A 071 SINGLE/TWIN PROP ENG; TURBIN & AVIONICS.  
A 081 WHEN ATCT CLSD ACTVT MALSF RWY 08; REIL RWY 26; HIRL RWY 08/26 - CTAF. VASI RWY 08; PAPI RWY 26 OPR CONSLY.  
A 086 WHEN ATCT CLSD ARPT ADZY SVC - CTAF.  
A 110-003 NG 24 HR PPR - C907-789-3366. WKDAY 0730-1600 CTC NG OPS 10 MIN BFR LNDG - 124.65.  
A 110-004 WILDLIFE & BIRDS ON & INVOF ARPT.  
A 110-005 BATTLESHIP IS RLLS GROUPING; CNTR LGT 582132.88N 1344012.22W. JDL LOC RLLS GROUPING; CNTR LGT 582132.02N 1343810.39W.  
A 110-006 HVY HEL & ACFT ACT APR 15-OCT 1; FULL LEN GASTINEAU CHNL & WI 5 MI.  
A 110-007 PARAGLIDING ACT 3 MI N; INVOF THUNDER MOUNTAIN & OVR GASTINEAU CHNL NEARS DOWNTOWN APR 15-OCT 1; 6000 FT & BLW.  
A 110-009 TPA 1500 AGL FOR LARGE TURBINE ACFT; 1000 FT AGL FOR FIXED WING ACFT; 500 FT AGL FOR HELICOPTERS.  
111 INSPECTOR: (F) 112 LAST INSP: 11/20/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/3/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/3/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AK LOC ID: JNU FAA SITE NR: 50385.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-010 JUNEAU FSS - LCL 907-789-7380.  
A 110-011 TSNT PUB DOCK SW CORNER.  
A 110-013 SEE SPL NOTICES & GENOT FOR INFO ON OPS IN JUNEAU AREA.  
A 110-015 LENA POINT, PEDERSON HILL & SISTERS IS WX CAMERAS AVBL ON INTERNET AT [HTTPS://WEATHERCAMS.FAA.GOV](https://WEATHERCAMS.FAA.GOV)  
A 110-020 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW 1C.  
A 110-021 APRON TERM RAMP CLSD TO ROTORCRAFT. CUST RAMP APRON CLSD TO WINGSPAN GTR THAN 79 FT. INTL ROTORCRAFT USE E-1 NG RAMP.  
A 110-022 FUEL SVC - UNICOM OR 907-789-0055/5622.

111 INSPECTOR: ( F )

112 LAST INSP: 11/20/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/3/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/3/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AK LOC ID: JNU FAA SITE NR: 50385.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 11/20/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/3/2026  
AFD EFF 04/16/2026