

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/18/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: JUNEAU 4 STATE: AK LOC ID: JNU FAA SITE NR: 50385.*A
> 2 AIRPORT NAME: JUNEAU INTL 5 COUNTY: JUNEAU AK
> 3 CBD TO AIRPORT (NM): 07 NW 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: JUNEAU

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF JUNEAU
> 12 ADDRESS: 155 S SEWARD
JUNEAU, AK 99801
> 13 PHONE NR: 907-789-7821
> 14 MANAGER: ANDRES DELGADO
> 15 ADDRESS: 1873 SHELL SIMMONS DR, SUITE 200
JUNEAU, AK 99801
> 16 PHONE NR: 907-789-7821
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A1+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: BUOY, HGR, T
76 OTHER SERVICES: AFRT, AMB, AVNCS, CARGO, CHTR, INSTR

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 58-21-16.9625N ESTIMATED
20 ARPT LONG: 134-34-42.4939W
21 ARPT ELEV: 25.3 ESTIMATED
22 ACREAGE: 662
> 23 RIGHT TRAFFIC: 08
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGPSY
> 26 FAR 139 INDEX: I C S 04/2005

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: JUNEAU
87 FSS ON ARPT: YES
88 FSS PHONE NR: 907-586-7380
89 TOLL FREE NR: 1-866-297-2236

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| | 08/26 | 08W/26W |
|----------------------|--------|---------|
| > 30 RUNWAY INDENT: | 8,857 | 4,800 |
| > 31 LENGTH: | 150 | 150 |
| > 32 WIDTH: | ASPH-G | WATER |
| > 33 SURF TYPE-COND: | GRVD | NONE |
| > 34 SURF TREATMENT: | 120.0 | |
| 35 GROSS WT: S | 250.0 | |
| 36 (IN THSDS) D | 550.0 | |
| 37 2D | | |
| 38 2D/2D2 | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 38 / 46
44 THR COSSING HGT.: 3.50 / 3.50
> 46 CNTRLN-TDZ: Y - N / Y - N
> 47 RVR-RVV: TR - Y / TR - Y
> 48 REIL: N / Y
> 49 APCH LIGHTS: MALSF / MALS

| | HIGH | | | |
|--------------------------|-------------------|-------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - F / NPI - F | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | V2L / P4L | / | / | / |
| > 43 VGS: | 38 / 46 | / | / | / |
| 44 THR COSSING HGT.: | 3.50 / 3.50 | / | / | / |
| > 46 CNTRLN-TDZ: | Y - N / Y - N | - / - | - / - | - / - |
| > 47 RVR-RVV: | TR - Y / TR - Y | - / - | - / - | - / - |
| > 48 REIL: | N / Y | / | / | / |
| > 49 APCH LIGHTS: | MALSF / MALS | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY: C / C
> 51 DISPLACED THR: /
> 52 CTGL OBSTN: TOWER /
> 53 OBSTN MARKED/LGTD: LM /
> 54 HGT ABOVE RWY END: 573 /
> 55 DIST FROM RWY END: 7,600 /
> 56 CNTRLN OFFSET: 900L /
57 OBSTN CLNC SLOPE: 12:1 / 34:1
58 CLOSE-IN OBSTN: N / N

| | C / C | A(V) / A(V) | | |
|-------------------------|-------------|-------------|---|---|
| 50 FAR 77 CATEGORY: | C / C | A(V) / A(V) | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTGL OBSTN: | TOWER / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | LM / | / | / | / |
| > 54 HGT ABOVE RWY END: | 573 / | / | / | / |
| > 55 DIST FROM RWY END: | 7,600 / | / | / | / |
| > 56 CNTRLN OFFSET: | 900L / | / | / | / |
| 57 OBSTN CLNC SLOPE: | 12:1 / 34:1 | / | / | / |
| 58 CLOSE-IN OBSTN: | N / N | N / N | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): 8,857 / 8,857
> 61 TAKE OFF DIST AVBL (TODA): 8,857 / 8,857
> 62 ACLT STOP DIST AVBL (ASDA): 8,457 / 8,457
> 63 LNDG DIST AVBL (LDA): 8,457 / 8,457

| | | | | |
|----------------------------------|---------------|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 8,857 / 8,857 | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 8,857 / 8,857 | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 8,457 / 8,457 | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | 8,457 / 8,457 | / | / | / |

> 110 REMARKS

A 030 RWY 08/26 SAND USED FOR FRICTION MAY NOT MEET FAA SPECS.
A 039 RWY 08/26 PCR VALUE: 892/F/A/X/T
A 043 RWY 08 VASI UNUSBL BYD 06 DEGS LEFT OF CNTRLN. VASI ALIGNED 13 DEG R OF CNTRLN; NOT VIS ON CNTRLN.
A 043 RWY 26 PAPI UNUSBL BYD 2 NM DUE TO TRRN.
A 049 RWY 08 RLLS LGT: JNUB BATTLESHIP ISLAND, JNUA ENGINEERS CUT, JNU WETLANDS/FLATS.
A 049 RWY 26 NSTD; LEN 800 FT.
A 071 SINGLE/TWIN PROP ENG; TURBIN & AVIONICS.
A 081 WHEN ATCT CLSD ACTVT MALSF RWY 08; REIL RWY 26; HIRL RWY 08/26 - CTAF. VASI RWY 08; PAPI RWY 26 OPR CONSLY.
A 086 WHEN ATCT CLSD ARPT ADZY SVC - CTAF.
A 110-003 NG 24 HR PPR - C907-789-3366. WKDAY 0730-1600 CTC NG OPS 10 MIN BFR LNDG - 124.65.
A 110-004 WILDLIFE & BIRDS ON & INVOF ARPT.
A 110-005 BATTLESHIP IS RLLS GROUPING; CNTR LGT 582132.88N 1344012.22W. JDL LOC RLLS GROUPING; CNTR LGT 582132.02N 1343810.39W.
A 110-006 HVY HEL & ACFT ACT APR 15-OCT 1; FULL LEN GASTINEAU CHNL & WI 5 MI.
A 110-007 PARAGLIDING ACT 3 MI N; INVOF THUNDER MOUNTAIN & OVR GASTINEAU CHNL NEARS DOWNTOWN APR 15-OCT 1; 6000 FT & BLW.
A 110-009 TPA 1500 AGL FOR LARGE TURBINE ACFT; 1000 FT AGL FOR FIXED WING ACFT; 500 FT AGL FOR HELICOPTERS.
111 INSPECTOR: (F) 112 LAST INSP: 11/20/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/18/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/18/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: JNU FAA SITE NR: 50385.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTGL OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

A 110-010 JUNEAU FSS - LCL 907-789-7380.
A 110-011 TSNT PUB DOCK SW CORNER.
A 110-013 SEE SPL NOTICES & GENOT FOR INFO ON OPS IN JUNEAU AREA.
A 110-015 LENA POINT, PEDERSON HILL & SISTERS IS WX CAMERAS AVBL ON INTERNET AT [HTTPS://WEATHERCAMS.FAA.GOV](https://weathercams.faa.gov)
A 110-020 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW 1C.
A 110-021 APRON TERM RAMP CLSD TO ROTORCRAFT. CUST RAMP APRON CLSD TO WINGSPAN GTR THAN 79 FT. INTL ROTORCRAFT USE E-1 NG RAMP.
A 110-022 FUEL SVC - UNICOM OR 907-789-0055/5622.

111 INSPECTOR: (F)

112 LAST INSP: 11/20/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/18/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/18/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: JNU FAA SITE NR: 50385.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 11/20/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/18/2026
AFD EFF 06/11/2026