

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: JANESVILLE 4 STATE: WI LOC ID: JVL FAA SITE NR: 27272.*A
 > 2 AIRPORT NAME: SOUTHERN WISCONSIN RGNL 5 COUNTY: ROCK WI
 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: ROCK COUNTY
 > 12 ADDRESS: 51 SOUTH MAIN ST
 JANESVILLE, WI 53545
 > 13 PHONE NR: 608-757-5768
 > 14 MANAGER: AIMEE SCRIMA
 > 15 ADDRESS: 1716 W. AIRPORT RD
 JANESVILLE, WI 53546
 > 16 PHONE NR: 608-757-5768
 > 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-1530

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AMB, AVNCS, CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 42-37-12.9100N ESTIMATED
 20 ARPT LONG: 089-02-29.6410W
 21 ARPT ELEV: 807.8 SURVEYED
 22 ACREAGE: 1,343
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY3
 > 26 FAR 139 INDEX: IV A U 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: GREEN BAY
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	04/22	14/32	18/36
> 30 RUNWAY INDENT:	6,701	7,302	5,004
> 31 LENGTH:	150	150	75
> 32 WIDTH:	ASPH-F	CONC-F	ASPH-F
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
> 34 SURF TREATMENT:	44.0	112.0	37.0
35 GROSS WT: S	60.0	147.0	58.0
36 (IN THSDS) D	105.0	255.0	104.0
37 2D			
38 2D/2D2			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	HIGH	MED	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - F / PIR - G	BSC - F / BSC - F	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / V4L	/	/
> 43 VGS:	54 / 45	55 / 51	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	N - N / N - N	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- N / - N	- / -
> 47 RVR-RVV:	N / Y	Y / N	N / N	/
> 48 REIL:	MALSR /	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	PIR / C	D / PIR	B(V) / B(V)	
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/ TREE	/	ROAD /	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 83	/	16 /	/
> 54 HGT ABOVE RWY END:	/ 2,792	/	385 /	/
> 55 DIST FROM RWY END:	/ 367R	/	20R /	/
> 56 CNTRLN OFFSET:	50:1 / 31:1	50:1 / 50:1	11:1 / 50:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	6,701 / 6,701	7,302 / 7,302	5,004 / 5,004	
> 60 TAKE OFF RUN AVBL (TORA):	6,701 / 6,701	7,302 / 7,302	5,004 / 5,004	/
> 61 TAKE OFF DIST AVBL (TODA):	6,701 / 6,701	7,302 / 7,302	5,004 / 5,004	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,701 / 6,701	7,302 / 7,302	5,004 / 5,004	/
> 63 LNDG DIST AVBL (LDA):	6,701 / 6,701	7,302 / 7,302	5,004 / 5,004	/

> 110 REMARKS

A 017 CONDS UNMNT MON-FRI 1530-0700, WKEND & FED HOL.
 A 030 RWY 04/22 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - AMGR.
 A 030 RWY 14/32 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - AMGR.
 A 030 RWY 18/36 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - AMGR.
 A 037 RWY 04/22 APRONS & RAMPS RSTD TO 155 DTW GROSS WT.
 A 039 RWY 04/22 PCR VALUE: 170/R/D/X/T
 A 039 RWY 14/32 PCR VALUE: 440/R/B/X/T
 A 039 RWY 18/36 PCR VALUE: 130/F/C/X/T
 A 081 ACTVT MALSR RWY 04 & 32; REIL RWY 14 & 22; VASI RWY 32; HIRL RWY 04/22 & 14/32; MIRL RWY 18/36 - CTAF. WHEN ATCT CLSD HIRL RWY 04/22 PRESET TO LOW INTST; INCR INTST - CTAF. PAPI RWY 04, 14, & 22 OPR CONSLY.
 A 110-005 LGT SPORT ACFT WITH CRUISE SPEED OF 60 MPH OR LESS ENTER TFC PAT AT 500 AGL.
 A 110-006 RWY 32 & 36 ENDS CLOSELY ALIGNED; VERIFY RWY & HDG BFR DEP.

111 INSPECTOR: (F)

112 LAST INSP: 11/17/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: JVL FAA SITE NR: 27272.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 11/17/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026