

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: KETCHIKAN 4 STATE: AK LOC ID: KTN FAA SITE NR: 50412.03\*A  
> 2 AIRPORT NAME: KETCHIKAN INTL 5 COUNTY: KETCHIKAN GATEWAY AK  
> 3 CBD TO AIRPORT (NM): 01 W 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: KETCHIKAN

## GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: ALASKA DOT&PF SOUTHCOAST REGION  
> 12 ADDRESS: 6860 GLACIER HIGHWAY  
JUNEAU, AK 99801-7999  
> 13 PHONE NR: 907-465-1786  
> 14 MANAGER: ALEX PEURA  
> 15 ADDRESS: 1000 ARPT TERMINAL WAY  
KETCHIKAN, AK 99901  
> 16 PHONE NR: 907-225-6800  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0600-2130

## SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
BCHGR, CARGO

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 55-21-14.7000N ESTIMATED  
20 ARPT LONG: 131-42-40.4000W  
21 ARPT ELEV: 92.4 SURVEYED  
22 ACREAGE: 2,600  
> 23 RIGHT TRAFFIC: 11  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: I B S 03/2005

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SEE RMK  
82 UNICOM:  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: KETCHIKAN  
87 FSS ON ARPT: YES  
88 FSS PHONE NR: 907-225-9481  
89 TOLL FREE NR: LC225-9481

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

| 11/29  | WNW/ESE |
|--------|---------|
| 7,500  | 9,500   |
| 150    | 1500    |
| ASPH-G | WATER   |
| GRVD   | NONE    |
| 120.0  |         |
| 207.0  |         |
| 350.0  |         |

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

| HIGH              |       |       |       |
|-------------------|-------|-------|-------|
| PIR - G / PIR - G | - / - | - / - | - / - |
| P4L / P4L         | /     | /     | /     |
| 50 / 49           | /     | /     | /     |
| 3.00 / 3.00       | /     | /     | /     |
| - / -             | - / - | - / - | - / - |
| TR - / TR -       | - / - | - / - | - / - |
| /                 | /     | /     | /     |
| MALSR / MALSR     | /     | /     | /     |

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

| PIR / C     | A(V) / A(V) |   |   |
|-------------|-------------|---|---|
| /           | /           | / | / |
| TREES /     | /           | / | / |
| /           | /           | / | / |
| 103 /       | /           | / | / |
| 3,300 /     | /           | / | / |
| 0B /        | /           | / | / |
| 50:1 / 34:1 | 50:1 / 50:1 | / | / |
| N / N       | N / N       | / | / |

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 014 ALEX PEURA  
A 023 RWY 11 WX PMTG FOR LIGHT SINGLE/TWIN ENG.  
A 024 LNDG FEE FOR GA ACFT UNDER 6000 LB & FLOAT PLANE USE OF SPB FLOAT.  
A 026 ACR OPS MORE THAN 30 PAX NA IN EXCESS OF 15 MIN BFR OR AFT SKED ARR OR DEP WO PPR WITH AMGR & CFM ARFF SVC AVBL BFR LDG OR TKOF.  
A 030 RWY 11/29 SAND USED TO ENHANCE FRICTION MAY NOT MEET FAA SPECS.  
A 039 RWY 11/29 PCR VALUE: 510/F/B/X/T  
A 043 RWY 11 PAPI UNUSBL 5 DEGS LEFT AND RIGHT OF CNTRLN.  
A 043 RWY 29 PAPI UNUSBL BYD 6 NM.  
A 070 0630-2030 - 122.95 OR 907-531-9891.  
A 076 SKED ACR SVC AVBL; OTR TIMES PPR.  
A 081 WHEN KTN FSS CLSD ACTVT MALSR RWY 11 & 29; HIRL RWY 11/29 - CTAF. PAPI RWY 11 & 29 OPR CONSLY.  
A 081 WHEN KTN FSS CLSD OPR CONSLY.  
A 110-001 TRRN CAUSES TURB ON ARR & DEP ROUTES.  
A 110-002 ALERT: SPL ATC RULES PART 93 & STD VFR ARR & DEP PROC & PAT INFO - SEE REG NOTICE.

111 INSPECTOR: ( F ) 112 LAST INSP: 03/05/2026 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AK LOC ID: KTN FAA SITE NR: 50412.03\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|       |       |       |       |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-004 BIRDS ON & INVOF ARPT.  
A 110-005 PRIOR TO OPS ON APRON/TWY ALL ACFT CTC KTN FSS & ADZ INTNS.  
A 110-006 SFC COND RPRTS REFLECT CONDS WHILE ARPT ATNDD ONLY.  
A 110-007 CTN AIR TAXI & BOATS IN HARBOR; FLOATING DEBRIS PSBL.  
A 110-008 SNOW & ICE REMOVAL NA WHEN ARPT UNATTND.  
A 110-013 USCG HELI 55-21-27.6N/131-42-19.8W; INVOF KETCHIKAN INTL ARPT & SEAPLAN BASE; MED-VAC MISSIONS ONLY - POC COMMANDER CG DISTRICT 17, 709 W 9TH ST, RM 661. BOX 25517 JUNEAU, AK 99802 - 907-463-2247/2000.  
A 110-016 WX CAMERAS AVBL ON INTERNET AT [HTTPS://WEATHERCAMS.FAA.GOV](https://weathercams.faa.gov)  
A 110-017 TWY C LGTS OTS INDEF.  
A 110-018 PPR FOR LDG DURG UNATNDD HRS - FBO 907-531-9891 FOR ARNGMT & CALL OUT CHARGE.  
A 110-021 GA APRON; TWY C; NE SECTION OF MAIN APRON PCN 21/F/B/X/T.  
A 110-022 DOCK W OF ARPT CLSD NOV 1 - APR 1; PPR OVNGT - AMGR; FERRY BTW ARPT & CITY OPR CONSLY WHEN ARPT ATNDD.

111 INSPECTOR: ( F )

112 LAST INSP: 03/05/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AK LOC ID: KTN FAA SITE NR: 50412.03\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

|                          |       |       |       |       |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY:     | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | /     | /     | /     | /     |
| > 43 VGSI:               | /     | /     | /     | /     |
| 44 THR COSSING HGT.:     | /     | /     | /     | /     |
| 45 VISUAL GLIDE ANGLE:   | /     | /     | /     | /     |
| > 46 CNTRLN-TDZ:         | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV:            | - / - | - / - | - / - | - / - |
| > 48 REIL:               | /     | /     | /     | /     |
| > 49 APCH LIGHTS:        | /     | /     | /     | /     |

### OBSTRUCTION DATA

|                         |   |   |   |   |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY      | / | / | / | / |
| > 51 DISPLACED THR:     | / | / | / | / |
| > 52 CTLG OBSTN:        | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET:     | / | / | / | / |
| 57 OBSTN CLNC SLOPE:    | / | / | / | / |
| 58 CLOSE-IN OBSTN:      | / | / | / | / |

### DECLARED DISTANCES

|                                  |   |   |   |   |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA):   | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA):  | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA):       | / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 03/05/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026