

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: LAKELAND 4 STATE: FL LOC ID: LAL FAA SITE NR: 03283.*A
> 2 AIRPORT NAME: LAKELAND LINDER INTL 5 COUNTY: POLK FL
> 3 CBD TO AIRPORT (NM): 04 SW 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF LAKELAND
> 12 ADDRESS: 3900 DON EMERSON DRIVE SUITE 210
LAKELAND, FL 33811-1340
> 13 PHONE NR: 863-834-3298
> 14 MANAGER: KRIS HALLSTRAND
> 15 ADDRESS: 3900 DON EMERSON DRIVE SUITE 210
LAKELAND, FL 33811-1340
> 16 PHONE NR: 863-834-3298
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR
76 OTHER SERVICES:
AMB, AVNCS, CARGO, CHTR, INSTR, RNTL,
SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 27-59-15.5000N ESTIMATED
20 ARPT LONG: 082-01-08.4000W
21 ARPT ELEV: 141.8 SURVEYED
22 ACREAGE: 1,776
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGRPY
> 26 FAR 139 INDEX: I B U 12/1977

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: SAINT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	05/23	08/26	10/28
> 30 RUNWAY INDENT:	5,000	2,208	8,500
> 31 LENGTH:	150	60	150
> 32 WIDTH:	ASPH-F	TURF-F	ASPH-E
> 33 SURF TYPE-COND:	GRVD	NONE	GRVD
> 34 SURF TREATMENT:	94.0		50.0
35 GROSS WT: S	150.0		250.0
36 (IN THSDS) D			550.0
37 2D			1120.0
38 2D/2D2			
> 39 PCN:			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS1:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH		HIGH	
> 40 EDGE INTENSITY:	PIR - G / NPI - G	NSTD - G / NONE - G	PIR - G / NPI - G	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	/	P4R / P4L	/
> 43 VGS1:	59 / 46	/	71 / 71	/
44 THR COSSING HGT.:	3.00 / 3.00	/	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	Y - Y / Y -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	TMR - / TMR -	- / -
> 47 RVR-RVV:	/	/	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	ALSF2 /	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	D / C	A(V) / A(V)	PIR / D	/
50 FAR 77 CATEGORY	/	362 / 556	/	/
> 51 DISPLACED THR:	/ TREES	TREES / HANGAR	/ TREES	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 34	51 / 55	/ 30	/
> 54 HGT ABOVE RWY END:	/ 1,380	820 / 650	/ 1,110	/
> 55 DIST FROM RWY END:	/ 125L	200R / 145R	/ 455B	/
> 56 CNTRLN OFFSET:	50:1 / 34:1	16:1 / 11:1	50:1 / 30:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	5,000 / 5,000	1,650 / 1,845	8,500 / 8,500	/
> 61 TAKE OFF DIST AVBL (TODA):	5,000 / 5,000	2,010 / 2,205	8,500 / 8,500	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,000 / 5,000	2,205 / 2,205	8,500 / 8,500	/
> 63 LNDG DIST AVBL (LDA):	5,000 / 5,000	1,845 / 1,650	8,500 / 8,500	/

> 110 REMARKS

A 030 RWY 05/23 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 030 RWY 08/26 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. RSTRD TO GROUP 1 ACFT UNDER 1500 LBS MTOW, VFR DAYTIME ONLY, NO TGL; PPR - 863-834-4911.
A 039 RWY 05/23 PCR VALUE: 320/F/A/X/T
A 039 RWY 10/28 PCR VALUE: 460/F/A/X/T
A 042 RWY 08 RWY 8/26 MKD WITH PAVERS.
A 081 PAPI RWY 05 & 23, 10 & 28 OPER CONT.
A 110-001 BIRD ACT ON & INVOF ARPT.
A 110-007 TWY D, D1, & E1 UNLGTD.
A 110-008 PJE WITHIN 5 NM 18000 BLW SR-SS
A 110-009 INDEX C AVBL UPON REQ.
A 110-010 USCBP USER FEE ARPT; SVC THUR-MON, 1530-2400Z. FEE CHRGD OUTSIDE OF SVC HOURS. FEE PAYABLE ON SITE.
A 110-011 24 HR ADVN NOTICE OR IMT REPORTING UPON LDG FOR ACFT EQUIPPED WITH WEATHER MODIFICATION OR GEOENGINEERING EQUIP CTC ARPT OPS 863-456-7890.

111 INSPECTOR: (F)

112 LAST INSP: 02/25/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: LAL FAA SITE NR: 03283.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 02/25/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026