

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: LAFAYETTE 4 STATE: LA LOC ID: LFT FAA SITE NR: 07589.*A
> 2 AIRPORT NAME: LAFAYETTE RGNL/PAUL FOURNET FLD 5 COUNTY: LAFAYETTE LA
> 3 CBD TO AIRPORT (NM): 02 SE 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT: HOUSTON

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY PARISH OF LAFAYETTE
> 12 ADDRESS: 200 TERMINAL DRIVE, SUITE 200
LAFAYETTE, LA 70508
> 13 PHONE NR: 337-703-4800
> 14 MANAGER: STEVEN L. PICOU, EXECUTIVE DIRECTOR
> 15 ADDRESS: 200 TERMINAL DRIVE, SUITE 200
LAFAYETTE, LA 70508-2124
> 16 PHONE NR: 337-703-4800
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A A+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: LOW
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: DE RIDDER
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04L/22R	04R/22L	11/29
> 30 RUNWAY INDENT:	4,098	8,000	5,403
> 31 LENGTH:	75	150	150
> 32 WIDTH:	ASPH-F	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	GRVD	GRVD
> 34 SURF TREATMENT:	25.0	140.0	85.0
35 GROSS WT: S	32.0	170.0	110.0
36 (IN THSDS) D		290.0	175.0
37 2D			
38 2D/2D2			
> 39 PCN:	11 / F/D/X/T		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL: Y / Y
> 49 APCH LIGHTS:

	MED	HIGH	MED	
> 40 EDGE INTENSITY:	NPI - F / NPI - F	PIR - G / PIR - G	NPI - G / NPI - G	- / -
> 42 RWY MARK TYPE-COND:	P2L / P2L	P4L / P4L	P4L / P4L	/
> 43 VGS:	26 / 26	50 / 50	35 / 50	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	R - / T - N	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y /	Y / Y	/
> 48 REIL:	/	/ MALSR	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	A(V) / A(V)	PIR / PIR	C / C	
50 FAR 77 CATEGORY	/	/ 342	/ 248	/
> 51 DISPLACED THR:	TREE / TREE	POLE / TREES	TREES / TREE	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	27 / 54	49 / 57	30 / 49	/
> 54 HGT ABOVE RWY END:	996 / 2,364	1,843 / 1,066	1,082 / 1,878	/
> 55 DIST FROM RWY END:	83L / 5R	325R / 214R	134R / 302R	/
> 56 CNTRLN OFFSET:	29:1 / 40:1	34:1 / 36:1	29:1 / 34:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	04L/22R	04R/22L	11/29
> 60 TAKE OFF RUN AVBL (TORA):	4,098 / 4,098	8,000 / 8,000	5,403 / 5,403
> 61 TAKE OFF DIST AVBL (TODA):	4,098 / 4,098	8,000 / 8,000	5,403 / 5,403
> 62 ACLT STOP DIST AVBL (ASDA):	4,098 / 4,098	8,000 / 8,000	5,403 / 5,403
> 63 LNDG DIST AVBL (LDA):	4,098 / 4,098	8,000 / 7,659	5,403 / 5,155

> 110 REMARKS

A 026 PPR FOR UNSCHEDULED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 337-703-4800.
A 030 RWY 04L/22R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. RWY CLSD 2230-0530.
A 039 RWY 04R/22L PCR VALUE: 670/F/B/X/T
A 039 RWY 11/29 PCR VALUE: 720/F/D/X/T
A 070 CALL 337-234-3100.
A 081 DUSK-DAWN. WHEN ATCT CLSD ACTVT MALSR RWY 22L - CTAF; MIRL RWY 04L/22R NOT AVBL.
A 110-001 RWY 11/29; RWY 04L/22R & RWY 04R/22L LGTD DISTANCE REMAINING SIGNS.
A 110-004 155 FT OIL RIG 1 NM SE OF ARPT.
A 110-006 MIGRATORY BIRDS ON & INVOF ARPT.
A 110-011 CTC GND CTL PRIOR TO PUSH BACK FM TERMINAL.
A 110-013 USE CTN TWR BLIND SPOTS ON TWY M EAST & WEST OF TWY E.
A 110-014 FOR CD IF UNA TO CTC ON FSS FREQ, CTC HOUSTON ARTCC AT 281-230-5622.
A 110-015 TAXILANE A AND ALL PRKG RAMPS ARE NON-MOVEMENT AREAS.
A 110-016 ATCT HAS LTD VIS OF NORTH PRKG RAMP.

111 INSPECTOR: (F) 112 LAST INSP: 10/29/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: LA LOC ID: LFT FAA SITE NR: 07589.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026