AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/13/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: FORT STEWART 4 STATE: GA LOC ID: LHW FAA SITE NR: 03800.8*A
> 2 AIRPORT NAME: WRIGHT AAF (FORT STEWART)/MIDCOAST RGNL 5 COUNTY: LIBERTY GA
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT: JACKSONVILLE

GENERAL

10 OWNERSHIP: ARMY
> 11 OWNER: US ARMY AERONAUTICAL SVCS AGENCY
> 12 ADDRESS: FT BELVOIR, VA 22060
> 13 PHONE NR:
> 14 MANAGER: JESSE WILLETT
> 15 ADDRESS: 1116 E. LOWE CIRCLE HINESVILLE, GA 31315
> 16 PHONE NR: (912) 435-3130
> 17 ATTENDANCE SCHEDULE:

ALL	MON-FRI	0600-2300

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 31-53-16.1500N ESTIMATED
20 ARPT LONG: 081-33-45.5580W
21 ARPT ELEV: 46.6 SURVEYED
22 ACREAGE: 429
> 23 RIGHT TRAFFIC: 06L
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: N
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100LL A+
71 AIRFRAME RPRS: NONE
72 PWR PLANT RPRS: NONE
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN: SWG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: MACON
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	06L/24R	06R/24L	15L/33R	15R/33L
> 30 RUNWAY INDENT:	6,500	2,610	5,001	2,520
> 31 LENGTH:	100	100	100	100
> 32 WIDTH:	ASPH-G	ASPH-P	ASPH-E	ASPH-L
> 33 SURF TYPE-COND:	NONE	NONE	NONE	NONE
> 34 SURF TREATMENT:				
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:	PCN/46 /F/		PCN/15 /F/	

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH		HIGH	
> 42 RWY MARK TYPE-COND:	NPI - F / NPI - F	BSC - P / BSC - P	NPI - F / NPI - F	BSC - P / BSC - P
> 43 VGSI:	P4L /	/	/ P4L	/
44 THR COSSING HGT.:	48 /	/	/ 65	/
45 VISUAL GLIDE ANGLE:	3.00 /	/	/ 3.00	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	C / B(V)	A(V) / A(V)	B(V) / C	A(V) / A(V)
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	TREES /	/	/ TREES	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	113 /	/	/ 81	/
> 55 DIST FROM RWY END:	2,745 /	/	/ 2,438	/
> 56 CNTRLN OFFSET:	610R /	/	/ 551R	/
57 OBSTN CLNC SLOPE:	22:1 / 50:1	50:1 / 50:1	50:1 / 27:1	50:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 017	TWR WILL OPEN FOR JOSAC MISSIONS, DSN 435-3103. WHEN BASE OPS CLSD, CTC HUNTER BASE OPS DSN 729-5110, SEE FLIP AP/1 FLT HAZ AND SUPPLEMENTARY ARPT RMK.
A 023	RIGHT TFC RWY 06L CATS B C D & E.
A 030	RWY 06R/24L RWY 6R/24L CLSD INDEFLY.
A 030	RWY 15R/33L CLSD INDEFLY.
A 042	RWY 06R RWY 6R/24L MARKINGS BADLY FADED.
A 042	RWY 15R/33L MARKINGS BADLY FADED.
A 081	WHEN ATCT & MARNE RDO BOTH CLSD, ACTVT PAPI RWY 06L & 33R; HIRL RWY 06L/24R & 15L/33R; TWY A, B, C, & F - CTAF.
A 110-003	R/W ACFT PILOTS PLANNING TO CONDUCT OPR WITHIN R3005 MUST RCV A RNG BRIEFING PRIOR TO ANY OPR. BRIEFING SHALL BE ACCOMPLISHED AT LEAST 4 HRS PRIOR TO FLT ON THE RESERVATION.
A 110-005	RSTD: ALL MIL PPR AND MIL TRAN ACFT, CTC BASE OPS 571-801-1579/1580.
A 110-008	NS ABTMT: NO OVFT OF CANTONMENT AREA OR CITY OF HINESVILLE BELOW 1000 FT AGL.
A 110-013	FUEL: J8 AVBL FBO, C912-877-4359 (NC 100LL) 1300-0600Z++ MON-FRI, EXC HOL, OT 24 HR PPR. TRAN FUEL PPR, CTC BASE OPS 571-801-1579/1580.

111 INSPECTOR: (S) 112 LAST INSP: 04/07/2025 113 LAST INFO REQ: 08/14/2008

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/13/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: GA | LOC ID: LHW | FAA SITE NR: 03800.8*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ASO/ATL | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	H1			
> 30 RUNWAY INDENT:				
> 31 LENGTH:	50			
> 32 WIDTH:	50			
> 33 SURF TYPE-COND:	TURF-F			
> 34 SURF TREATMENT:	NONE			
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	BSC - G			
> 42 RWY MARK TYPE-COND:	/ -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY				
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-016 CAUTION: EXTV R/W TRNG MIN LGT SS-SR. CTC TWR PRIOR TO ENTERING CLASS D AIRSPACE. R3005 1.4 NM NW OF AFLD. DEER AND PIG HAZ.
A 110-018 MISC: MOORING/TIE-DOWN STRAPS NOT AVBL.
A 110-019 RSTD: AVIATORS BRIEFED IN THE LAST 6 MOS MAY RECEIVE A TELEPHONIC UPDATE BRIEFING. CTC HUNTER AAF OPS C571-801-8263/64. 1200-0100Z++ MON-FRI.
A 110-020 CIVILIAN FBO PH#'S 912-877-4364 & 912877-4359.
A 110-023 UNMANNED ACFT ACT IN CLASS D.
A 110-025 MISC: FULL WX SVC EFF 1100-0400Z++MON-FRI, CLSD WEEKEND AND FEDERAL HOL, OT REMOTE BRIEFING FR 26 OWS BARKSDALE AFB, LA, DSN 331-2651/2/3, C318-529-2651/2/3. DUR PERIODS OF AUGMENT ATC WILL ASSIST IN COOPERATIVE WX WATCH BY NOTIFYING WX OF UNREPORTED COND. AUGMENTATION MODE, PREVAIL SFC VIS MAY NOT BE REPRESENTED OF ENTIRE AFLD DUE TO BLDG OBST AND LACK OF VIS. MARK BYD 1 1/2 SM. KLHW FCST 571-801-1585/86.
A 110-026 MISC: OPR HRS MAY VARY WITH LCL FLYING SHED.

111 INSPECTOR: (S) 112 LAST INSP: 04/07/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/13/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: GA | LOC ID: LHW | FAA SITE NR: 03800.8*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ASO/ATL | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-027 COMM: CTAF MARNE RDO - OPR 1230Z++ MON-0400Z++ SAT, SUN 1230Z++ - 0400Z++ EXC HOL. MIDCOAST REGIONAL-FBO OPR 1200-0000Z++. 123.075.
A 110-028 MISC: MAIN RAMP PARKING PADS 15-18 PERM CLSD / SOUTHERN TAXI LANE PERM CLSD.
A 110-029 CAUTION: TWYS A, B, C SIGNS REMOVED OR U/S. TWY E PERM CLSD.
A 110-030 CAUITON: RWY 33R/15L SIGNS REMOVED OR U/S. RWY 24R SIGNS REMOVED OR UNSERVICEABLE.
A 110-031 CAUTION: ALL DISTANCE REMAINING SIGNS MISSING FROM ALL RWYS.
A 110-032 MISC: NO OVERRUNS FOR RWY 24R, 15L/33R.
A 110-033 (CONTACT TITLE) OTR CTC: JESSE.A.WILLETT.CIV@ARMY.MIL

111 INSPECTOR: (S) | 112 LAST INSP: 04/07/2025 | 113 LAST INFO REQ: