AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: LIHUE
> 2 AIRPORT NAME: LIHUE
3 CBD TO AIRPORT (NM): 02 E
4 STATE: HI
6 REGION/ADO: AWP/HNL
LOC ID: LIH
5 COUNTY: KAUAI HI
7 SECT AERO CHT: HAWAIIAN ISLANDS
FAA SITE NR: 52420.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: HAWAII ST ARPTS DIV
> 12 ADDRESS: HONOLULU INTL ARPT
HONOLULU, HI 96819
> 13 PHONE NR: 808-838-8600
> 14 MANAGER: CRAIG H. DAVIS
> 15 ADDRESS: 3901 MOKULELE LP BOX 6
LIHUE, HI 96766
> 16 PHONE NR: 808-274-3800
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	0500-0000

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 21-58-33.5400N ESTIMATED
20 ARPT LONG: 159-20-20.2480W
21 ARPT ELEV: 152.4 SURVEYED
22 ACREAGE: 915
> 23 RIGHT TRAFFIC: 03, 35
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I C S 05/1973

SERVICES

70 FUEL: 100 A

71 AIRFRAME RPRS: MINOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AGRI, CARGO, CHTR

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: HONOLULU
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	03/21	17/35	H1	H2
> 30 RUNWAY INDENT:	6,500	6,500	40	40
> 31 LENGTH:	150	150	40	40
> 32 WIDTH:	ASPH-G	ASPH-G	CONC-G	CONC
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE	NONE
> 34 SURF TREATMENT:	120.0	120.0		
35 GROSS WT: S	250.0	250.0		
36 (IN THSDS) D	550.0	550.0		
37 2D	1120.0	1120.0		
38 2D/2D2	PCR/704 /F/	PCR/704 /F/		
> 39 PCN:				
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	MED	HIGH		
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
> 43 VGSI:	P4L / P4L	P4L / P4L	/	/
44 THR COSSING HGT.:	46 / 45	54 / 55	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	/	/
> 46 CNTRLN-TDZ:	N - N / N - N	- / -	N - N / -	- / -
> 47 RVR-RVV:	- N / - N	- / -	- N / -	- / -
> 48 REIL:	Y / Y	Y /	N /	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	B(V) / C	C / PIR	/	/
> 51 DISPLACED THR:	/ 205	/	/	/
> 52 CTLG OBSTN:	/ TREE	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 4	/	/	/
> 55 DIST FROM RWY END:	/ 200	/	/	/
> 56 CNTRLN OFFSET:	/ 100R	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	6,500 / 6,500	6,500 / 6,500	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,500 / 6,500	6,500 / 6,500	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,500 / 6,500	6,500 / 6,500	/	/
> 63 LNDG DIST AVBL (LDA):	6,500 / 6,295	6,500 / 6,500	/	/

> 110 REMARKS

A 010	DIST. MGR; STATE OF HAWAII DEPT. OF TRANSPORTATION AIRPORTS DIV.
A 026	<CRASH & FIRE EQUIPMENT AVBL 24 HRS.
A 031	RWY 17/35 DIST RMNG SIGNS LEFT SIDE OF RWY 35.
A 043	RWY 03 UNUSBL BYD 1.5 NM AND 7 DEGS LEFT OF CNTRLN AND OFFSET 9.5 DEG E OF CNTRLN DUE TO RAPIDLY RISING TRRN.
A 043	RWY 17 UNUSBL BYD 5 DEGS RIGHT OF CNTRLN.
A 070	100 OCTANE FUEL AVBL 0900-1700. FOR JET A FUEL CALL 1-800-776-2138 OR 1-800-821-3122.
A 072	HELI MAJOR.
A 081	WHEN ATCT CLSD ACTVT MALSR RWY 35; REIL RWYS 03, 17, & 21; PAPI RWYS 03, 17, 21, & 35; MIRL RWY 03/21; HIRL RWY 17/35; TWY LGTS - CTAF.
A 110-001	STADIUM FLOOD LIGHTS 125 FT AGL/282 FT MSL/ 2400 FT SW FROM RWY 03 THR.
A 110-005	INTXN DEPS FM TWY D ON RY 17/35 NOT AUTHORIZED.
A 110-006	PPR FOR TRANSPORTATION OF DIV 1.1, 1.2, 1.3, 1.4 EXPLOSIVES AND HAZMAT IN AND OUT OF ARPT. CALL ARPT OPS AT 808-651-6255.
A 110-007	MILITARY ACFT MAKE FUEL ARRANGEMENTS BEFORE ARRIVAL.
A 110-008	DUE TO NONVISIBILITY ATCT UNABLE TO PROVIDE ATC SVC BTN ACFT AND/OR VEHICLES ON TWY B FM 220 FT TO 500 FT S OF TWY D.

111 INSPECTOR: (F)
112 LAST INSP: 11/21/2025
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: HI
6 REGION/ADO: AWP/HNL
LOC ID: LIH
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 52420.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:	**H3**			
> 31 LENGTH:	40			
> 32 WIDTH:	40			
> 33 SURF TYPE-COND:	CONC			
> 34 SURF TREATMENT:	NONE			
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-014 RWY 17/35 WGT LMT DC10-10 340000 LBS; DC10-30 430000 LBS.
A 110-017 405 FT OF RWY 17/35 500 FT SOUTH OF TWY D & RWY 17/35 INT NOT VSB FM ATCT.
A 110-018 HELICOPTER PADS 1-20 LCTD W OF CONTROL TOWER.
A 110-020 MISC 2 OF 3: ACFT NEEDING ENG RUNUPS FOR OTR THAN NML START-UP AND TAXI OUT ARE RQRD TO COORD THESE RUNUPS WITH OPS AT 808-651-6255. NML RUNUP AREA IS ON TWY ALPHA NORTH OF TWY B AND ALPHA INT. ACFT ORIENTATION IS DEPENDENT ON WIND AND TWR APVL.
A 110-021 MISC 3 OF 3: POWER SETTING WILL NOT CAUSE DAMAGE TO LIGHTS AND SIGNS, IF RUN MAY CAUSE DAMAGE AN ALTERNATE LOCATION WILL BE SELECTED.
A 110-022 MISC 1 OF 3: PPR FOR PARKING ALL TRANSIENT ACFT, CALL ARPT OPS CONTROL (808)651-6255; FAX (808) 241-3939 BTN 1700Z 0230Z, OTHER TIMES (808) 274-3814. MILITARY/CIVILIAN ACFT CARRYING MUNITIONS/HAZMAT MUST COORDINATE ITINERARY NLT 24 HRS PRIOR TO ARRIVAL.
A 110-023 EXTENSIVE LARGE AND SMALL BIRD ACTIVITY INVOF RYS INCLUDING THE NENE GOOSE.
A 110-024 FOR CD WHEN ATCT IS CLSD CTC HONOLULU CONTROL FACILITY AT 808-840-6262.

111 INSPECTOR: (F)
112 LAST INSP: 11/21/2025
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/1/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: LIH FAA SITE NR: 52420.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 11/21/2025 113 LAST INFO REQ: